

# COMMERCIAL CITYWIDE DESIGN GUIDELINES

Pedestrian-Oriented/Commercial and Mixed Use Projects

## **Checklist for Project Submittal**

Submit a completed copy of this checklist with the Master Land Use Application if the project meets all of the following criteria:

A discretionary Planning Department application that:

- 1) Requires a building permit, and
- 2) The building or structure is visible from the public right-of-way, and
- 3) The project involves the construction of, addition to or exterior alteration of any building or structure.;

Single-family homes are exempt. Small lot subdivisions will be exempt when the Small Lot Design Guidelines are issued.

Refer to the Commercial Citywide Design Guidelines when filling out this checklist. The Commercial Citywide Design Guidelines are available on www.cityplanning.lacity.org or at www.UrbanDesignLA.com. It is important to remember they are performance goals, not zoning regulations or development standards and therefore do not supersede regulations in the municipal code.

Complete this checklist with respect to the proposed project. For any "No" or "N/A" marks, applicant must supply a written justification at the end of the checklist or as an attachment. Applications that do not meet specific guidelines applicable to the project should provide rationale for the design and explain how the project will meet the overall intent of the objective.

If an adopted and required community-specific guideline such as the Community Plan Urban Design chapter, specific plan, or Downtown Design Guideline varies from the Citywide Design Guidelines, then the community-specific guideline shall prevail.

See the Notes section at the end of the checklist for applicability and compliance.

Case Number:	CPC	201	5-	20	25	

## OBJECTIVE 1: Consider Neighborhood Context and Linkages in Building and Site Design

Indicate which (if any) of the following methodologies you applied in your project.

### 1.1 Site Planning:

YES	NO	N/A		STAFF REVIEW
•	0	0	Create a strong street wall by locating building frontages at the required setback or, where no setback requirement exists, at the front property line. Where additional setback is necessary or a prevailing setback exists, activate the area with a courtyard or "outdoor room" adjacent to the street by incorporating pedestrian amenities such as plazas with seating or water features, for example.	
•	0	0	Provide direct paths of travel for pedestrian destinations within large developments. Especially near transit lines, create primary entrances for pedestrians that are safe, easily accessible, and a short distance from transit stops.	
0	0	•	Maintain existing alleys for access. Avoid vacating alleys or streets to address project-specific design challenges.	
•	0	0	In dense neighborhoods, incorporate passageways or paseos into mid-block developments, particularly on through blocks, that facilitate pedestrian and bicycle access to commercial amenities from adjacent residential areas. Maintain easy access to commercial areas from adjacent residential neighborhoods to avoid unnecessary or circuitous travel.	
•	0	0	Activate mid-block passageways, pedestrian walkways, or paseos using water features, pedestrian-level lighting, murals or artwork, benches, landscaping, or special paving so that they are safe and visually interesting spaces.	
0	0	0	Place buildings around a central common open space to promote safety and the use of shared outdoor areas. In mid- and high-rise buildings, podiums between buildings and rooftop areas can be used as common areas.	
<b>©</b>	0	0	Place public use areas such as restaurant seating, reception and waiting areas, lobbies, and retail, along street-facing walls where they are visible to passersby.	
•	O	0	Place drive-thru elements away from primary site corners and adjacent primary streets.	
0	0	•	At gas stations, car washes, and drive-thru establishments, ensure that separate structures on the site have consistent architectural detail and design elements to provide a cohesive project site.	

•	O	O	mixed-use buildings located on Major or Secondary highways where bike routes are existing or planned. Ensure bicycle racks are placed in a safe, convenient, and well-lit location to encourage alternative modes of transport for employees and consumers with small purchases.	u
1.2 B	Building	g Orien	ntation	
YES	NO	N/A		STAFF REVIEW
•	0	0	Orient the long side of large-format retail establishments parallel to the public street to physically define the street edge. Large format retail with multiple tenants should provide distinct entrances and storefronts to improve site design flexibility for future retail uses at the same location.	
1.3 E	entranc	es		
YES	NO	N/A	•	STAFF REVIEW
0	0	0	Provide a logical sequence of entry and arrival as part of the site's design. Special entry treatments such as stamped or colored concrete and special planting and signage can be used to enhance entries and guide pedestrians.	
0	0	0	Entries should be designed according to simple and harmonious proportions in relationship to the overall size and scale of the building. Ensure that pedestrian entries provide shelter year-round.	
•	0	0	Ensure that the main entrance and entry approach can accommodate persons of all mobility levels.	
•	0	0	Promote pedestrian activity by placing entrances at grade level and unobstructed from view from the public right-of-way. Avoid sunken entryways below street level. Where stairs are located near the main entrance, highly visible and attractive stairs should be placed in a common area such as an atrium or lobby and integrated with the predominant architectural design elements of the main building.	
0	0	0	Ground floor retail establishments in mixed-use projects should maintain at least one street-facing entrance with doors unlocked during regular business hours to maintain an active street presence.	
•	0	O	Ensure that commercial ground floor uses provide clear and unobstructed windows, free of reflective coatings and exterior mounted gates and security grills. Ensure that landscaping does not create a barrier between pedestrians and the building frontage, nor views into buildings at the ground floor.	
•	O	O	Install electronic security to avoid the need for unsightly security grills and bars. If such security measures are necessary, ensure that security grills and bars recess completely into pockets at the side or top of storefronts so as to conceal the grills when they are retracted.	

## 1.4 Relationship to Adjacent Buildings

YES	NO	N/A		STAFF REVIEW
0	0	0	Ensure that new buildings are compatible in scale, massing, style, and/or architectural materials with existing structures in the surrounding neighborhood.	
0	0	0	In older neighborhoods, new developments should likewise respect the character of existing buildings with regards to height, scale, style, and architectural materials.	
•	0	0	Soften transitions between commercial districts and immediately surrounding residential neighborhoods with respect to building height, massing, and negative impacts of light and noise. Plant trees, shrubs, or vines to grow between property lines.	
0	0	•	Where commercial or multi-family projects are adjacent to single-family zones, provide a sensitive transition by maintaining a height compatible with adjacent residential buildings. Mitigate negative shade/shadow and privacy impacts by stepping back upper floors and avoiding direct views into neighboring single-family yards.	
•	0	0	In pedestrian-oriented commercial areas with predominantly smaller storefronts (especially when a project is built over two or more lots), apply vertical breaks and pedestrian-scaled storefront bays to prevent monolithic "box-like" buildings and maintain a storefront rhythm consistent with surrounding buildings.	
0	0	0	Break up the floor space in large retail developments to add variety, interest, and built-in flexibility to accommodate future uses of differing scales.	
•	0	0	In older neighborhoods, new developments should likewise respect the character of existing buildings with regards to height, scale, style, and architectural materials.	
0	0	•	Soften transitions between commercial districts and immediately surrounding residential neighborhoods with respect to building height, massing, and negative impacts of light and noise. Plant trees, shrubs, or vines to grow between property lines.	
0	0	•	Where commercial or multi-family projects are adjacent to single-family zones, provide a sensitive transition by maintaining a height compatible with adjacent residential buildings. Mitigate negative shade/shadow and privacy impacts by stepping back upper floors and avoiding direct views into neighboring single-family yards.	
•	0	0	In pedestrian-oriented commercial areas with predominantly smaller storefronts (especially when a project is built over two or more lots), apply vertical breaks and pedestrian-scaled storefront bays to prevent monolithic "box-like" buildings and maintain a storefront rhythm consistent with surrounding buildings.	

Does t	he pro der Ne	ject me ighborh	eet the overall intent of Objective 1: nood Context and Linkages in Building and Site Design?	
YES	NO		STA	F INTIALS
•	0	(See p	page 15 for explanation)	<del></del>
OBJE Distri		E 2: E	imploy High Quality Architecture to Define the Character of Comm	ercial
Indicat	e whic	h (if any	y) of the following methodologies you applied in your project.	
2.1 P	edestr	ian Sca	ile:	
YES	NO	N/A		STAFF REVIEW
•	0	0	Maintain a human scale rather than a monolithic or monumental scale. Hig rise buildings in particular should take care to address pedestrian scale at the ground floor.	n- 🔲 le
•	0	0	At entrances and windows, include overhead architectural features such awnings, canopies, trellises, or cornice treatments that provide shade at reduce daytime heat gain, especially on south-facing facades.	as 🗆 ad
<b>©</b>	0	0	Differentiate the ground floor from upper floors. Changes in massing a architectural relief add visual interest and help to diminish the perceive height of buildings.	ad □ ed
2.2 E	Building	g Façac	de and Form:	
YES	NO	N/A		STAFF REVIEW
•	0	O	Vary and articulate the building façade to add scale and avoid larg monotonous walls.	e 🗆
•	0	O	Architectural elements such as entries, porticoes, cornices, and awning should be compatible in scale with the building massing and should not be exaggerated or made to appear as a caricature of an historic architectura style.	<del>)</del>
•	0	0	Layer building architectural features to emphasize certain features of the building such as entries, corners, and the organization of retail or office spaces.	e 🔲 e

•	O	0	Incorporate and alternate different textures, colors, materials, and distinctive architectural treatments that add visual interest while avoiding dull and repetitive façades.	
0	0	0	Incorporate windows and doors with well-designed trims and details as character-defining features to reflect an architectural style or theme consistent with other façade elements.	
•	0	0	Treat all façades of the building with an equal level of detail, articulation, and architectural rigor.	
•	0	0	Integrate varied roof lines through the use of sloping roofs, modulated building heights, stepbacks, or innovative architectural solutions.	
•	0	0	Reinforce existing facade rhythm along the street where it exists by using architectural elements such as trim, material changes, paved walkways, and other design treatments consistent with surrounding buildings.	
•	0	0	In mixed-use projects, orient windows in street-facing units toward public streets, rather than inward, to contribute to neighborhood safety and provide design interest.	
•	0	0	In mixed-use buildings, ensure that balconies are sized and located to maximize their intended use for open space. Avoid "tacked on" balconies with limited purpose or function.	
2.3 B	Building	Mate	rials	
YES	NO	N/A		STAFF REVIEW
•	0	0	Approach character-defining details in a manner that is true to a style of	
•			architecture or common theme.	
	O	0		
•	0	-	architecture or common theme.  Apply trim, metal- and woodwork, lighting, and other details in a harmonious	<u> </u>
•	0	0	architecture or common theme.  Apply trim, metal- and woodwork, lighting, and other details in a harmonious manner, consistent with the proportions and scale of the building(s).  Select building materials, such as architectural details and finishes that convey a sense of permanence. Quality materials should be used to	
_	0	0	architecture or common theme.  Apply trim, metal- and woodwork, lighting, and other details in a harmonious manner, consistent with the proportions and scale of the building(s).  Select building materials, such as architectural details and finishes that convey a sense of permanence. Quality materials should be used to withstand the test of time regardless of architectural style.  Apply changes in material purposefully and in a manner corresponding to	_
•	0	0 0	Apply trim, metal- and woodwork, lighting, and other details in a harmonious manner, consistent with the proportions and scale of the building(s).  Select building materials, such as architectural details and finishes that convey a sense of permanence. Quality materials should be used to withstand the test of time regardless of architectural style.  Apply changes in material purposefully and in a manner corresponding to variations in building mass.  Use white or reflective paint on rooftops and light paving materials to reflect	

•	0	0	Utilize landscaping to add texture and visual interest at the street level. Where limited space is available between the building and the public right-of-way, incorporate climbing vegetation as a screening method.	
2.4 S	torefro	nt Cha	racter	
YES	NO	N/A		STAFF REVIEW
•	0	0	In multi-tenant buildings, ensure that storefronts convey an individual expression of each tenant's identity while adhering to a common architectural theme and rhythm.	
•	0	0	Design storefronts with a focus on window design to create a visual connection between the interior and exterior.	
•	0	0	Incorporate traditional storefront elements in new and contemporary commercial buildings by including a solid base for storefront windows. Use high quality durable materials such as smooth stucco or concrete, ceramic tile, or stone for the window base.	
•	0	0	Provide shelter from the sun and rain for pedestrians along the public right-of- way where the buildings meet the street. Extend overhead cover across driveways or provide architecturally integrated awnings, arcades, and canopies.	
•	0	0	Align awnings with others on the block, particularly the bottom edge of the awning. Coordinate the awning color with the color scheme of the entire building front.	
•	0	0	Ensure that store entrances are recessed, not flush, with the edge of the building façade to articulate the storefront and provide shelter for persons entering and exiting.	
			eet the overall intent of Objective 2: ty Architecture to Define the Character of Commercial Districts?	
YES	NO NO	. acualii		INTIALS
0	Q	(See	page 15 for explanation)	

# OBJECTIVE 3: Augment the Streetscape Environment with Pedestrian Amenities

Indicate which (if any) of the following methodologies you applied in your project.

#### 3.1 Sidewalks:

YES	NO	N/A		STAFF REVIEV
•	0	0	Where a sidewalk does not currently exist, establish a new predominantly straight sidewalk along the length of the public street frontage. Create continuous and predominantly straight sidewalks and linear open space. Reconstruct abandoned driveways as sidewalks.	
•	0	0	On Major and Secondary Highways, provide a comfortable sidewalk and parkway; at least 10 feet in width to accommodate pedestrian flow and activity, but wider if possible. Sidewalks and parkway widths on Local and Collector streets may be narrower, but generally not less than nine feet wide.	
<b>©</b>	0	0	Plant parkways separating the curb from the sidewalk with ground cover, low-growing vegetation or permeable materials that accommodate both pedestrian movement and car doors. Brick work, pavers, gravel, and wood chips are examples of suitable permeable materials.	
•	0	0	Create a buffer zone between pedestrians, moving vehicles, and other transit modes by the use of landscaping and street furniture. Examples include street trees, benches, newspaper racks, pedestrian information kiosks, bicycle racks, bus shelters, and pedestrian lighting.	
•	0	0	Plant street trees at the minimum spacing permitted by the Division of Urban Forestry, typically one tree for every 20 feet of street frontage, to create a consistent rhythm.	
•	O	O	Broadleaf evergreen and deciduous trees should be used to maintain a continuous tree canopy. Shade producing street trees may be interspersed with an occasional non-shade tree.	
<b>O</b>	0	0	In high pedestrian use areas, install tree guards to protect tree trunks from damage.	
0	0	0	Ensure that new developments adjacent to transit stops invest in pedestrian amenities such as trash receptacles and sheltered benches or seating areas for pedestrians that do not intrude into the accessible route.	
•	O	0	Provide path lighting on sidewalks to encourage and extend safe pedestrian activities into the evening.	

3.2	Crossw	alks/St	treet Crossings for Large-Scale Developments				
YES	NO	N/A	Incorporate features such as white markings, signage, and lighting so that pedestrian crossings are visible to moving vehicles during the day and at night.	STAFF REVIEW			
•	0	0	Improve visibility for pedestrians in crosswalks by installing curb extensions/bump outs.				
•	0	0	Emphasize pedestrian safety and comfort at crosswalks with devices such as pedestrian crossing signals, visible and accessible push buttons for pedestrian actuated signals, and dual sidewalk ramps that are directed to each crosswalk.				
•	0	0	On wide streets, employ devices that decrease the crossing distance for pedestrians. Examples include a mid-street crossing island, an area of refuge between a right-turn lane and through lane, a curb extension/bump out, or a minimal curb radius.				
3.3	On-Stre	et Parl	king:				
YES	S NO	N/A		STAFF REVIEW			
•	0	0	Locate curb cuts in a manner that does not reduce on-street parking.				
•	0	0	Provide angled or parallel on-street parking to maximize the safety of bicyclists and other vehicular traffic.				
	Does the project meet the overall intent of Objective 3: Augment the Streetscape Environment with Pedestrian Amenities?						
YES	NO NO		STAF	INTIALS			
0	O	(See	page 15 for explanation)				

## OBJECTIVE 4: Minimize the Appearance of Driveway and Parking Areas

Indicate which (if any) of the following methodologies you applied in your project.

#### 4.1 Off-Street Parking and Driveways

YES	NO	N/A		STAFF REVIEW
•	0	0	Place on-site parking to the side or rear of buildings so that parking does not dominate the streetscape.	
•	0	0	Maintain continuity of the sidewalk by minimizing the number of curb cuts for driveways and utilizing alleys for access and egress. Where alleys do not exist, concentrate curb cuts at side streets or mid-block.	
0	0	•	Where alternatives to surface parking are not feasible, locate parking lots at the interior of the block, rather than at corner locations. Reserve corner locations for buildings.	
0	0	•	Where the parking lot abuts a public sidewalk, provide a visual screen or landscaped buffer between the sidewalk and the parking lot.	
0	0	•	When driveway placement on a front façade cannot be avoided, locate the driveway at the edge of the parcel rather than in the center. Ensure that the street-facing driveway width is minimized to 20 feet or less.	
0	0	0	Wrap parking structures with active uses such as retail spaces or housing units on the ground floor.	
0	0	•	Blend parking structure facades with nearby buildings by incorporating architectural treatments such as arches or other architectural openings and varied building materials, decorative screening, climbing vines, or green walls to provide visual interest.	
0	0	0	Mitigate the impact of parking visible to the street with the use of planting and landscaped walls tall enough to screen headlights.	
•	O	0	Illuminate all parking areas and pedestrian walkways to improve safety. Avoid unintended spillover impacts onto adjacent properties.	
•	0	0	Use architectural features, such as decorative gates and fences, in combination with landscaping to provide continuity at the street where openings occur due to driveways or other breaks in the sidewalk or building wall.	

		oject meet the overall intent of Objective 4:  Appearance of Driveways and Parking Areas?	
YES	NO		STAFF INTIALS
<b>©</b>	0	(See page 15 for explanation)	

## OBJECTIVE 5: Include Open Space to Create Opportunities for Public Gathering

Indicate which (if any) of the following methodologies you applied in your project.

#### 5.1 On-Site Landscaping:

YES	NO	N/A		STAFF REVIEW
<b>©</b>	0	0	Retain mature and healthy vegetation and trees when developing a site, especially native species.	
•	0	0	Design landscaping to be architecturally integrated with the building and suitable to the functions of the space while selecting plant materials that complement the architectural style, uses, and form of the building.	
<b>©</b>	0	0	Design open areas to maintain a balance of landscaping and paved area. Select drought tolerant, native landscaping to limit irrigation needs and conserve water. Mediterranean and local, climate-friendly plants may be used alongside native species.	
•	0	0	Facilitate sustainable water use by using automated watering systems and drip irrigation to irrigate landscaped areas.	
•	0	0	Facilitate stormwater capture, retention, and infiltration, and prevent runoff by using permeable or porous paving materials in lieu of concrete or asphalt. Collect, store, and reuse stormwater for landscape irrigation.	
<b>©</b>	0	0	Provide canopy trees in planting areas in addition to street trees for shade and energy efficiency, especially on south and southwest facing façades.	
0	0	•	Use landscape features to screen any portion of a parking level or podium that is above grade. Trees, shrubbery, planter boxes, climbing plants, vines, green walls, or berms can be used to soften views from the public right-of-way.	

5.2	Open S	pace a	nd Plazas:	
YES	NO	N/A		STAFF REVIEW
<b>©</b>	0	0	Incorporate shaded open space such as plazas, courtyards, pocket parks, and terraces in large scale commercial buildings. Design open areas to be easily accessible and comfortable for a substantial part of the year.	
•	0	0	Orient open spaces to the sun and views. Create a sense of enclosure while maintaining safety, so that open spaces and plazas feel like outdoor rooms.	
0	0	0	Connect open spaces to other activity areas where people gather to sit, eat, or watch other people.	
•	0	0	Locate sidewalk restaurants or outdoor dining areas on or adjacent to open spaces and pedestrian routes. Connect shops or office entrances directly to places where people gather or walk.	
•	0	0	Landscape all open areas not used for buildings, driveways, parking, recreational facilities, or pedestrian amenities. Landscaping may include any practicable combination of shrubs, trees, ground cover, minimal lawns, planter boxes, flowers, or fountains that reduce dust and other pollutants and promote outdoor activities, especially for children and seniors.	
Does	the pro	oiect m	neet the overall intent of Objective 5:	
Inclu	de Ope	n Spac	ce to Create Opportunities for Public Gathering?	
YES	NO		STAFF	INTIALS
<b>©</b>	0	(See	page 15 for explanation)	
OBJ	ECTIV	E 6:	Improve the Streetscape by Reducing Visual Clutter	
Indica	ate whic	h (if ar	ny) of the following methodologies you applied in your project.	
6.1	Buildin	g Sign	nage and Placement:	
YES	NO	N/A		STAFF REVIEW
•	0	O	In general, a maximum of one business identification wall sign should be installed per business frontage on a public street. Rarely should more than one business identification wall sign be utilized per storefront.	
•	0	0	Locate signs where architectural features or details suggest a location, size, or shape for the sign. Place signs so they do not dominate or obscure the architectural elements of the building or window areas.	

•	0	0	Include signage at a height and of a size that is visible to pedestrians and facilitates access to the building entrance.	
•	0	O	In commercial and mixed-use buildings with multiple tenants, develop a coordinated sign program establishing uniform sign requirements that identify appropriate sign size, placement, and materials.	
6.2 E	Buildin	g Sign	age Materials:	
YES	NO	N/A		STAFF REVIEW
•	0	0	At large retail developments, provide maps and signs in public spaces showing connections, destinations, and locations of public facilities such as nearby transit stops.	
			Limit the total number of colors used in any one sign. Small accents of several colors make a sign unique and attractive, but competition of many different colors reduces readability.	
•	0	O	Limit text on signs to convey the business name or logo. Eliminate words that do not contribute to the basic message of the sign.	
•	0	0	Select sign materials that are durable and compatible with the design of the façade on which they are placed.	
0	0	0	Illuminate signs only to the minimum level required for nighttime readability.	
6.3 L	ighting	g and S	Security:	
YES	NO	N/A		STAFF REVIEW
•	0	0	Use ornamental lighting to highlight pedestrian paths and entrances to contribute to providing for a comfortable nighttime strolling experience while providing security by including after-hours lighting for storefronts.	
•	0	0	Install lighting fixtures to accent and complement architectural details. Shielded wall sconces and angled uplighting can be used at night to establish a façade pattern and animate a building's architectural features.	
0	0	0	Utilize adequate, uniform, and glare-free lighting, such as dark-sky compliant fixtures, to avoid uneven light distribution, harsh shadows, and light spillage onto adjacent properties.	

#### 6.4 Utilities:

YES	NO	N/A		STAFF REVIEW					
•	0	0	Place utilities in landscaped areas and out of the line-of-sight from crosswalks or sidewalks. Utilities such as power lines, transformers, and wireless facilities should be placed underground or on rooftops when appropriately screened by a parapet; otherwise, any mechanical or electrical equipment should be buffered by planting materials in a manner that contributes to the quality of the existing landscaping on the property and the public streetscape.	<b>-</b>					
•	0	0	Screen views of rooftop equipment such as air conditioning units, mechanical equipment, and vents from view from the public right-of-way.						
•	0	0	Hide trash enclosures within parking garages so that they are not visible to passersby. Screen outdoor stand-alone trash enclosures using walls consistent with the architectural character of the main building, and locate them so that they are out of the line-of-sight from crosswalks or sidewalks.						
Does the project meet the overall intent of Objective 6: Improve the Streetscape by Reducing Visual Clutter?									
YES	NO		STAFF	FINTIALS					
•	0	(See	page 15 for explanation)						

#### **Notes**

Many neighborhoods in Los Angeles have adopted guidelines as part of a Community Plan Urban Design chapter, or special zoning designations such as specific plans, community design overlay districts, designated historic properties and historic districts. This policy applies to all areas, but is particularly applicable to those areas within the City that do not currently have adopted design guidelines.

Proposed projects must substantially comply with the Citywide Design Guidelines through either the methods listed in the guidelines or through alternative methods that achieve the same objective. Applications that do not meet the specific guidelines applicable to that project should provide rationale for the design and explain how the project will meet the intent of the General Plan, the Municipal Code, and these Guidelines objectives.

In cases where site characteristics, existing improvements, or special circumstances make substantial adherence impractical, substantial compliance may not be possible. The Citywide Design Guidelines will be used to condition an approved project and not as the basis for decision makers to approve or deny it. Conditions imposed by the initial decision maker may be appealed.

STAFF WRITTEN JUSTIFICATION REVIEW Objective 1: Consider Neighborhood Context & Linkages in Building and Site Design There are no alleys or streets being vacated. The project is not adjacent to single-family zoning. The project is creating a diagonal pedestrian paseo with ground-floor retail to link residential, hotel, and creative П office uses and to create a mid-block diagonal link from Sunset to Selma and encourages pedestrian traffic from the Hollywood/Highland Metro stop. Further, there are no drive-thrus or gas stations. Objective 2: Employ Distinguishable and Attractive Building Design П There are no fences in the project. The uses of the project are differentiated by the use of facade articulationand materials. Each tower has a different facade treatment, height, and massing. Similarly, the low rise residential buildings/creative offices also have varying facade rhythms and materials. The retail base acts as a common ribbon to unify all the elements and reinforces the pedestrian paseo. Objective 3: Provide Pedestrian Connections Within and Around the Project П Objective 4: Minimize the Appearance of Driveways and Parking Areas All parking is subterranean and driveways are located as to create the least disturbance to the sidewalk and retail frontage as possible. Landscaping is used to help reinforce the continuity of the sidewalk/street. The number of driveway entrances and driveway width are kept to a minimum where possible. The provision re driveway placement is geared toward single/few parcel development, not development of a 7 acre site. Objective 5: Utilize Open Areas and Landscaping Opportunities to their Full Potential П The paseo walkway contains different hardscape and landscape areas to mark entrances to the project and punctuate the walkways. Groups of tall palms emphasize the path while lower planters and hardscape delineate seating and gathering spaces. The podium level offers common open space amenities including pools, gardens, and seating areas for the residents. There is no above grade parking to be screened.

П

Objective 6: Improve the Streetscape Experience by Reducing Visual Clutter