# ARTICLE 7. ALTERNATE TYPOLOGIES

Part 7A. Introduction

Part 7B. Alternate Typologies

Part 7C. Alternate Typology Rules

# **CONTENTS**

Part 7A. Int	roduction
Div. 7A.1.	Orientation
Div. 7A.2.	Opening Provisions
Part 7B. Alt	ernate Typologies
Div. 7B.1.	Civic institution
Div. 7B.2.	Corner Store
Div. 7B.3.	Small Lot Subdivision
Div. 7B.4.	Drive-Through
Div. 7B.5.	Fueling Station
Part 7C. Alt	ernate Typology Rules
Div 7C.1	Alternate Typology Rules 7-28

# PART 7A. INTRODUCTION

Div. 7A.1. Ori	entation	7-4
Sec. 7A.1.1.	Relationship to Zone String	. 7-4
Sec. 7A.1.2.	How to Use Article 7 (alternate Typologies)	. 7-4
Sec. 7A.1.3.	Alternate Typology Graphics	. 7-6
Sec. 7A.1.4.	Alternate Typology Naming Convention	. 7-6
Div. 7A.2. Op	ening Provisions	7-7
Sec. 7A.2.1.	Alternate Typologies Intent	. 7-7
Sec. 7A.2.2.	Alternate Typologies Applicability	. 7-7
Sec. 7A.2.3.	Relationship to Zoning Districts	. 7-9
Sec 7A 2.4	Relationship to Specific Plans & Supplemental Districts	7_0

- Orientation -

## DIV. 7A.1. ORIENTATION

## SEC. 7A.1.1. RELATIONSHIP TO ZONE STRING

Alternative Typologies may be used on lots where all districts in the applied zone string are listed as eligible districts in the eligibility table of the proposed Alternate Typology. The proposed Alternate Typology either supersedes or defers to the standards of the underlying applied zone string districts as specified by the proposed Alternate Typology.



## SEC. 7A 1.2 HOW TO USE ARTICLE 7 (ALTERNATE TYPOLOGIES)

## A. Determine Eligibility

Review each component in a zone string against the eligible districts for an Alternate Typology.

#### **B. Form Standards**

Form regulations are outlined in subsection D. of each Alternate Typology.

## **C. Frontage Standards**

Frontage regulations are outlined in subsection E. of each Alternate Typology.

## D. **Development Standards**

Development Standards regulations are outlined in subsection F. of each Alternate Typology.

## E. Use Standards


Use regulations are outlined in subsection G. of each Alternate Typology.

## F. Density Standards

Density regulations are outlined in subsection H. of each Alternate Typology.

## **G. Interpret Standards**

Each standard in an Alternate Typology in Part 7B. (Alternate Typologies) provides a reference to Part 7C. (Alternate Typology Rules) where each standard is explained in detail.



## SEC. 7A.1.3. ALTERNATE TYPOLOGY GRAPHICS

#### A. General

- 1. Illustrations and graphics are included in Article 7 (Alternate Typologies) only to assist users in understanding the intent and requirements of the text. In the event a conflict occurs between the text of Article 7 (Alternate Typologies) and any illustration or graphic, the text prevails.
- 2. To interpret the Form standard graphics in Article 7 (Alternate Typologies) see Sec. 2A.1.4.C. (Interpreting Form District Standards).
- 3. To interpret the Frontage standard graphics in Article 7 (Alternate Typologies) see Sec. 3A.1.4. (Interpreting Frontage District Standards).

## SEC. 7A.1.4. ALTERNATE TYPOLOGY NAMING CONVENTION

Alternate Typology names are composed of two components: a typology category and a variation number.

## A. Typology Category

The first component of each Alternate Typology is a typology category. Typology categories group all typologies with similar allowed uses, characteristics, and intent. Typology categories are organized as follows:

- 1. Civic Institution
- 2. Corner Store
- 3. Small Lot Subdivision
- 4. Drive-Through
- **5.** Fueling Station

#### **B. Variation Number**

The last component of each Alternate Typology name is a variation number. Alternate Typologies are numbered based on the Development Standard Districts in which they are eligible, starting with Development Standards District 5 and ending Development Standards District 1.

## DIV. 7A.2. OPENING PROVISIONS

## SEC. 7A.2.1. ALTERNATE TYPOLOGIES INTENT

There are certain cases where the desired physical form for a specific type of development is prohibited by the zoning applied to a lot. In those cases, Alternate Typologies provide an option to override specific standards in the underlying zoning that may otherwise prohibit the desired form. In exchange for providing greater flexibility on particular standards, Alternate Typologies require other higher standards that promote the desired form and ensure projects are contextually appropriate.

## SEC. 7A.2.2. ALTERNATE TYPOLOGIES APPLICABILITY

#### A. General

All projects approved using an Alternate Typology and filed after the effective date of this Zoning Code (Chapter 1A) shall comply with the applicable Alternate Typology Standards in Article 7 (Alternate Typologies), as further specified below. For vested rights, see Sec. 1.4.5. (Vested Rights), and for continuance of existing development, see Sec. 1.4.6. (Continuance of Existing Development).

## B. Eligibility

Alternate Typologies are only allowed in eligible districts. Each Alternate Typology provides an eligibility table that lists all zoning districts where the Alternate Typology is allowed. Any lot within one of the eligible zone districts may use the Alternate Typology. When an eligible district is listed with "\_", all variations of the district are eligible (for example, RN\_ includes RN1, RN2 and any other RN variation).



- Opening Provisions -

## C. Project Activities

- 1. Alternate Typology standards apply to project activities as shown in the applicability tables in Part A of the Zone String Articles, 2-6. More than one project activity may apply to a project (for example, an addition may also include the expansion of a use).
- 2. Where a rule is listed as generally applicable in the applicability tables in Part A of the Zone String Articles, 2-6, the project activity shall meet the applicable Alternate Typology rules within the Division. This general applicability may be further specified for each standard in the applicability provisions in Part 2C. (Form Rules), Part 3C. (Frontage Rules), Part 3D. (Character Frontage Rules), Part 4C. (Development Standards Rules), Part 5C. (Frontage Rules), and Part 6C. (Frontage Rules). Project applicability may also be modified by Article 12. (Nonconformities). Where a Division of the Alternate Typology rules is listed as not applicable in the applicability tables of the Zone String articles, 2-6, the standards within the Division do not apply to the project activity.
- **3.** For more information about project activities, see Sec. 14.1.15. (Project Activities).

## D. Applicable Components of Buildings and Lots

- **1.** Alternate Typology regulations apply to all portions of a lot.
- 2. Alternate Typology regulations apply to all portions of buildings and structures on a lot.
- 3. Specific Alternate Typology regulations may further limit which components of buildings and lots are required to comply with the rules in Part 7C. (Alternate Typology Rules).

## E. Nonconformity

- 1. Where an existing lot, site, building, or structure is nonconforming as to the standards specified by the underlying applied zone string districts, a project is eligible to use Alternate Typology for proposed project activities, provided that the uses on the lot will conform to the use standards of the proposed Alternate Typology once the proposed project is complete. Once any project activity is approved under the rules of an Alternate Typology, no future project activity on that lot may decrease the conformance with any Alternate Typology standard in Article 7 (Alternate Typologies), except as specified by the following provision.
- 2. Article 12. (Nonconformity) provides relief from the requirements of Article 7 (Alternate Typologies), for existing lots, site improvements, buildings, structures, and uses that conformed to the zoning regulations, if any, at the time they were established, but do not conform to current district standards or use permissions. No proposed project activity using an Alternate Typology may decrease the conformance with any Form, Frontage, Development Standards, Use, or Density standard in Article 7 (Alternate Typologies), unless otherwise specified in Div. 12.2. (Form Exceptions), Div. 12.3. (Frontage Exceptions), Div. 12.4. (Development Standards Exceptions), Div. 12.5. (Use Exceptions), or Div. 12.6. (Density Exceptions).

## SEC. 7A.2.3. RELATIONSHIP TO ZONING DISTRICTS

- A. Where a standard is listed in an Alternate Typology, the specification listed for the standard in the Alternate Typology supersedes the specification listed in the underlying zone string districts for the same standard.
- **B.** The underlying zone string district standard applies where an Alternate Typology:
  - 1. Defers to the underlying districts (for example, "Set by Form District");
  - 2. Provides no specification for a standard listed by the underlying zone string districts; or
  - **3.** Does not list a standard that is listed by the underlying zone string districts.

## SEC. 7A.2.4. RELATIONSHIP TO SPECIFIC PLANS & SUPPLEMENTAL **DISTRICTS**

- A. Alternate Typologies do not supersede the requirements of Specific Plans or Supplemental Districts.
- **B.** Special Districts are not eligible to use Alternate Typologies.

Alternate Typologies | - ARTICLE 7 - Opening Provisions -


# PART 7B. ALTERNATE TYPOLOGIES

Div. 7B.1.	Civic institution	12
Sec. 7B.	1.1. Civic Institution 1	-13
Sec. 7B.	1.2. Civic Institution 2	-17
Sec. 7B.	1.3. Civic Institution 3	-21
Div. 7B.2.	Corner Store	25
Div. 7B.3.	Small Lot Subdivision	25
Div. 7B.4.	Drive-Through	25
Div 7R 5	Fueling Station 7-	25

- Civic institution -

## DIV. 7B.1. CIVIC INSTITUTION

## SEC. 7B.1.1. CIVIC INSTITUTION 1



#### B. Intent

The Civic Institution 1 Alternate Typology is intended to promote placemaking through architectural monuments and publicly accessible spaces. This Alternate Typology allows greater design flexibility for civic institutions to differentiate civic assets from the surrounding urban fabric, while maintaining standards essential for ensuring all projects actively contribute to a highly walkable urban environment.

#### C. Review

Administrative review is required, see Sec. 14.5.1. (Administrative Review).


- Civic institution -

## D. Form: Lot Parameters



	_
1. LOT SIZE	Sec. 7.3.1
Lot area (min)	n/a
A Lot width (min)	25'
2. COVERAGE	Sec. 7.3.1
B Building coverage (max)	95%
Building setbacks	
Primary street (min)	0'
Side street (min)	0'
Side (min)	0'
Rear (min)	0'
Alley (min)	0'
Special lot line (min)	0'
3. AMENITY	Sec. 7.3.1
Lot amenity space (min)	n/a
Residential amenity space (min)	n/a

## E. Form: Bulk and Mass



1. HEIGHT & FAR	Sec. 7.3.1
FAR (max)	Set by Form District
A Height (max)	n/a
2. UPPER STORY BULK	Sec. 7.3.1
Set by Form District	
3. BUILDING MASS	Sec. 7.3.1
Set by Form District	
***************************************	***************************************


## F. Frontage: Site



Primary St.	Side St.
Sec. 7.3.2	
1	1
0'/10'	0'/10'
80%	60%
100%	100%
Sec. 7	7.3.2
25'	0'
No	No
Sec. 7	7.3.2
n/a	n/a
A3*	A3*
	Sec. 7  1 0'/10' 80% 100% Sec. 7  25' No Sec. 7 n/a

<sup>\*</sup>Fences and walls may not be located between the building face meeting the required build-to width and the street.

## G. Frontage: Facade



	Primary St.	Side St.
1. TRANSPARENCY	Sec. 7.3.2	
A Ground story (min)	10%*	10%*
Upper stories (min)	n/a	n/a
Active wall spacing (max)	70′	90'
2. ENTRANCES	Sec. 7.3.2	
© Street-facing entrance	Required	n/a
Entrance spacing (max)	100′	150'
Entry feature	n/a	n/a
3. GROUND STORY	Sec. 7.3.2	
Ground story height (min)		
Residential (min)	n/a	n/a
Nonresidential (min)	16'	16'
Ground floor elevation (min/max)	n/a	n/a

<sup>\*</sup>Ground story window and door glazing may be screened for up to 50% of the glazed area.

- Civic institution -

## **H. Development Standards**

Set by applied Development Standard District (Part 4B.).

#### Use Standards

- 1. The Civic Institution 1 Alternate Typology shall only be applied for projects including the following uses for no less than 75% of the total floor area:
  - a. Civic Facility: All (examples include community centers, museums, and libraries);
  - **b.** Office, Government;
  - c. Public Safety Facility (examples include fire and police stations);
  - d. Religious Assembly (examples include churches, mosques, synagogues, and temples);
  - e. School: K-12;
  - f. School: Post-Secondary;
  - **g.** Social Services; and
  - **h.** Transit Terminal.
- 2. For projects approved using the Civic Institution 1 Alternate Typology, except for incidental uses and accessory uses, only Public and Institutional Uses (Sec. 5C.1.2.) are allowed on the lot for a period of 20 years after the project receives its certificate of occupancy.
- 3. Once 20 years have elapsed, any use allowed in the applied *Use District (Part 5B)* is permitted.
- **4.** For additional Use District standards, see the applied *Use District (Part 5B)*.

## J. Density Standards

Set by the applied Density District (Part 6B.).

## SEC. 7B.1.2. CIVIC INSTITUTION 2

A. Eligible Districts	FORM	FRONTAGE	STANDARD	USE	DENSITY
	All	All	1, 2, 3, & 4	All	All



#### B. Intent

The Civic Institution 2 Alternate Typology is intended to promote placemaking through architectural monuments and publicly accessible spaces. This Alternate Typology allows greater design flexibility for civic institutions to differentiate civic assets from the surrounding urban fabric, while maintaining standards essential for ensuring all projects actively contribute to a highly walkable urban environment.

#### C. Review

Administrative review is required, see Sec. 14.5.1. (Administrative Review).

- Civic institution -

## D. Form: Lot Parameters



1. LOT SIZE	Sec. 7C.1.1.
Lot area (min)	n/a
Lot width (min)	n/a
2. COVERAGE	Sec. 7C.1.1.
Building coverage (max)	65%
Building setbacks	
Primary street (min)	0'
Side street (min)	5'
Side (min)	5'
Rear (min)	5'
Alley (min)	0'
Special lot line (min)	Set by Form District
3. AMENITY	Sec. 7C.1.1.
Lot amenity space (min)	20%
Residential amenity space (min)	n/a

## E. Form: Bulk and Mass



1. HEIGHT & FAR	Sec. 7C.1.1.
FAR (max)	Set by Form District
A Height (max)	n/a
2. UPPER STORY BULK	Sec. 7C.1.1.
Bulk plane	n/a
Street step-back	n/a
Height transition	n/a
District boundary height transition	n/a
3. BUILDING MASS	Sec. 7C.1.1.
Set by Form District	

## F. Frontage: Site



	Primary St.	Side St.
1. BUILD-TO	Sec. 70	C.1.2.
Applicable stories (min)	1	n/a
A Build-to depth (max)	30'	n/a
Build-to width (min)	Building- based	n/a
Pedestrian amenity allowance (max)	100%	n/a
2. PARKING	Sec. 70	C.3.2
Parking setback (min)	20'	0'
Parking between building & street (allowed)	No	Yes
3. LANDSCAPE	Sec. 70	C.1.2.
Frontage planting area (min)	70%	70%
Frontage yard fence & wall type allowed:	A3*	A3

<sup>\*</sup>Fences and walls may not be located between the building face meeting the required build-to width and the street.

## G. Frontage: Facade



	Primary St.	Side St.
1. TRANSPARENCY	Sec. 7C.1.2.	
A Ground story (min)	10%*	10%*
Upper stories (min)	n/a	n/a
Active wall spacing (max)	30′	40'
2. ENTRANCES	Sec. 7C.1.2.	
Street-facing entrance	Required	n/a
Entrance spacing (max)	100′	150'
Required entry feature	Yes	No
<ul><li>Entry feature options</li><li>Recess</li><li>Covered</li></ul>		•
3. GROUND STORY	Sec. 7	C.1.2.
Ground story height (min)	n/a	n/a
Ground floor elevation (min/max)	n/a	n/a

<sup>\*</sup>Ground story window and door glazing may be screened for up to 50% of the glazed area.

- Civic institution -

## **H. Development Standards**

Set by applied Development Standard District (Part 4B.).


#### Use Standards

- 1. For a minimum of 20 years after the issuance of a Certificate of Occupancy, no less than 75% of the total floor area on the lot shall be designated for one or more of the following uses:
  - a. Civic Facility: All (examples include community centers, museums, and libraries);
  - **b.** Office, Government;
  - c. Public Safety Facility (examples include fire and police stations);
  - d. Religious Assembly (examples include churches, mosques, synagogues, and temples);
  - e. School: K-12;
  - f. School: Post-Secondary;
  - **g.** Social Services; and
  - **h.** Transit Station.
- 2. Once 20 years have elapsed, all floor area on the lot may be designated for any use allowed in the applied Use District (Part 5B).
- **3.** For additional Use District standards, see the applied Use District (Part 5B).

## J. Density Standards

Set by the applied Density District (Part 6B.).

## SEC. 7B.1.3. CIVIC INSTITUTION 3



#### B. Intent

The Civic Institution 3 Alternate Typology is intended to allow greater design flexibility for large-scale, multi-functional hospital and associated medical campuses, and all related support services and uses. Standards are flexible enough to accommodate evolving changes and expansion in medical campus plans, and help create the proper transitions between campus activities and adjacent neighborhoods.

#### C. Review

Administrative review is required, see Sec. 14.5.1. (Administrative Review).

## D. Form: Lot Parameters



E. Form: Bulk and Ma	ass
PLACEH	OLDER

1. LOT SIZE	Sec. 7C.1.1.
Lot area (min)	Set by Form District
Lot width (min)	Set by Form District
2. COVERAGE	Sec. 7C.1.1.
Building coverage (max)	100%
Building setbacks	
Primary street (min)	0'
Side street (min)	0'
Side (min)	0'
Rear (min)	0'
<ul><li>Alley (min)</li></ul>	0'
Special lot line (min)	0'
3. AMENITY	Sec. 7C.1.1.
Lot amenity space (min)	n/a
Residential amenity space (min)	n/a

1. HEIGHT & FAR	Sec. 7C.1.1.
FAR (max)	set by Form District bonus
A Height (max)	set by Form District bonus
2. UPPER STORY BULK	Sec. 7C.1.1.
Set by Form District	
3. BUILDING MASS	Sec. 7C.1.1.
Building width (max)	unlimited
Building break (min)	n/a

## F. Frontage: Site



		Primary	Side	Special
1.	BUILD-TO	Sec. 7C.1.2.		
A	Build-to depth (max)	20'	20'	n/a
B	Build-to width (min)	50%	30%	30%
0	Pedestrian amenity allowance (max)	100%	n/a	n/a
O	Active depth (min)	n/a	n/a	n/a
2.	PARKING	Sec. 7C.3.2		
	Parking between building and street	Allowed	Allowed	Allowed
3.	LANDSCAPING	Sec. 7C.1.2.		
	Frontage planting area (min)	30%	30%	30%
	Frontage yard fence & wall type allowed:	A3*	А3	A3

<sup>\*</sup>Fences and walls may not be located between the building face meeting the required build-to width and the street.

## G. Frontage: Facade



	Primary Side		Special
1. TRANSPARENCY	Sec. 70		
A Ground story (min)	30%	15%	20%
Upper stories (min)	15%	15%	15%
Active wall spacing (max)	30′	75'	30'
2. ENTRANCES	Sec. 7C.1.2.		
<ul><li>Street-facing entrance</li></ul>	Required	n/a	Required
Entrance spacing (max)	n/a	n/a	n/a
Required entry feature	n/a	n/a	n/a
3. GROUND STORY	Sec. 7C.1.2.		
Ground story height (min)	n/a	n/a	n/a
Ground floor elevation (min/max)	n/a	n/a	n/a

## **H. Development Standards**

PEDESTRIAN ACCESS		Div. 4C.1.	
Pedestrian access package	Package 4		
AUTOMOBILE ACCESS		Div. 4C.2.	
Automobile access package		Package 4	
AUTOMOBILE PARKING		Div. 4C.4.	
Required parking stalls		Package A	
Change of use parking exemption (max)	n/a		
Parking structure design	Package D		
	Primary St.	Side St.	Special Lot Line
Parking Garage			
Ground Story	Concealed	Screened	Screened
Upper Stories	Screened	Screened	Screened
Integrated Parking			
Ground Story	Concealed	Screened	Screened
Upper Stories	Screened	Screened	Screened
GRADING & RETAINING WALLS		Div. 4C.9.	
Grading package	Package 1		
SIGNS	Div. 4C.11		
Sign package	1		
DEVELOPMENT REVIEW		Div. 4C.14.	
Development review threshold		Package 3	

See Part 4C. (Development Standards Rules) for additional development standards that apply to all Development Standards Districts.

#### Use Standards

- 1. For a minimum of 20 years after the issuance of a Certificate of Occupancy, no less than 75% of the total floor area on the lot shall be designated for medical: local and regional uses.
- 2. The remaining 25% of floor area on the lot may be designated for any use allowed in the applied Use District (Part 5B).
- 3. Once 20 years have elapsed, all floor area on the lot may be designated for any use allowed in the applied Use District (Part 5B).
- **4.** For additional Use District standards, see the applied *Use District (Part 5B)*.

## J. Density Standards

Set by the applied Density District (Part 6B).

DIV. 7B.2. CORNER STORE

[Reserved]

DIV. 7B.3. SMALL LOT SUBDIVISION

[Reserved]

DIV. 7B.4. DRIVE-THROUGH

[Reserved]

DIV. 7B.5. FUELING STATION

[Reserved]

## Alternate Typologies | - ARTICLE 7 - Corner Store -

# PART 7C. ALTERNATE TYPOLOGY RULES

Div. 7	C.1. Alt	ernate Typology Rules	7-28
Se	ec. 7C.1.1.	Form Rules	7-28
Se	ec. 7C.1.2.	Frontage Rules	7-28
Se	ec. 7C.1.3.	Development Rules	7-28
Se	ec. 7C.1.4.	Use Rules	7-28
Se	c. 7C.1.5.	Density Rules	7-28

## DIV. 7C.1. ALTERNATE TYPOLOGY RULES

## SEC. 7C.1.1. FORM RULES

- A. For Form Standards set by Form District, see the applied Form District Part 2B. (Form Districts).
- B. For Form Standards Rules, see the applied Form District Part 2C. (Form Rules).

#### SEC. 7C.1.2. FRONTAGE RULES

- A. For Frontage Standards set by Frontage District, see the applied Frontage District Part 3B. (Frontage Districts).
- **B.** For General Frontage Rules, see the applied Frontage District Part 3C. (General Frontage Rules).
- C. For Character Frontage Rules, see the applied Frontage District Part 3D. (Character Frontage Rules).

## SEC. 7C.1.3. **DEVELOPMENT RULES**

- A. For Development Standards set by the applied Development Standards District, see Part 4B. (Development Standards Districts).
- B. For Development Standards Rules, see the applied Development Standards District Part 4C. (Development Standards Rules).

## SEC. 7C.1.4. USE RULES

- A. For Use District Standards, see the applied Use District Part 5B. (Use District Standards).
- **B.** For Use Specific Standards, see the applied Use District Part 5C. (Use Standards).
- **C.** For Use Rules, see the applied Use District *Part 5D. (Use Rules)*.

#### SEC. 7C.1.5. DENSITY RULES

- **A.** For Density District Standards, see the applied Density District Part 6B. (Density District Standards).
- **B.** For Density Rules, see the applied Density District Part 6C. (Density Rules).