

CITY OF LOS ANGELES
CALIFORNIA



ERIC GARCETTI
MAYOR

EXECUTIVE OFFICES
200 N. SPRING STREET, ROOM 525
LOS ANGELES, CA 90012-4801
(213) 978-1271

VINCENT P. BERTONI, AICP
DIRECTOR

KEVIN J. KELLER, AICP
EXECUTIVE OFFICER

SHANA M.M. BONSTIN
DEPUTY DIRECTOR

TRICIA KEANE
DEPUTY DIRECTOR

ARTHI L. VARMA, AICP
DEPUTY DIRECTOR

LISA M. WEBBER, AICP
DEPUTY DIRECTOR

DEPARTMENT OF
CITY PLANNING
COMMISSION OFFICE
(213) 978-1300
CITY PLANNING COMMISSION
SAMANTHA MILLMAN
PRESIDENT
VAHID KHORSAND
VICE-PRESIDENT
DAVID H. J. AMBROZ
CAROLINE CHOE
HELEN LEUNG
KAREN MACK
MARC MITCHELL
VERONICA PADILLA-CAMPOS
DANA M. PERLMAN

Hotel L

Case Number: ENV-2017-4854-MND

Project Location: 2001 West Olympic Boulevard (941-951 South Westlake Avenue, 2001-2019 West Olympic Boulevard) Los Angeles, California, 90005

Community Plan Area: Westlake

Council District: 1— Gil Cedillo

Project Description: The proposed project entails the demolition of two commercial structures housing medical offices and an adult day health care center and associated surface parking lot for the construction, use, and maintenance of a six-story hotel (approximately 77-feet in height) containing 150 guestrooms and approximately 7,000 square feet of commercial space. The project will contain a total of 116 automobile parking space and 24 bicycle parking spaces located within an on-grade parking level and two subterranean parking levels. Vehicular access to the Project site is provided via an ingress only driveway from Westlake Avenue and egress only onto the adjoining alley.

PREPARED BY
The City of Los Angeles
Department of City Planning

APPLICANT:
LIVE DTLA, LLC

DOCUMENT FILED City Clerk's Office NG-19-047-PL No: _____ Certified by: _____ Date: 10-25-19

October 2019

INITIAL STUDY

TABLE OF CONTENTS

	<u>Page</u>
1. Introduction	3
2. Executive Summary.....	5
3. Project Description	10
3.1. Project Summary.....	10
3.2. Environmental Setting	10
3.3. Description of Project.....	11
3.4. Requested Permits and Approvals	11
4. Environmental Checklist.....	12
I. Aesthetics	12
II. Agriculture and Forestry Resources	14
III. Air Quality	16
IV. Biological Resources.....	18
V. Cultural Resources.....	20
VI. Energy	21
VII. Geology and Soils	23
VIII. Greenhouse Gas Emissions	26
IX. Hazards and Hazardous Materials.....	27
X. Hydrology and Water Quality	30
XI. Land Use and Planning.....	33
XII. Mineral Resources	34
XIII. Noise	35
XIV. Population and Housing	37
XV. Public Services.....	38
XVI. Recreation	40
XVII. Transportation/Traffic	41
XVIII. Tribal Cultural Resources.....	43
XIX. Utilities and Service Systems.....	44
XX. Wildfire	46
XXI. Mandatory Findings of Significance.....	48
5. Preparers and Persons Consulted	49
6. References, Acronyms and Abbreviations.....	50

APPENDICES

APPENDIX A: Air Quality Emissions Impact Study dated April 2019

APPENDIX B: Greenhouse Gas Emissions Impact Study dated April 2019

APPENDIX C: Phase 1 Environmental Site Assessment Report dated August 15, 2017

APPENDIX D: Geotechnical Investigation Report dated October 25, 2017

APPENDIX E: LADOT Referral Form dated May 22, 2018

INITIAL STUDY

1 INTRODUCTION

This Initial Study (IS) document evaluates potential environmental effects resulting from construction and operation of the proposed hotel (“Project”). The proposed Project is subject to the guidelines and regulations of the California Environmental Quality Act (CEQA). Therefore, this document has been prepared in compliance with the relevant provisions of CEQA and the State CEQA Guidelines as implemented by the City of Los Angeles (City). Based on the analysis provided within this Initial Study, the City has concluded that the Project may result in significant impacts on the environment. This Initial Study and Mitigated Negative Declaration are intended as informational documents, and are ultimately required to be adopted by the decision maker prior to project approval by the City.

1.1 PURPOSE OF AN INITIAL STUDY

The California Environmental Quality Act was enacted in 1970 with several basic purposes: (1) to inform governmental decision makers and the public about the potential significant environmental effects of proposed projects; (2) to identify ways that environmental damage can be avoided or significantly reduced; (3) to prevent significant, avoidable damage to the environment by requiring changes in projects through the use of feasible alternatives or mitigation measures; and (4) to disclose to the public the reasons behind a project’s approval even if significant environmental effects are anticipated.

An application for the proposed project has been submitted to the City of Los Angeles Department of City Planning for discretionary review. The Department of City Planning, as Lead Agency, has determined that the project is subject to CEQA, and the preparation of an Initial Study is required.

An Initial Study is a preliminary analysis conducted by the Lead Agency, in consultation with other agencies (responsible or trustee agencies, as applicable), to determine whether there is substantial evidence that a project may have a significant effect on the environment. If the Initial Study concludes that the Project, with mitigation, may have a significant effect on the environment, an Environmental Impact Report should be prepared; otherwise the Lead Agency may adopt a Negative Declaration or a Mitigated Negative Declaration.

This Initial Study has been prepared in accordance with CEQA (Public Resources Code §21000 et seq.), the State CEQA Guidelines (Title 14, California Code of Regulations, §15000 et seq.), and the City of Los Angeles CEQA Guidelines (1981, amended 2006).

1.2. ORGANIZATION OF THE INITIAL STUDY

This Initial Study is organized into four sections as follows:

1 INTRODUCTION

Describes the purpose and content of the Initial Study, and provides an overview of the CEQA process.

2 EXECUTIVE SUMMARY

Provides Project information, identifies key areas of environmental concern, and includes a determination whether the project may have a significant effect on the environment.

3 PROJECT DESCRIPTION

Provides a description of the environmental setting and the Project, including project characteristics and a list of discretionary actions.

4 EVALUATION OF ENVIRONMENTAL IMPACTS

Contains the completed Initial Study Checklist and discussion of the environmental factors that would be potentially affected by the Project.

INITIAL STUDY

2 EXECUTIVE SUMMARY

PROJECT TITLE	HOTEL L
ENVIRONMENTAL CASE NO.	ENV-2017-4854-MND
RELATED CASES	CPC-2017-4853-GPA-VZC-HD-CU-CUB-SPR

PROJECT LOCATION	2001 West Olympic Boulevard (941-951 South Westlake Avenue, 2001-2019 West Olympic Boulevard) Los Angeles, California, 90005
COMMUNITY PLAN AREA	WESTLAKE
EXISTING GENERAL PLAN DESIGNATION	HIGHWAY ORIENTED COMMERCIAL AND HIGH MEDIUM RESIDENTIAL
PROPOSED LAND USE	COMMUNITY COMMERCIAL
EXISTING ZONING	C4-1 AND R4-1
PROPOSED ZONING	C4-2
COUNCIL DISTRICT	1 - CEDILLO

LEAD AGENCY	City of Los Angeles
STAFF CONTACT	JORDANN TURNER
ADDRESS	200 NORTH SPRING STREET, ROOM 763
PHONE NUMBER	213-978-1365
EMAIL	JORDANN.TURNER@LACITY.ORG

APPLICANT	LIVE DTLA, LLC
ADDRESS	3855 INGRAHAM STREET, SUITE 502 LA, CA 90005
PHONE NUMBER	(909)553-3014

PROJECT DESCRIPTION

The proposed project entails the demolition of two commercial structures housing medical offices and an adult day health care center and associated surface parking lot for the construction, use, and maintenance of a six-story hotel (approximately 77-feet in height) containing 150 guestrooms and approximately 7,000 square feet of commercial space. The project will contain a total of 116 automobile parking space and 24 bicycle parking spaces located within an on-grade parking level and two subterranean parking levels. Vehicular access to the Project site is provided via an ingress only driveway from Westlake Avenue and egress only onto the adjoining alley.

ENVIRONMENTAL SETTING

The Project site is located at the northwest corner of Olympic Boulevard and Westlake Avenue (a block east of Alvarado Street) and consists of four total lots approximately 30,000 square feet (.69 acres) in area. The subject site is bounded by Olympic Boulevard to the south, Westlake Avenue to the east, an alley to the west and surface parking for a church to the north. The subject site is flat and has a frontage of 150 feet along Olympic Boulevard and a frontage of 200 feet along Westlake Avenue and the alley. The site is currently developed with two commercial structures housing medical offices and an adult day health care center with associated surface parking.

The parcels fronting Olympic Boulevard are currently zoned C2-1 with a General Plan Land Use designation of Community Commercial. The parcels fronting Westlake Avenue are currently zoned R4-1 with a General Plan Land Use designation of High Medium Residential. The site is located in a Transit Priority Area (ZI-2452), State Enterprise Zone (ZI-2374), and Westlake Recovery Redevelopment Project Area. Further, the site is located within the Puente Hills Blind Trust Fault area.

Surrounding properties are generally developed with commercial developments fronting along Olympic Boulevard with multi-family developments located behind the commercial developments. The northern adjoining properties are zoned R4-1 and are developed with a church and related surface parking. The eastern adjoining property (across Westlake Avenue) is zoned C4-1 and is developed with a one-story commercial building that currently houses a restaurant. The southern adjoining property (across Olympic Boulevard) is zoned QC2-1 and is developed with a drive-through McDonald's restaurant. The western adjoining property (across the alley) is zoned C2-1 and is developed with a Mobil gas station.

Olympic Boulevard is a designated Boulevard II with a right-of-way width of 100 feet and roadway width of 80 feet. Westlake Avenue is a designated Standard Local Street with a right-of-way width of 60 feet and a roadway width of 36 feet. The Subject Property does not have any trees on-site.

OTHER PUBLIC AGENCIES WHOSE APPROVAL IS REQUIRED

(e.g. permits, financing approval, or participation agreement)

None.

CALIFORNIA NATIVE AMERICAN CONSULTATION

Have California Native American tribes traditionally and culturally affiliated with the project area requested consultation pursuant to Public Resources Code section 21080.3.1? If so, is there a plan for consultation that includes, for example, the determination of significance of impacts to tribal cultural resources, procedures regarding confidentiality, etc.?

Public Resources Code, Section 21080.3.1, establishes a formal process for Lead Agencies to consult with California Native American Tribes to identify potential significant impacts to Tribal Cultural Resources, as defined in Section 20174 of the Public Resources Code. In compliance with the Code, on September 7, 2017 the City sent notices to Native American tribes that are known to be traditionally and culturally affiliated with the Project area and have requested to be notified of projects. A response was received from the Gabrieleno Band of Mission Indians - Kizh Nation and the City subsequently consulted with the tribe regarding the potential to unearth subsurface artifacts during construction. The City has an established protocol that will be imposed as a condition of approval for handling cultural artifacts unearthed during construction. Given that no Tribal Cultural Resources have been identified on the site and there is not specific evidence of subsurface resource on the site, impacts to Tribal Cultural Resources would be less than significant.

Note: Conducting consultation early in the CEQA process allows tribal governments, lead agencies, and project proponents to discuss the level of environmental review, identify and address potential adverse impacts to tribal cultural resources, and reduce the potential for delay and conflict in the environmental review process. (See Public Resources Code section 21080.3.2.) Information may also be available from the California Native American Heritage Commission's Sacred Lands File per Public Resources Code section 5097.96 and the California Historical Resources Information System administered by the California Office of Historic Preservation. Please also note that Public Resources Code section 21082.3(c) contains provisions specific to confidentiality.

ENVIRONMENTAL FACTORS POTENTIALLY AFFECTED


The environmental factors checked below would be potentially affected by this project, involving at least one impact that is a "Potentially Significant Impact" as indicated by the checklist on the following pages.

- | | | |
|---|--|--|
| <input type="checkbox"/> Aesthetics | <input type="checkbox"/> Greenhouse Gas Emissions | <input type="checkbox"/> Public Services |
| <input type="checkbox"/> Agriculture & Forestry Resources | <input type="checkbox"/> Hazards & Hazardous Materials | <input type="checkbox"/> Recreation |
| <input type="checkbox"/> Air Quality | <input type="checkbox"/> Hydrology / Water Quality | <input checked="" type="checkbox"/> Transportation |
| <input type="checkbox"/> Biological Resources | <input type="checkbox"/> Land Use / Planning | <input type="checkbox"/> Tribal Cultural Resources |
| <input type="checkbox"/> Cultural Resources | <input type="checkbox"/> Mineral Resources | <input type="checkbox"/> Utilities / Service Systems |
| <input type="checkbox"/> Energy | <input checked="" type="checkbox"/> Noise | <input type="checkbox"/> Wildfire |
| <input type="checkbox"/> Geology / Soils | <input type="checkbox"/> Population / Housing | <input checked="" type="checkbox"/> Mandatory Findings of Significance |

DETERMINATION

On the basis of this initial evaluation:

- I find that the proposed project COULD NOT have a significant effect on the environment, and a NEGATIVE DECLARATION will be prepared.
- I find that although the proposed project could have a significant effect on the environment, there will not be a significant effect in this case because revisions on the project have been made by or agreed to by the project proponent. A MITIGATED NEGATIVE DECLARATION will be prepared.
- I find the proposed project MAY have a significant effect on the environment, and an ENVIRONMENTAL IMPACT REPORT is required.
- I find the proposed project MAY have a "potentially significant impact" or "potentially significant unless mitigated" impact on the environment, but at least one effect 1) has been adequately analyzed in an earlier document pursuant to applicable legal standards, and 2) has been addressed by mitigation measures based on earlier analysis as described on attached sheets. An ENVIRONMENTAL IMPACT REPORT is required, but it must analyze only the effects that remain to be addressed.
- I find that although the proposed project could have a significant effect on the environment, because all potentially significant effects (a) have been analyzed adequately in an earlier EIR or NEGATIVE DECLARATION pursuant to applicable standards, and (b) have been avoided or mitigated pursuant to that earlier EIR or NEGATIVE DECLARATION, including revisions or mitigation measures that are imposed upon the proposed project, nothing further is required.

<p>Nicholas Hendricks _____ PRINTED NAME</p>	<p>Senior City Planner _____ TITLE</p>
<p> _____ SIGNATURE</p>	<p>11/20/19 _____ DATE</p>

EVALUATION OF ENVIRONMENTAL IMPACTS

- 1) A brief explanation is required for all answers except "No Impact" answers that are adequately supported by the information sources a lead agency cites in the parentheses following each question. A "No Impact" answer is adequately supported if the referenced information sources show that the impact simply does not apply to projects like the one involved (e.g., the project falls outside a fault rupture zone). A "No Impact" answer should be explained where it is based on project-specific factors as well as general standards (e.g., the project will not expose sensitive receptors to pollutants, based on a project-specific screening analysis).
- 2) All answers must take account of the whole action involved, including off-site as well as on-site, cumulative as well as project-level, indirect as well as direct, and construction as well as operational impacts.
- 3) Once the lead agency has determined that a particular physical impact may occur, then the checklist answers must indicate whether the impact is potentially significant, less than significant with mitigation, or less than significant. "Potentially Significant Impact" is appropriate if there is substantial evidence that an effect may be significant. If there are one or more "Potentially Significant Impact" entries when the determination is made, an EIR is required.
- 4) "Negative Declaration: Less Than Significant With Mitigation Incorporated" applies where the incorporation of a mitigation measure has reduced an effect from "Potentially Significant Impact" to "Less Than Significant Impact." The lead agency must describe the mitigation measures, and briefly explain how they reduce the effect to a less than significant level (mitigation measures from "Earlier Analysis," as described in (5) below, may be cross referenced).
- 5) Earlier analysis must be used where, pursuant to the tiering, program EIR, or other CEQA process, an effect has been adequately analyzed in an earlier EIR, or negative declaration. Section 15063 (c)(3)(D). In this case, a brief discussion should identify the following:
 - a) Earlier Analysis Used. Identify and state where they are available for review.
 - b) Impacts Adequately Addressed. Identify which effects from the above checklist were within the scope of and adequately analyzed in an earlier document pursuant to applicable legal standards, and state whether such effects were addressed by mitigation measures based on the earlier analysis.
 - c) Mitigation Measures. For effects that are "Less Than Significant With Mitigation Measures Incorporated," describe the mitigation measures which were incorporated or refined from the earlier document and the extent to which they address site-specific conditions for the project.
- 6) Lead agencies are encouraged to incorporate into the checklist references to information sources for potential impacts (e.g., general plans, zoning ordinances). Reference to a previously prepared or outside document should, where appropriate, include a reference to the page or pages where the statement is substantiated
- 7) Supporting Information Sources: A sources list should be attached, and other sources used or individuals contacted should be cited in the discussion.
- 8) This is only a suggested form, and lead agencies are free to use different formats; however, lead agencies should normally address the questions from this checklist that are relevant to a project's environmental effects in whichever format is selected.
- 9) The explanation of each issue should identify:
 - a) The significance criteria or threshold, if any, used to evaluate each question; and
 - b) The mitigation measure identified, if any, to reduce the impact to less than significance.

INITIAL STUDY

3 PROJECT DESCRIPTION

3.1 PROJECT SUMMARY

The proposed project entails the demolition of two commercial structures housing medical offices and an adult day health care center and associated surface parking lot for the construction, use, and maintenance of a six-story hotel (approximately 77-feet in height) containing 150 guestrooms and approximately 7,000 square feet of commercial space. The project will contain a total of 116 automobile parking space and 24 bicycle parking spaces located within an on-grade parking level and two subterranean parking levels. Vehicular access to the Project site is provided via an ingress only driveway from Westlake Avenue and egress only onto the adjoining alley.

3.2 ENVIRONMENTAL SETTING

The Project site is located at the northwest corner of Olympic Boulevard and Westlake Avenue (a block east of Alvarado Street) and consists of four total lots approximately 30,000 square feet (.69 acres) in area. The subject site is bounded by Olympic Boulevard to the south, Westlake Avenue to the east, an alley to the west and surface parking for a church to the north. The subject site is flat and has a frontage of 150 feet along Olympic Boulevard and a frontage of 200 feet along Westlake Avenue and the alley. The site is currently developed with two commercial structures housing medical offices and an adult day health care center with associated surface parking.

The parcels fronting Olympic Boulevard are currently zoned C2-1 with a General Plan Land Use designation of Community Commercial. The parcels fronting Westlake Avenue are currently zoned R4-1 with a General Plan Land Use designation of High Medium Residential. The site is located in a Transit Priority Area (ZI-2452), State Enterprise Zone (ZI-2374), and Westlake Recovery Redevelopment Project Area. Further, the site is located within the Puente Hills Blind Trust Fault area.

Surrounding properties are generally developed with commercial developments fronting along Olympic Boulevard with multi-family developments located behind the commercial developments. The northern adjoining properties are zoned R4-1 and are developed with a church and related surface parking. The eastern adjoining property (across Westlake Avenue) is zoned C4-1 and is developed with a one-story commercial building that currently houses a restaurant. The southern adjoining property (across Olympic Boulevard) is zoned QC2-1 and is developed with a drive-through McDonald's restaurant. The western adjoining property (across the alley) is zoned C2-1 and is developed with a Mobil gas station.

Olympic Boulevard is a designated Boulevard II with a right-of-way width of 100 feet and roadway width of 80 feet. Westlake Avenue is a designated Standard Local Street with a right-of-way width of 60 feet and a roadway width of 36 feet. The Subject Property does not have any trees on-site.

3.3 DESCRIPTION OF PROJECT

3.3.1 Project Overview

The proposed project entails the demolition of two commercial structures housing medical offices and an adult day health care center and associated surface parking lot for the construction, use, and maintenance of a six-story hotel (approximately 77-feet in height) containing 150-rooms and approximately 7,000 square feet of commercial retail space. The project will contain a total of 116 automobile parking space and 24 bicycle parking spaces located within an on-grade parking level and two subterranean parking levels. Vehicular access to the Project site would be provided via two dual access driveway ramps located along Westlake Avenue egress only driveway onto the adjoining alley.

3.4 REQUESTED PERMITS AND APPROVALS

The list below includes the anticipated requests for approval of the Project. The Mitigated Negative Declaration will analyze impacts associated with the Project and will provide environmental review sufficient for all necessary entitlements and public agency actions associated with the Project. The discretionary entitlements, reviews, permits and approvals required to implement the Project include, but are not necessarily limited to, the following:

1. Pursuant to City Charter Section 555 and L.A.M.C. Section 11.5.6, a General Plan Amendment to amend the Westlake Community Plan to change the site's land use designation from Highway Oriented Commercial and High Medium Residential to Community Commercial;
 2. Pursuant to L.A.M.C. Sections 12.32-F and Q, a Vesting Zone and Height Change to change the site's zoning from C4-1 and R4-1 to C4-2;
 3. Pursuant to L.A.M.C. Section 12.24-W,24, a Conditional Use to allow a hotel within 500 feet of a R Zone;
 4. Pursuant to L.A.M.C. Section 12.24-W,1, a Conditional Use to allow the sale and dispensing of a full line of alcoholic beverages for on-site consumption in conjunction with a proposed hotel with a restaurant and in-room cabinets/minibars.
 5. Pursuant to L.A.M.C. Section 16.05, a Site Plan Review for a development which creates or results in an increase of more than 50 or more guestrooms.
- Other discretionary and ministerial permits and approvals that may be deemed necessary, including, but not limited to, temporary street closure permits, grading permits, excavation permits, foundation permits, building permits, and sign permits.

INITIAL STUDY

4 ENVIRONMENTAL IMPACT ANALYSIS

I. AESTHETICS

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
Except as provided in Public Resources Code Section 21099 would the project:				
a. Have a substantial adverse effect on a scenic vista?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b. Substantially damage scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c. In non-urbanized areas, substantially degrade the existing visual character or quality of public views the site and its surroundings? (Public views are those that are experienced from publicly accessible vantage point). If the project is in an urbanized area, would the project conflict with applicable zoning and other regulations governing scenic quality?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d. Create a new source of substantial light or glare which would adversely affect day or nighttime views in the area?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

a) Have a substantial adverse effect on a scenic vista?

No impact. A significant impact would occur if the proposed project would have a substantial adverse effect on a scenic vista. A scenic vista refers to views of focal points or panoramic views of broader geographic areas that have visual interest. A focal point view would consist of a view of a notable object, building, or setting. An impact on a scenic vista would occur if the bulk or design of a building or development contrasts enough with a visually interesting view, so that the quality of the view is permanently affected.

b) Substantially damage scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings, or other locally recognized desirable aesthetic natural feature within a state scenic highway?

No Impact. A significant impact would occur if the proposed project would substantially damage scenic resources within a State Scenic Highway. The City of Los Angeles' General Plan Mobility Element (Citywide General Plan Circulation System Maps) as well as the CalTrans website at http://www.dot.ca.gov/hq/LandArch/16_livability/scenic_highways/langeles.htm indicate that no State-designated scenic highways are located near the project site. Therefore, no impacts related to a State scenic highway would occur. Refer to Response to Checklist Question I (a) above.

c) In non-urbanized areas, substantially degrade the existing visual character or quality of public views of the site and its surroundings? (Public views are those that are experienced from publicly accessible vantage point). If the project is in an urbanized area, would the project conflict with applicable zoning and other regulations governing scenic quality?

Less-Than-Significant Impact. A significant impact would occur if the proposed project would substantially degrade the existing visual character or quality of the project site and its surroundings. Significant impacts to the visual character of a site and its surroundings are generally based on the removal of features with aesthetic value, the introduction of contrasting urban features into a local area, and the degree to which the elements of the proposed project detract from the visual character of an area. The project area is developed with a mix of land uses, including residential, commercial, and institutional. Commercial buildings along Olympic Boulevard range from one to ten stories. Residential neighborhoods adjacent to Olympic Boulevard and south of the project site are developed with two- to four story medium Residential uses. The proposed project would include design features and landscaping improvements to enhance the visual quality of the area. Accordingly, the proposed project would not degrade the existing visual character or quality of the project site and its surroundings. Therefore, the proposed project would result in a less-than-significant impact on visual quality.

d) Create a new source of substantial light or glare which would adversely affect daytime or nighttime views in the area?

Less-Than-Significant Impact. A significant impact would occur if light and glare substantially altered the character of off-site areas surrounding the site or interfered with the performance of an off-site activity. Light impacts are typically associated with the use of artificial light during the evening and night-time hours. Glare may be a daytime occurrence caused by the reflection of sunlight or artificial light from highly polished surfaces, such as window glass and reflective cladding materials, and may interfere with the safe operation of a motor vehicle on adjacent streets. Daytime glare is common in urban areas and is typically associated with mid- to high-rise buildings with exterior façades largely or entirely comprised of highly reflective glass or mirror-like materials. Nighttime glare is primarily associated with bright point-source lighting that contrasts with existing low ambient light conditions. Due to the urbanized nature of the area, a moderate level of ambient nighttime light already exists. Nighttime lighting sources include street lights,

vehicle headlights, and interior and exterior building illumination. The proposed project would include nighttime security lighting primarily along the perimeter of the project site. However, the security lighting would be night-friendly LEDs and would not substantially change existing ambient nighttime lighting conditions. The proposed project does not include any elements or features that would create substantial new sources of glare. Therefore, light and glare impacts would be less than significant.

II. AGRICULTURE AND FORESTRY RESOURCES

In determining whether impacts to agricultural resources are significant environmental effects, lead agencies may refer to the California Agricultural Land Evaluation and Site Assessment Model (1997) prepared by the California Department of Conservation as an optional model to use in assessing impacts on agriculture and farmland. In determining whether impacts to forest resources, including timberland, are significant environmental effects, lead agencies may refer to information compiled by the California Department of Forestry and Fire Protection regarding the state's inventory of forest land, including the Forest and Range Assessment Project and the Forest Legacy Assessment Project; and forest carbon measurement methodology provided in Forest Protocols adopted by the California Air Resources Board.

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
Would the project:				
a. Convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland), as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b. Conflict with existing zoning for agricultural use, or a Williamson Act contract?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c. Conflict with existing zoning for, or cause rezoning of, forest land (as defined in Public Resources Code section 12220(g)), timberland (as defined by Public Resources Code section 4526), or timberland zoned Timberland Production (as defined by Government Code section 51104(g))?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d. Result in the loss of forest land or conversion of forest land to non-forest use?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
e. Involve other changes in the existing environment which, due to their location or nature, could result in conversion of Farmland, to non-agricultural use or conversion of forest land to non-forest use?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

a) Convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland), as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use?

No Impact. A significant impact would occur if the proposed project would convert valued farmland to non-agricultural uses. The project site is developed commercial buildings. No Farmland, agricultural uses, or related operations are present within the project site or surrounding area. Due to its urban setting, the project site and surrounding area are not included in the Farmland Mapping and Monitoring Program of the California Resources Agency. Therefore, the proposed project would not convert any Prime Farmland, Unique Farmland, or Farmland of Statewide Importance to non-agricultural use, and no impact would occur.

b) Conflict with existing zoning for agricultural use, or a Williamson Act contract?

No Impact. A significant impact would occur if the proposed project conflicted with existing agricultural zoning or agricultural parcels enrolled under the Williamson Act. The project site is not zoned for agricultural use or under a Williamson Contract. As the project site and surrounding area do not contain farmland of any type, the proposed project would not conflict with a Williamson Contract. Therefore, no impacts would occur.

c) Conflict with existing zoning for, or cause rezoning of, forest land (as defined in Public Resources Code section 12220(g)), timberland (as defined by Public Resources Code section 4526), or timberland zoned Timberland Production (as defined by Government Code section 51104(g))?

No Impact. A significant impact would occur if the proposed project conflicted with existing zoning or caused rezoning of forest land or timberland, or resulted in the loss of forest land or in the conversion of forest land to non-forest use. The project site and the surrounding area are not zoned for forest land or timberland. Accordingly, the proposed project would not conflict with forest land or timberland zoning or result in the loss of forest land or conversion of forest land to nonforest use. Therefore, no impact would occur.

d) Result in the loss of forest land or conversion of forest land to non-forest use?

No Impact. A significant impact would occur if the proposed project conflicted with existing zoning or caused rezoning of forest land or timberland, or resulted in the loss of forest land or in the conversion of forest land to non-forest use. The project site and the surrounding area are not zoned for forest land or timberland. Accordingly, the proposed project would not conflict with forest land or timberland zoning or result in the loss of forest land or conversion of forest land to nonforest use. Therefore, no impact would occur.

e) Involve other changes in the existing environment which, due to their location or nature, could result in conversion of Farmland to non-agricultural use or conversion of forest land to non-forest use?

No Impact. A significant impact would occur if the proposed project caused the conversion of farmland to non-agricultural use. The project site does not contain farmland, forestland, or timberland. Therefore, no impacts would occur.

III. AIR QUALITY

Where available, the significance criteria established by the South Coast Air Quality Management District (SCAQMD) may be relied upon to make the following determinations.

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
Would the project:				
a. Conflict with or obstruct implementation of the applicable air quality plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b. Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c. Expose sensitive receptors to substantial pollutant concentrations?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d. Result in other emissions (such as those leading to odors) adversely affecting a substantial number of people?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

a) Conflict with or obstruct implementation of the applicable air quality plan?

Less-Than-Significant Impact. The South Coast Air Quality Management District (SCAQMD) is the agency primarily responsible for comprehensive air pollution control in the South Coast Air Basin and reducing emissions from area and point stationary, mobile, and indirect sources. SCAQMD prepared the 2012 Air Quality Management Plan (AQMP) to meet federal and state ambient air quality standards. A significant air quality impact may occur if a project is inconsistent with the AQMP or would in some way represent a substantial hindrance to employing the policies or obtaining the goals of that plan. As shown in the Air Quality Technical Report dated April 2019, the proposed project is not expected to conflict with or obstruct the implementation of the AQMP and SCAQMD rules. The proposed project is also subject to the City’s Green Building Program Ordinance (Ord. No. 179,890), which was adopted to reduce the use of natural resources, create healthier living environments, and minimize the negative impacts of development on local, regional and global ecosystems. Therefore, impacts would be less than significant.

b) Result in a cumulatively considerable net increase of any criteria pollutant for which the air basin is non-attainment under an applicable federal or state ambient air quality standard?

Less-Than-Significant Impact. A significant impact would occur if the proposed project would violate any air quality standard or contribute substantially to an existing or projected air quality violation. An Air Quality Assessment for the project site was prepared by Terry A. Hayes and Associates dated April 2019 (see attachment). Project construction and operation emissions were estimated using California Emissions Estimator Model (CalEEMod), a statewide land use emissions computer model designed to quantify potential criteria pollutant emissions associated with both construction and operations from land use projects. According to the Assessment, during the construction phase the proposed project would not exceed the regional SCAQMD significance thresholds for emissions of Volatile Organic Compound (VOC), Nitrogen Oxides (NOx), Carbon Monoxide (CO), Particulate Matter (PM10 and PM2.5), and Sulfur Dioxide (SO₂). Therefore, regional emission impacts for the proposed project would be less than significant for all construction phases. The project output is also below the significance thresholds for these criteria pollutants with regard to Overall Operational Emissions. The Project's operational-related daily emissions would not exceed the SCAQMD numeric indicators of significance for any of the criteria pollutants. Therefore, with respect to regional emissions from operational activities, impacts would be less than significant. The project would be subject to regulatory compliance measures, which reduce the impacts of operational and construction regional emissions.

c) Expose sensitive receptors to substantial pollutant concentrations?

Less-Than-Significant Impact. The project will produce fugitive dust and mobile source emissions as a result of construction activity. The proposed project and the entire Los Angeles metropolitan area are located within the South Coast Air Basin, which is characterized by relatively poor air quality. The Basin is currently classified as a federal and State non-attainment area for Ozone (O₃), Respirable Particulate Matter (PM10 and PM2.5), and lead (Pb) and a federal attainment/maintenance area for Carbon Monoxide (CO). It is classified as a State attainment area for CO, and it currently meets the federal and State standards for Nitrogen Dioxide (NO₂), Sulfur Oxides (SO₂), and lead (Pb). Because the Basin is designated as a State and/or federal nonattainment air basin for O₃, PM10, PM2.5, and NO₂, there is an on-going regional cumulative impact associated with these pollutants. However, an individual project can emit these pollutants without significantly contributing to this cumulative impact depending on the magnitude of emissions. This magnitude is determined by the project-level significance thresholds established by the SCAQMD. According to Air Quality Assessment for the project site prepared by Terry A. Hayes and Associates dated April 2019, the project-related construction and operational emissions would not exceed the LST significance thresholds and off-site receptors would not be exposed to NOx, CO, PM10, and PM2.5 in excess of the health-based ambient air quality standards. Furthermore, the project would be subject to regulatory compliance measures, which reduce the impacts of operational and construction regional emissions. Therefore, the project would not exceed the project-level SCAQMD localized significance thresholds for criteria air pollutants and the impact would be less than significant.

d) Result in other emissions (such as those leading to odors) adversely affecting a substantial number of people?

Less-Than-Significant Impact. Potential sources that may emit odors during construction activities include equipment exhaust and architectural coatings. Odors from these sources would

be localized and generally confined to the immediate area surrounding the project site. The proposed project would utilize typical construction techniques, and the odors would be typical of most construction sites and temporary in nature. Construction of the proposed project would not cause an odor nuisance. Activities and materials associated with Project construction would be typical of construction projects of similar type and size. Any odors generated during construction of the project would be localized and would not be sufficient to affect a substantial number of people or result in a nuisance as defined by SCAQMD Rule 402. The Project proposes to a construct a hotel that would not introduce any major odor-producing uses that would have the potential to affect a substantial number of people, such as uses associated with manufacturing, smelting, food packing, and other industrial uses. Waste would also be regularly collected to prevent any potential odors from trash receptacles, thus odors from on-site waste disposal would not affect surrounding land uses. The construction and operation of the Project would not introduce any emissions from the Project Site that would effect a substantial number of people and would comply with SCAQMD Rule 402, which prohibits the discharge of air contaminants that would cause injury, detriment, nuisance, or annoyance to the public. Therefore, no impact related to emissions, such as those leading to odor, affecting a substantial number of people would occur as a result of project implementation.

IV. BIOLOGICAL RESOURCES

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
Would the project:				
a. Have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Wildlife or U.S. Fish and Wildlife Service?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b. Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, regulations or by the California Department of Fish and Wildlife or US Fish and Wildlife Service?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c. Have a substantial adverse effect on state or federally protected wetlands (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d. Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
e. Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
f. Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

a) Have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Wildlife or U.S. Fish and Wildlife Service?

No impact. The proposed project is within a highly urbanized area that does not contain any biological resources or habitat area. The site is currently developed with a commercial buildings and surface parking. No impact will result.

b) Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, regulations or by the California Department of Fish and Wildlife or U.S. Fish and Wildlife Service?

No Impact. The project site is fully developed and within a highly urbanized area, and does not contain any biological resources or habitat area. No impact will result.

c) Have a substantial adverse effect on state or federally protected wetlands (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means?

No Impact. The project site is fully developed and within a highly urbanized area, and does not contain any biological resources or habitat area. No impact will result.

d) Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites?

No Impact. A significant impact would occur if the project would interfere with, or remove access to, a migratory wildlife corridor or impede use of native wildlife nursery sites. Due to the urbanized nature of the subject property and surrounding area, the lack of a major water body, and the limited number of trees, the subject property does not support habitat for native resident or migratory species or contain native nurseries. Therefore, the project would not interfere with wildlife movement or impede the use of native wildlife nursery sites. No impact would occur.

e) Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance?

No Impact. A significant impact would occur if the proposed project would be inconsistent with local regulations pertaining to biological resources. The proposed project would not conflict with

any policies or ordinances protecting biological resources, such as the City of Los Angeles Protected Tree Ordinance (No. 177,404). The project site does not contain locally-protected biological resources, such as oak trees, Southern California black walnut, western sycamore, and California bay trees. The proposed project would be required to comply with the provisions of the Migratory Bird Treaty Act (MBTA) and the California Fish and Game Code (CFGF). Both the MBTA and CFGF protects migratory birds that may use trees on or adjacent to the project site for nesting, and may be disturbed during construction of the proposed project. Therefore, the proposed project would not conflict with any local policies or ordinances protecting biological resources, such as tree preservation policy or ordinance (e.g., oak trees or California walnut woodlands), and no impacts would occur.

f) Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan?

No Impact. The project site and its vicinity are not part of any draft or adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional or state habitat conservation plan. Therefore, the proposed project would not conflict with the provisions of any adopted conservation plan, and no impacts would occur.

V. CULTURAL RESOURCES

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
Would the project:				
a. Cause a substantial adverse change in the significance of a historical resource pursuant to § 15064.5?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b. Cause a substantial adverse change in the significance of an archaeological resource pursuant to § 15064.5?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c. Disturb any human remains, including those interred outside of dedicated cemeteries?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

a) Cause a substantial adverse change in the significance of a historical resource as pursuant to State CEQA Guidelines §15064.5?

Less-Than-Significant Impact. A significant impact would occur if the proposed project would substantially alter the environmental context of, or remove identified historical resources. The project includes the demolition of two commercial structures constructed circa 1950's and a parking lot. No structure has been identified as a historic resource by local or state agencies, and the project site has not been determined to be eligible for listing in the National Register of Historic Places, California Register of Historical Resources, the Los Angeles Historic-Cultural Monuments Register, and/or any local register. In addition, the site was not found to be a potential historic

resource based on SurveyLA, the citywide survey of Los Angeles or the City’s Historic Places LA website. Therefore, the impact would be less than significant.

b) Cause a substantial adverse change in the significance of an archaeological resource pursuant to State CEQA Guidelines §15064.5?

Less-Than-Significant Impact. A significant impact would occur if a known or unknown archaeological resource would be removed, altered, or destroyed as a result of the proposed development. Section 15064.5 of the State CEQA Guidelines defines significant archaeological resources as resources that meet the criteria for historical resources or resources that constitute unique archaeological resources. A project-related significant impact could occur if a project would significantly affect archaeological resources that fall under either of these categories. If archaeological resources are discovered during excavation, grading, or construction activities, work shall cease in the area of the find until a qualified archaeologist has evaluated the find in accordance with federal, State, and local guidelines, including those set forth in California Public Resources Code Section 21083.2. Per regulatory compliance measures, personnel of the proposed Modified Project shall not collect or move any archaeological materials and associated materials. Construction activity may continue unimpeded on other portions of the Project site. The found deposits would be treated in accordance with federal, State, and local guidelines, including those set forth in California Public Resources Code Section 21083.2. Therefore, the impact would be less than significant.

c) Disturb any human remains, including those interred outside of formal cemeteries?

Less-Than-Significant Impact. A significant impact would occur if previously interred human remains would be disturbed during excavation of the project site. Human remains could be encountered during excavation and grading activities associated with the proposed project. While no formal cemeteries, other places of human interment, or burial grounds or sites are known to occur within the project area, there is always a possibility that human remains can be encountered during construction. If human remains are encountered unexpectedly during construction demolition and/or grading activities, State Health and Safety Code Section 7050.5 requires that no further disturbance shall occur until the County Coroner has made the necessary findings as to origin and disposition pursuant to California Public Resources Code (PRC) Section 5097.98. If human remains of Native American origin are discovered during project construction, compliance with state laws, which fall within the jurisdiction of the Native American Heritage Commission (NAHC) (Public Resource Code Section 5097), relating to the disposition of Native American burials will be adhered to. Therefore, the impact would be less than significant.

VI. ENERGY

Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--------------------------------------	--	------------------------------------	-----------

Would the project:

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a. Result in potentially significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources, during project construction or operation?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b. Conflict with or obstruct a state or local plan for renewable energy or energy efficiency?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

a) Result in potentially significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources, during project construction or operation?

Less-Than-Significant Impact. The proposed project would be subject to the City’s Green Building Program Ordinance (Ord. No. 179,890), which was adopted to reduce the use of natural resources, create healthier living environments, and minimize the negative impacts of development on local, regional and global ecosystems. In accordance with the City of Los Angeles Green Building Code (Chapter IX, Article 9, of the Los Angeles Municipal Code), the Project shall comply with all applicable mandatory provisions of the 2013 Los Angeles Green Code and as it may be subsequently amended or modified. Therefore, the impacts would be less than significant.

b) Conflict with or obstruct a state or local plan for renewable energy or energy efficiency?

Less-Than-Significant Impact. A significant impact would occur if the proposed project would conflict or obstruct a state or local plan for renewable energy or energy efficiency. The proposed project would be subject to the City’s Green Building Program Ordinance (Ord. No. 179,890), which was adopted to reduce the use of natural resources, create healthier living environments, and minimize the negative impacts of development on local, regional and global ecosystems. In accordance with the City of Los Angeles Green Building Code (Chapter IX, Article 9, of the Los Angeles Municipal Code), the Project shall comply with all applicable mandatory provisions of the 2013 Los Angeles Green Code and as it may be subsequently amended or modified. In addition, the project will be subject to SB 375, which requires the metropolitan planning organizations to prepare a Sustainable Communities Strategy (SCS) in their regional transportation plans to achieve the per capita GHG reduction targets. For the SCAG region, the SCS is contained in the 2012-2035 Regional Transportation Plan/Sustainable Communities Strategy (RTP/SCS). The 2012-2035 RTP/SCS focuses the majority of new housing and job growth in high-quality transit areas and other opportunity areas on existing main streets, in downtowns, and commercial corridors, resulting in more opportunity for transit-oriented development. In addition, SB 743, adopted September 27, 2013, encourages land use and transportation planning decisions that reduce vehicle miles traveled, which contribute to GHG emissions, as required by AB 32. The project would provide infill hotel development proximate to a major transportation corridor (i.e., Olympic Boulevard) and would not interfere with SCAG’s ability to implement the regional strategies outlined in the 2012-2035 RTP/SCS. The proposed project, therefore, would be consistent with statewide, regional and local goals and policies aimed at reducing inefficient energy consumption and would result in a less-than-significant impact

VII. GEOLOGY AND SOILS

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
Would the project:				
a. Directly or indirectly cause substantial adverse effects, including the risk of loss, injury, or death involving:				
i. Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault? Refer to Division of Mines and Geology Special Publication 42.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
ii. Strong seismic ground shaking?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
iii. Seismic-related ground failure, including liquefaction?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
iv. Landslides?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b. Result in substantial soil erosion or the loss of topsoil?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c. Be located on a geologic unit that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, liquefaction, or collapse?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d. Be located on expansive soil, as defined in Table 18-1-B of the Uniform Building Code (1994), creating substantial direct or indirect risks to life or property?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e. Have soils incapable of adequately supporting the use of septic tanks or alternative waste water disposal systems where sewers are not available for the disposal of waste water?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
f. Directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

a) Directly or indirectly cause potential substantial adverse effects, including the risk of loss, injury, or death involving:

i) Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault? Refer to Division of Mines and Geology Special Publication 42.

No impact. A significant impact would occur if the proposed project would cause personal injury or death or result in property damage as a result of a fault rupture occurring on the project site and if the project site is located within a State-designated Alquist-Priolo Zone or other designated fault zone. According to the California Department of Conservation Special Studies Zone Map, the project site is not located within an Alquist-Priolo Special Studies Zone, Fault Rupture Study Area, Liquefaction zone or Landslide area. The proposed project would not expose people or structures to potential adverse effects resulting from the rupture of known earthquake faults. The Alquist-Priolo Earthquake Fault Zoning Act is intended to mitigate the hazard of surface fault rupture on structures for human occupancy. Therefore, no impacts would occur.

ii) Strong seismic ground shaking?

Less-Than-Significant Impact. A significant impact would occur if the proposed project would cause personal injury or death or resulted in property damage as a result of seismic ground shaking. The entire Southern California region is susceptible to strong ground shaking from severe earthquakes. Consequently, development of the proposed project could expose people and structures to strong seismic ground shaking. However, the proposed project would be designed and constructed in accordance with State and local Building Codes to reduce the potential for exposure of people or structures to seismic risks to the maximum extent possible. The proposed project would be required to comply with the California Department of Conservation, Division of Mines and Geology (CDMG), which provides guidance for the evaluation and mitigation of earthquake-related hazards, and with the seismic safety requirements in the Uniform Building Code (UBC) and the LAMC. Compliance with such requirements would reduce seismic ground shaking impacts to the maximum extent practicable with current engineering practices. Therefore, impacts related to strong seismic ground shaking would be less than significant.

iii) Seismic-related ground failure, including liquefaction?

No impact. Based upon the criteria established in the City of Los Angeles CEQA Thresholds Guide, a significant impact may occur if a proposed project site is located within a liquefaction zone. Liquefaction is the loss of soil strength or stiffness due to a buildup of pore-water pressure during severe ground shaking. This site is not located in the California Department of Conservation's Seismic Hazard Zones Map, and the project site is not located within a liquefaction zone. Therefore, no impact related to seismic-related ground failure, including liquefaction, would occur.

iv) Landslides?

No impact. A significant impact would occur if the proposed project would be implemented on a site that would be located in a hillside area with unstable geological conditions or soil types that would be susceptible to failure when saturated. According to the California Department of Conservation, Division of Mines and Geology, the Seismic Hazard Zones Map for this area shows the project site is not located within a landslide hazard zone. The project

site and surrounding area are relatively flat. Therefore, the proposed project would not expose people or structures to potential effects resulting from landslides, and no impacts would occur.

b) Result in substantial soil erosion or the loss of topsoil?

Less-Than-Significant Impact. Construction of proposed project would result in ground surface disturbance during site clearance, excavation, and grading, which could create the potential for soil erosion to occur. Construction activities would be performed in accordance with the requirements of the Los Angeles Building Code and the Los Angeles Regional Water Quality Control Board (LARWQBC) through the City's Stormwater Management Division. Therefore, the proposed project would not result in substantial soil erosion or the loss of topsoil, and impacts would be less than significant.

c) Be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, liquefaction, or collapse?

No impact. According to ZIMAS, the project site at 2001 Olympic Boulevard is not located within an unstable soil area, landslide, or liquefaction area, and is not expected to cause or accelerate any geological hazards. No impact will result.

d) Be located on expansive soil, as defined in Table 18 1 B of the Uniform Building Code (1994), creating substantial direct or indirect risks to life or property?

Less-Than-Significant Impact. A significant impact would occur if the proposed project would be built on expansive soils without proper site preparation or design features to provide adequate foundations for project buildings, thus, posing a hazard to life and property. Expansive soils have relatively high clay mineral and expand with the addition of water and shrink when dried, which can cause damage to overlying structures. However, the proposed project would be required to comply with the requirements of the UBC, LAMC, and other applicable building codes. Compliance with such requirements would reduce impacts related to expansive soils, and impacts would be less than significant.

e) Have soils incapable of adequately supporting the use of septic tanks or alternative wastewater disposal systems where sewers are not available for the disposal of wastewater?

Less-Than-Significant Impact. A project would cause a significant impact if adequate wastewater disposal is not available. The project site is located in a highly urbanized area, where wastewater infrastructure is currently in place. The proposed project would connect to existing sewer lines that serve the project site and would not use septic tanks or alternative wastewater disposal systems. Therefore, impacts would be less than significant.

f) Directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?

No impact. There are no unique paleontological resources or unique geologic features at the site. The site is currently developed with commercial structures. No impact will result.

VIII. GREENHOUSE GAS EMISSIONS

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
Would the project:				
a. Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b. Conflict with an applicable plan, policy or regulation adopted for the purpose of reducing the emissions of greenhouse gases?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

a) Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?

Less-Than-Significant Impact. Greenhouse gases (GHG) are those gaseous constituents of the atmosphere, both natural and human generated, that absorb and emit radiation at specific wavelengths within the spectrum of terrestrial radiation emitted by the earth's surface, the atmosphere itself, and by clouds. The City has adopted the LA Green Plan to provide a citywide plan for achieving the City's GHG emissions targets, for both existing and future generation of GHG emissions. In order to implement the goal of improving energy conservation and efficiency, the Los Angeles City Council has adopted multiple ordinances and updates to establish the current Los Angeles Green Building Code (LAGBC) (Ordinance No. 181,480). The LAGBC requires projects to achieve a 20 percent reduction in potable water use and wastewater generation. Through required implementation of the LAGBC, the proposed project would be consistent with local and statewide goals and policies aimed at reducing the generation of GHGs. The Greenhouse Gas Emissions Assessment prepared by Terry A. Hayes Associates Inc dated April 2019 evaluated the project and found that it would be consistent with the City of Los Angeles LA Green Plan and Sustainable City pLAn and applicable SCAG 2016 RTP/SCS policies intended to meet the regions GHG reduction targets as assigned by CARB. The Project would also substantially comply with or exceed the GHG reduction actions and strategies outlined in CARBs Climate Change Scoping Plan. Thus, the Project's GHG emissions are consistent with regulatory schemes intended to reduce GHG emissions. Therefore, the proposed project's generation of GHG emissions would not make a cumulatively considerable contribution to emissions and impacts would be less than significant. As a project compliant with GHG emission reductions plans any impact would be less than significant.

b) Conflict with an applicable plan, policy or regulation adopted for the purpose of reducing the emissions of greenhouse gases?

Less-Than-Significant Impact. The California legislature passed Senate Bill (SB) 375 to connect regional transportation planning to land use decisions made at a local level. SB 375 requires the metropolitan planning organizations to prepare a Sustainable Communities Strategy (SCS) in their regional transportation plans to achieve the per capita GHG reduction targets. For the SCAG region, the SCS is contained in the 2012-2035 Regional Transportation Plan/Sustainable Communities Strategy (RTP/SCS). The 2012-2035 RTP/SCS focuses the majority of new housing

and job growth in high-quality transit areas and other opportunity areas on existing main streets, in downtowns, and commercial corridors, resulting in more opportunity for transit-oriented development. In addition, SB 743, adopted September 27, 2013, encourages land use and transportation planning decisions that reduce vehicle miles traveled, which contribute to GHG emissions, as required by AB 32. The project would provide infill commercial development along Olympic Boulevard and would not interfere with SCAG's ability to implement the regional strategies outlined in the 2012-2035 RTP/SCS. The proposed project, as analyzed on the Greenhouse Gas Emissions Assessment prepared by Terry A. Hayes and Associates dated April 2019, would be consistent with statewide, regional and local goals and policies aimed at reducing GHG emissions and would result in a less-than-significant impact related to plans that target the reduction of GHG emissions.

IX. HAZARDS AND HAZARDOUS MATERIALS

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
Would the project:				
a. Create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b. Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c. Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d. Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, would create a significant hazard to the public or the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
e. For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project result in a safety hazard or excessive noise for people residing or working in the project area?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
f. Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
g. Expose people or structures, either directly or indirectly, to a significant risk of loss, injury or death involving wildland fires?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

a) Create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?

Less-Than-Significant Impact. A significant impact would occur if the proposed project would create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials. Construction of the proposed project would involve the temporary use of potentially hazardous materials, including vehicle fuels, oils, and transmission fluids. Operation of the project would involve the limited use and storage of common hazardous substances typical of those used in multi-family residential and retail/commercial developments, including lubricants, paints, solvents, custodial products (e.g., cleaning supplies), pesticides and other landscaping supplies, and vehicle fuels, oils, and transmission fluids. No uses or activities are proposed that would result in the use or discharge of unregulated hazardous materials and/or substances, or create a public hazard through transport, use, or disposal. As a residential and retail/commercial development, the proposed project would not involve large quantities of hazardous materials that would require routine transport, use, or disposal. With compliance to applicable standards and regulations and adherence to manufacturer’s instructions related to the transport, use, or disposal of hazardous materials, the proposed project would not create a significant hazard through the routine transport, use, or disposal of hazardous materials, and impacts would be less than significant.

b) Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?

Less-Than-Significant Impact. A significant impact would occur if the proposed project created a significant hazard to the public or environment due to a reasonably foreseeable release of hazardous materials. The existing commercial buildings on the project site were built circa 1954-1964 and therefore may contain asbestos-containing materials (ACMs) and lead-based paint (LBP). Demolition of these buildings would have the potential to release asbestos fibers into the atmosphere if such materials exist and they are not properly stabilized or removed prior to demolition activities. The removal of asbestos is regulated by SCAQMD Rule 1403; therefore, any asbestos found on-site would be required to be removed in accordance with applicable regulations prior to demolition. Similarly, it is likely that lead-based paint is present in buildings constructed prior to 1979. The site currently has a medical center on-site with hazardous waste consisting of regulated medical wastes. This type of use triggers a Phase 1 Environmental Assessment to address the potential release of toxic substances into the soil. A Phase 1 Environmental Site Assessment was prepared by EFI Global on August 15, 2017, that concluded that a Phase 2 Assessment was not needed. No further investigation is recommended. Compliance with existing State laws regarding removal of soil and debris would be required, resulting in a less-than-significant impact.

c) Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school?

No impact. There are no existing or proposed schools within one-quarter mile of the subject site.

d) Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, would it create a significant hazard to the public or the environment?

No Impact. A significant impact would occur if the project site is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and would create a significant hazard to the public or the environment. The California Department of Toxic Substances Control (DTSC) maintains a database (EnviroStor) that provides access to detailed information on hazardous waste permitted sites and corrective action facilities, as well as existing site cleanup information. EnviroStor also provides information on investigation, cleanup, permitting, and/or corrective actions that are planned, being conducted, or have been completed under DTSC's oversight. A review of EnviroStor did not identify any records of hazardous waste facilities on the project site. Therefore, the proposed project would not be located on a site that is included on a list of hazardous materials sites or create a significant hazard to the public or the environment, and no impact would occur.

e) For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project result in a safety hazard or excessive noise for people residing or working in the project area?

No Impact. The project site is not located in an airport land use plan area, or within two miles of any public or public use airports, or private air strips. Therefore, the proposed project would not result in a safety hazard for people residing or working in the project area, and no impacts would occur.

f) Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?

No impact. The proposed project would not require the closure of any public or private streets and would not impede emergency vehicle access to the project site or surrounding area. Additionally, emergency access to and from the project site would be provided in accordance with requirements of the Los Angeles Fire Department (LAFD). Therefore, the proposed project would not impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan, and no impact would occur.

g) Expose people or structures, either directly or indirectly, to a significant risk of loss, injury or death involving wildland fires?

No Impact. A significant impact would occur if the proposed project exposed people and structures to high risk of wildfire. The project site is located in a highly urbanized area of the City and the area surrounding the project site is completely developed. Accordingly, the project site and the surrounding area are not subject to wildland fires. Therefore, the proposed project would not expose people or structures to a risk of loss, injury, or death involving wildland fires, and no impact would occur.

X. HYDROLOGY AND WATER QUALITY

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
Would the project:				
a. Violate any water quality standards or waste discharge requirements or otherwise substantially degrade surface or ground water quality?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b. Substantially decrease groundwater supplies or interfere substantially with groundwater recharge such that the project may impede sustainable groundwater management of the basin?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c. Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river or through the addition of impervious surfaces, in a manner which would:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
i. Result in substantial erosion or siltation on- or off-site;				
ii. Substantially increase the rate or amount of surface runoff in a manner which would result in flooding on- or off-site;				
iii. Create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff; or				
iv. Impede or redirect flood flows?				
d. In flood hazard, tsunami, or seiche zones, risk release of pollutants due to project inundation?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
e. Conflict with or obstruct implementation of a water quality control plan or sustainable groundwater management plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

a) Violate any water quality standards or waste discharge requirements or otherwise substantially degrade surface or ground water quality?

Less-Than-Significant Impact. A significant impact would occur if the proposed project discharges water that does not meet the quality standards of agencies which regulate surface water quality and water discharge into storm water drainage systems, or does not comply with all applicable regulations as governed by the Los Angeles Regional Water Quality Control Board (LARWQCB). Stormwater runoff from the proposed project has the potential to introduce small

amounts of pollutants into the stormwater system. Pollutants would be associated with runoff from landscaped areas (pesticides and fertilizers) and paved surfaces (ordinary household cleaners). Thus, the proposed project would be required to comply with the National Pollutant Discharge Elimination System (NPDES) standards and the City's Stormwater and Urban Runoff Pollution Control regulations (Ordinance No. 172,176 and No. 173,494) to ensure pollutant loads from the project site are minimized for downstream receiving waters. The ordinances contain requirements for construction activities and operation of projects to integrate low impact development practices and standards for stormwater pollution mitigation, and maximize open, green and pervious space on all projects consistent with the City's landscape ordinance and other related requirements in the City's Development Best Management Practices (BMPs) Handbook. Conformance would be ensured during the City's building plan review and approval process. Therefore, the proposed project would result in less-than-significant impacts.

b) Substantially decrease groundwater supplies or interfere substantially with groundwater recharge such that the project may impede sustainable groundwater management of the basin?

Less-Than-Significant Impact. A significant impact would occur if the proposed project would substantially deplete groundwater or interferes with groundwater recharge. The proposed project would not require the use of groundwater at the project site. Potable water would be supplied by the Los Angeles Department of Water and Power (LADWP), which draws its water supplies from distant sources for which it conducts its own assessment and mitigation of potential environmental impacts. Therefore, the project would not require direct additions or withdrawals of groundwater. Excavation to accommodate subterranean levels is not proposed at a depth that would result in the interception of existing aquifers or penetration of the existing water table. Therefore, the impact on groundwater supplies or groundwater recharge would be less than significant.

c. Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river or through the addition of impervious surfaces, in a manner which would:

i. Result in substantial erosion or siltation on- or off-site;

Less-Than-Significant Impact. A significant impact would occur if the proposed project would substantially alter the drainage pattern of an existing stream or river so that erosion or siltation would result. There are no streams or rivers located in the project vicinity. Project construction would temporarily expose on-site soils to surface water runoff. However, compliance with construction-related BMPs and/or the Storm Water Pollution Prevention Plan (SWPPP) would control and minimize erosion and siltation. During project operation, storm water or any runoff irrigation waters would be directed into existing storm drains that are currently receiving surface water runoff under existing conditions. Significant alterations to existing drainage patterns within the project site and surrounding area would not occur. Therefore, the proposed project would result in less-than-significant impact related to the alteration of drainage patterns and on- or offsite erosion or siltation.

ii. Substantially increase the rate or amount of surface runoff in a manner which would result in flooding on- or off-site;

Less-Than-Significant Impact. A significant impact would occur if the proposed project would substantially alter the drainage pattern of an existing stream or river such that flooding would result. There are no streams or rivers located in the project vicinity. During project

operation, storm water or any runoff irrigation waters would be directed into existing storm drains that are currently receiving surface water runoff under existing conditions. Impermeable surfaces resulting from the development of the project would not substantially change the volume of stormwater runoff in a manner that would result in flooding on- or off-site. Accordingly, significant alterations to existing drainage patterns within the site and surrounding area would not occur. Therefore, the proposed project would result in less-than-significant impacts related to the alteration of drainage patterns and on- or off-site flooding.

iii. Create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff;

Less-Than-Significant Impact. A significant impact would occur if runoff water would exceed the capacity of existing or planned storm drain systems serving the project site, or if the proposed project would substantially increase the probability that polluted runoff would reach the storm drain system. Site-generated surface water runoff would continue to flow to the City's storm drain system. Any project that creates, adds, or replaces 500 square feet of impervious surface must comply with the Low impact Development (LID) Ordinance or alternatively, the City's Standard Urban Stormwater Mitigation Plan (SUSMP), as an LAMC requirement to address water runoff and storm water pollution. Therefore, the proposed project would result in less-than-significant impacts related to existing storm drain capacities or water quality.

iv. Impede or redirect flood flows?

No Impact. A significant impact would occur if the proposed project would be located within a 100-year or 500-year floodplain or would impede or redirect flood flows. According to the Safety Element of the City of Los Angeles General Plan Safety Element of the Los Angeles City General Plan, Critical Facilities and Lifeline Systems, Exhibit F, the project site is not located within a 100-year or 500-year floodplain. Therefore, the proposed project would not be located in such areas, and no impact related to flood zones would occur.

d) In flood hazard, tsunami, or seiche zones, risk release of pollutants due to project inundation?

No Impact. A significant impact would occur if the proposed project would be located within an area susceptible to inundation by seiche, tsunami, or mudflow. The project site and the surrounding areas are not located near a water body to be inundated by seiche and is not located within a tsunami inundated zone. Therefore, the project would have no impact related to inundation by seiche, tsunami, or mudflow.

e) Conflict with or obstruct implementation of a water quality control plan or sustainable groundwater management plan?

Less-Than-Significant Impact. The proposed project is consists of the demolition of an existing building and the construction, use and maintenance of a new hotel consisting of 150 guestrooms and 7,000 square feet of retail space. As is typical of most non-industrial urban development, stormwater runoff from the proposed project has the potential to introduce small amounts of pollutants into the stormwater system. Pollutants would be associated with runoff from landscaped areas (pesticides and fertilizers) and paved surfaces (ordinary household cleaners). Thus, the proposed project would be required to comply with the National Pollutant Discharge Elimination System (NPDES) standards and the City’s Stormwater and Urban Runoff Pollution Control regulations (Ordinance No. 172,176 and No. 173,494) to ensure pollutant loads from the project site are minimized for downstream receiving waters. The Stormwater and Ordinances contain requirements for construction activities and operation of development and redevelopment projects to integrate low impact development practices and standards for stormwater pollution mitigation, and maximize open, green and pervious space on all developments and redevelopments consistent with the City’s landscape ordinance and other related requirements in the City’s Development Best Management Practices (BMPs) Handbook. Conformance would be ensured during the City’s building plan review and approval process. Therefore, the proposed project would result in less-than-significant impacts and would not violate water quality standards, waste discharge requirements, or stormwater NPDES permits or otherwise substantially degrade water quality.

XI. LAND USE AND PLANNING

Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--------------------------------	--	------------------------------	-----------

Would the project:

- a. Physically divide an established community?
- b. Cause a significant environmental impact due to a conflict with any land use plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect?

a) Physically divide an established community?

No Impact. A significant impact would occur if the proposed project would be sufficiently large or configured in such a way so as to create a physical barrier within an established community. A physical division of an established community is caused by an impediment to through travel or

a physical barrier, such as a new freeway with limited access between neighborhoods on either side of the freeway, or major street closures. The proposed project would not involve any street vacation or closure or result in development of new thoroughfares or highways. The proposed project, the construction of new commercial, infill development in an urbanized area in Los Angeles, would not divide an established community. Therefore, no impact would occur.

b) Cause a significant environmental impact due to a conflict with any land use plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect?

Less-than-significant impact. A significant impact may occur if a project is inconsistent with the General Plan or zoning designations currently applicable to the project site, and would cause adverse environmental effects, which the General Plan and zoning ordinance are designed to avoid or mitigate. The site is located within the Westlake Community Plan Area. The site is zoned C4-1 and R4-1, with a General Plan land use designation of Highway Oriented Commercial and High Medium Residential. The proposed project would be comprised of 150 guest hotel rooms and 7,000 square feet of commercial uses. The proposed project is seeking a Zone Change for the entire site to C4-2. The hotel use is allowed in the C4-2 Zone, however a Conditional Use is needed due to its proximity to R zoned properties. The proposed project would conform to the allowable land uses pursuant to the Los Angeles Municipal Code. Impacts related to land use have been mitigated elsewhere, or are addressed through compliance with existing regulations. Therefore, the impact would be less than significant

XII. MINERAL RESOURCES

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
Would the project:				
a. Result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b. Result in the loss of availability of a locally-important mineral resource recovery site delineated on a local general plan, specific plan or other land use plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

a) Result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state?

No Impact. A significant impact would occur if the proposed project would result in the loss of availability of known mineral resources of regional value or locally-important mineral resource recovery site. The project site is not classified by the City as containing significant mineral deposits nor is it designated for mineral extraction land use. In addition, the project site is not identified by the City as being located in an oil field or within an oil drilling area. Therefore, the proposed project would not result in the loss of availability of any known, regionally- or locally- valuable mineral resource, and no impact would occur.

b) Result in the loss of availability of a locally-important mineral resource recovery site delineated on a local general plan, specific plan or other land use plan?

No Impact. A significant impact would occur if the proposed project would result in the loss of availability of known mineral resources of regional value or locally-important mineral resource recovery site. The project site is not classified by the City as containing significant mineral deposits nor is it designated for mineral extraction land use. In addition, the project site is not identified by the City as being located in an oil field or within an oil drilling area. Therefore, the proposed project would not result in the loss of availability of any known, regionally- or locally valuable mineral resource, and no impact would occur.

XIII. NOISE

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
Would the project result in:				
a. Generation of a substantial temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. Generation of excessive groundborne vibration or groundborne noise levels?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. For a project located within the vicinity of a private airstrip or an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

a) Generation of a substantial temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?

Less Than Significant with Mitigation Incorporated. The City of Los Angeles has established policies and regulations concerning the generation and control of noise that could adversely affect its citizens and noise-sensitive land uses. Construction activity would result in temporary increases in ambient noise levels in the project area on an intermittent basis. Noise levels would fluctuate depending on the construction phase, equipment type and duration of use, distance between the noise source and receptor, and presence or absence of noise attenuation barriers. Construction noise for the project will cause a temporary increase in the ambient noise levels, but will be subject to the LAMC Sections 112.05 (Maximum Noise Level of Powered Equipment or Powered Hand Tools) and 41.40 (Noise Due to Construction, Excavation Work – When Prohibited) regarding construction hours and construction equipment noise thresholds. The project shall comply with the City of Los Angeles General Plan Noise Element and Ordinance No. 161,574, which prohibits the emission of creation of noise beyond certain levels at adjacent uses unless technically infeasible. Therefore, the noise exposure impact would be less than significant.

b) Generation of, excessive groundborne vibration or groundborne noise levels?

Less Than Significant with Mitigation Incorporated. Construction activities can generate varying degrees of vibration, depending on the construction procedures and the type of construction equipment used. The operation of construction equipment generates vibrations that spread through the ground and diminish with distance from the source. Unless heavy construction activities are conducted extremely close (within a few feet) to the neighboring structures, vibrations from construction activities rarely reach the levels that damage structures. By complying with regulations, the project would result in a less-than-significant impact related to construction vibration.

c) For a project located within the vicinity of a private airstrip or an airport land use plan, or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels?

No impact. A significant impact would occur if the proposed project would expose people residing or working in the project area to excessive noise levels from a public airport or public use airport. The proposed project is not located within two miles of a public airport or public use airport. The project site is outside of the Los Angeles International Airport Land Use Plan. Accordingly, the proposed project would not expose people working or residing in the project area to excessive noise levels from a public airport or public use airport. Therefore, no impact would occur.

MITIGATION MEASURES

MM-NOISE-1 Increased Noise Levels (Parking Structure Ramps)

Environmental impacts may result from project implementation due to noise from cars using the parking ramp. However, the potential impacts will be mitigated to a less than significant level by the following measures:

- Concrete, not metal, shall be used for construction of parking ramps.
- The interior ramps shall be textured to prevent tire squeal at turning areas.
- Parking lots located adjacent to residential buildings shall have a solid decorative wall adjacent to the residential.

MM-NOISE-2 Increased Noise Levels (Demolition, Grading, and Construction Activities)

- Construction and demolition shall be restricted to the hours of 7:00 am to 6:00 pm Monday through Friday, and 8:00 am to 6:00 pm on Saturday.
- Demolition and construction activities shall be scheduled so as to avoid operating several pieces of equipment simultaneously, which causes high noise levels.
- The project contractor shall use power construction equipment with state-of-the-art noise shielding and muffling devices.
- A temporary noise control barrier shall be installed on the property line of the construction site abutting residential uses. The noise control barrier shall be engineered to reduce construction-related noise levels at the adjacent residential structures with a goal of a reduction of 10dBA. The supporting structure shall be engineered and erected according to applicable codes. The temporary barrier shall remain in place until all windows have been installed and all activities on the project site are complete.

XIV. POPULATION AND HOUSING

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--	--------------------------------	--	------------------------------	-----------

Would the project:

- | | | | | |
|---|--------------------------|--------------------------|-------------------------------------|-------------------------------------|
| a. Induce substantial unplanned population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| b. Displace substantial numbers of existing people or housing, necessitating the construction of replacement housing elsewhere? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

a) Induce substantial unplanned population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)?

Less-Than-Significant Impact. A potentially significant impact would occur if the proposed project would induce substantial population growth that would not have otherwise occurred as rapidly or in as great a magnitude. The proposed project consists of the demolition of an existing buildings and construction of a new six-story 150 guestroom hotel. The increase in residential population resulting from the proposed project would not be considered substantial in consideration of anticipated growth for the Westlake Community Plan, and is within the Southern California Association of Governments’ (SCAG) 2020 population projections for the City in their

2012-2035 Regional Transportation Plan. The project would meet a growing demand for jobs and transportation centers near housing, consistent with State, regional and local regulations designed to reduce trips and greenhouse gas emissions. Operation of the proposed project would not induce substantial population growth in the project area, either directly or indirectly. The physical secondary or indirect impacts of population growth such as increased traffic or noise have been adequately mitigated in other portions of this document. Therefore, the impact would be less than significant.

b) Displace substantial numbers of existing people or housing, necessitating the construction of replacement housing elsewhere?

No impact. The proposed project consists of the demolition of an existing buildings and construction of a new six-story 150 guestroom hotel. The project is not displacing individuals since the site was previously developed with commercial buildings and no housing is being demolished as a result of the project

XV. PUBLIC SERVICES

Would the project result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times or other performance objectives for any of the public services:

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a. Fire protection?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b. Police protection?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c. Schools?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d. Parks?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e. Other public facilities?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

a) Fire protection?

Less-Than-Significant Impact. A significant impact would occur if the Los Angeles Fire Department (LAFD) could not adequately serve the proposed project, necessitating a new or physically altered station. The project site and the surrounding area are currently served by Fire Station 11 located at 1819 West 7th Street (approximately .5 miles north of the project site). The proposed project may increase the number of emergency calls and demand for LAFD fire and emergency services. To maintain the level of fire protection and emergency services, the LAFD may require additional fire personnel and equipment. However, given that there is an existing fire station is in close proximity to the project site, it is not anticipated that there would be a need to build a new or expand an existing fire station to serve the proposed project and maintain

acceptable service ratios, response times, or other performance objectives for fire protection. By analyzing data from previous years and continuously monitoring current data regarding response times, types of incidents, and call frequencies, LAFD can shift resources to meet local demands for fire protection and emergency services. The proposed project would neither create capacity or service level problems nor result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities in order to maintain acceptable service ratios, response times or other performance objectives for fire protection. Therefore, the proposed project would result in a less-than-significant impact.

b) Police protection?

Less-Than-Significant Impact. A significant impact would occur if the Los Angeles Police Department (LAPD) could not adequately serve the proposed project, necessitating a new or physically altered station. The proposed project may increase demand for police service. The project site and the surrounding area are currently served by LAPD's Rampart Community Police Station, located at 1401 West 6th Street (approximately 1.1 mile northeast of the project site). Prior to the issuance of a building permit, the LAPD would review the project plans to ensure that the design of the project follows the LAPD's Design Out Crime Program, an initiative that introduces the techniques of Crime Prevention Through Environmental Design (CPTED) to all City departments beyond the LAPD. Through the incorporation of these techniques into the project design, in combination with the safety features already incorporated into the proposed project, the proposed project would neither create capacity/service level problems nor result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities in order to maintain acceptable service ratios, response times or other performance objectives for police protection. Regarding operations, in the event a situation should arise requiring increased staffing or patrol units, additional resources can be called in. Therefore, the proposed project would result in a less-than-significant impact related to police protection services.

c) Schools?

Less-Than-Significant Impact. A significant impact would occur if the proposed project would include substantial employment or population growth, which could generate a demand for school facilities that would exceed the capacity of the school district. The proposed project may increase enrollment at schools that serve the area. However, development of the proposed project would be subject to California Government Code Section 65995, which would allow LAUSD to collect impact fees from developers of new residential and commercial space. Conformance to California Government Code Section 65995 is deemed to provide full and complete mitigation of impacts to school facilities. Therefore, the proposed project would result in a less-than-significant impact to public schools.

d) Parks?

No impact. Since the Project would not be including any housing or any permanent residents, there would be no required open space elements and no expected use of existing park facilities. Therefore, impacts no impact will occur.

e) Other public facilities?

Less-Than-Significant Impact. A significant impact would occur if the proposed project would result in substantial employment or population growth that could generate a demand for other public facilities, including libraries, which exceed the capacity available to serve the project site, necessitating new or physically altered public facilities, the construction of which would cause significant environmental impacts. The proposed project may result in increased demand for

library services and resources of the Los Angeles Public Library System. However, the proposed project would not create substantial capacity or service level problems that would require the provision of new or expanded public facilities in order to maintain an acceptable level of service for libraries and other public facilities. Therefore, the proposed project would result in a less-than-significant impact on other public facilities.

XVI. RECREATION

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a. Would the project increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b. Does the project include recreational facilities or require the construction or expansion of recreational facilities which might have an adverse physical effect on the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

a) Would the project increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facilities would occur or be accelerated?

Less-Than-Significant Impact. A significant impact would occur if the proposed project would exceed the capacity or capability of the local park system to serve the proposed project. The City of Los Angeles Department of Recreation and Parks (RAP) is responsible for the provision, maintenance, and operation of public recreational and park facilities and services in the City. The proposed project would result in an increase of 150 guestrooms. However, the hotel and commercial use may result in a nominal increased demand for parks and recreation facilities. Therefore, the proposed project would not create capacity or service level problems, or result in substantial physical impacts associated with the provision or new or altered parks facilities. Accordingly, the proposed project would result in a less-than-significant impact on park facilities.

b) Does the project include recreational facilities or require the construction or expansion of recreational facilities which might have an adverse physical effect on the environment?

Less-Than-Significant Impact. A significant impact would occur if the proposed project would exceed the capacity or capability of the local park system to serve the proposed project. The City of Los Angeles Department of Recreation and Parks (RAP) is responsible for the provision, maintenance, and operation of public recreational and park facilities and services in the City. The proposed project would result in 150 hotel guest rooms. However, the hotel and commercial use may result in a nominal increased demand for parks and recreation facilities. Therefore, the proposed project would not create capacity or service level problems, or result in substantial

physical impacts associated with the provision of new or altered parks facilities. Accordingly, the proposed project would result in a less-than-significant impact on park facilities.

XVII. TRANSPORTATION¹

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
Would the project:				
a. Conflict with a program, plan, ordinance or policy addressing the circulation system, including transit, roadway, bicycle and pedestrian facilities?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b. Conflict with an applicable congestion management program, including, but not limited to level of service standards and travel demand measures, or other standards established by the county congestion management agency for designated roads or highways?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c. Substantially increase hazards due to a geometric design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d. Result in inadequate emergency access?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

a) Conflict with a program, plan, ordinance or policy addressing the circulation system, including transit, roadway, bicycle and pedestrian facilities?

Less-Than-Significant Impact. A significant impact may occur if the project conflicts with an applicable plan, ordinance, or policy establishing measures of effectiveness for the performance of the circulation system. In regards to traffic, a significant impact may occur if the project conflicts with an applicable plan, ordinance or policy establishing measures of effectiveness for the performance of the circulation system. The project is the demolition of an existing buildings and the construction of a seven-story 150-room hotel with 7,000 square feet of ground floor commercial space. According to a Los Angeles Department of Transportation referral form dated May 24, 2018, the proposed development does not require a traffic study. Based on LADOT traffic impact criteria, the proposed project is not expected to generate significant traffic impacts at any of the three intersections identified for detailed analysis. Therefore, impacts would be less than significant.

¹ While the new VMT Transportation Thresholds have been adopted, this is in place as an option until July 1, 2020.

b) Conflict with an applicable congestion management program, including, but not limited to, level of service standards and travel demand measures, or other standards established by the county congestion management agency for designated roads or highways?

Less-Than-Significant Impact. A significant impact may occur if the proposed project individually or cumulatively exceeded the service standards of the Los Angeles County Metropolitan Transportation Authority (Metro) Congestion Management Program (CMP). This program was created Statewide as a result of Proposition 111 and has been implemented locally by Metro. The CMP for Los Angeles County requires that the traffic impacts of individual development projects of potential regional significance be analyzed. Specific arterial roadways and all State highways comprise the CMP system, and a total of 164 intersections are identified for monitoring throughout Los Angeles County. The local CMP requires that all CMP monitoring intersections be analyzed where a project would likely add more than 50 trips during either the a.m. or p.m. peak hours. The project is estimated to generate a net increase of 1141 daily trips, - 5 in the a.m. peak hour, and 18 trips in the p.m. peak hour. According to a Los Angeles Department of Transportation referral form dated May 24, 2018, the proposed development does not require a traffic study. To comply with the Freeway Analysis Agreement executed between Caltrans and DOT in October 2013 and updated December 2015, the project included a screening analysis to determine if additional evaluation of freeway mainline and ramp segments was necessary beyond the CMP requirements. Exceeding one of the four screening criteria would require the applicant to work directly with Caltrans to prepare more detailed freeway analysis. However, the project did not exceed any of the four thresholds defined in the agreement and therefore no additional freeway analysis was required. Therefore, impacts would be less than significant.

c) Substantially increase hazards due to a geometric design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)?

Less Than Significant with Mitigation Incorporated. A significant impact would occur if the proposed project would substantially increase an existing hazardous design feature or introduce incompatible uses to the existing traffic pattern. The proposed project would not include unusual or hazardous design features and the proposed project is compatible with existing uses. However, the project may have potentially significant impacts on pedestrians on the street during construction phases. With implementation of the referenced mitigation measure, the potential impacts related to hazards would be reduced to less-than-significant.

d) Result in inadequate emergency access?

No impact. A significant impact would occur if the proposed project would result in inadequate emergency access. The project does not propose any changes to emergency access, and will require approval of plans by the Fire Department. Further, the project must comply with all applicable City fire safety regulations. No impact will occur.

MITIGATION MEASURES

MM-TRANSPORTATION-1-Pedestrian Safety

- Applicant shall plan construction and construction staging as to maintain pedestrian access on adjacent sidewalks throughout all construction phases. This requires the applicant to maintain adequate and safe pedestrian protection, including physical separation (including utilization of barriers such as K-Rails or scaffolding, etc) from work space and vehicular traffic and overhead protection, due to sidewalk closure or blockage, at all times.

- Temporary pedestrian facilities shall be adjacent to the project site and provide safe, accessible routes that replicate as nearly as practical the most desirable characteristics of the existing facility.
- Covered walkways shall be provided where pedestrians are exposed to potential injury from falling objects.
- Applicant shall keep sidewalk open during construction until only when it is absolutely required to close or block sidewalk for construction staging. Sidewalk shall be reopened as soon as reasonably feasible taking construction and construction staging into account.

XVIII. TRIBAL CULTURAL RESOURCES

Would the project cause a substantial adverse change in the significance of a tribal cultural resource, defined in Public Resources Code section 21074 as either a site, feature, place, cultural landscape that is geographically defined in terms of the size and scope of the landscape, sacred place, or object with cultural value to a California Native American tribe, and that is:

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a. Listed or eligible for listing in the California Register of Historical Resources, or in a local register of historical resources as defined in Public Resources Code section 5020.1(k), or	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d. A resource determined by the lead agency, in its discretion and supported by substantial evidence, to be significant pursuant to criteria set forth in subdivision (c) of Public Resources Code Section 5024.1. In applying the criteria set forth in subdivision (c) of Public Resource Code Section 5024.1, the lead agency shall consider the significance of the resource to a California Native American tribe.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

a) Would the project cause a substantial adverse change in the significance of a tribal cultural resource, defined in Public Resources Code section 21074 as either a site, feature, place, cultural landscape that is geographically defined in terms of the size and scope of the landscape, sacred place, or object with cultural value to a California Native American tribe, and that is: Listed or eligible for listing in the California Register of Historical Resources, or in a local register of historical resources as defined in Public Resources Code section 5020.1 (k)?

Less than Significant Impact. As described in section 4.5a, Cultural Resources, above, the Project site does not contain any features that are listed or eligible for listing in the California Register of Historical Resources or in a local register of historical resources; nor would the Project

adversely affect any nearby resources that are listed or eligible for listing in the California Register of Historical Resources or in a local register of historical resources. Therefore, potential impacts would be less than significant.

b) Would the project cause a substantial adverse change in the significance of a tribal cultural resource, defined in Public Resources Code section 21074 as either a site, feature, place, cultural landscape that is geographically defined in terms of the size and scope of the landscape, sacred place, or object with cultural value to a California Native American tribe, and that is: A resource determined by the lead agency, in its discretion and supported by substantial evidence, to be significant pursuant to criteria set forth in subdivision (c) of Public Resources Code Section 5024.1. In applying the criteria set forth in subdivision (c) of Public Resource Code Section 5024.1, the lead agency shall consider the significance of the resource to a California Native American tribe?

Less than Significant Impact. Public Resources Code, Section 21080.3.1, establishes a formal process for Lead Agencies to consult with California Native American Tribes to identify potential significant impacts to Tribal Cultural Resources, as defined in Section 20174 of the Public Resources Code. In compliance with the Code, on January 19, 2018 the City sent notices to Native American tribes that are known to be traditionally and culturally affiliated with the Project area and have requested to be notified of projects. A response was received from the Gabrieleno Band of Mission Indians - Kizh Nation and the City subsequently consulted with the tribe regarding the potential to unearth subsurface artifacts during construction. The City has an established protocol that will be imposed as a condition of approval for handling cultural artifacts unearthed during construction. Given that no Tribal Cultural Resources have been identified on the site and there is not specific evidence of subsurface resource on the site, impacts to Tribal Cultural Resources would be less than significant.

XIX. UTILITIES AND SERVICE SYSTEMS

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
Would the project:				
a. Require or result in the relocation or construction of new or expanded water, wastewater treatment or storm water drainage, electric power, natural gas, or telecommunications facilities, the construction or relocation of which could cause significant environmental effects?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b. Have sufficient water supplies available to serve the project and reasonably foreseeable future development during normal, dry and multiple dry years?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
c. Result in a determination by the wastewater treatment provider which serves or may serve the project that it has adequate capacity to serve the project's projected demand in addition to the provider's existing commitments?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d. Generate solid waste in excess of State or local standards, or in excess of the capacity of local infrastructure, or otherwise impair the attainment of solid waste reduction goals?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e. Comply with federal, state, and local management and reduction statutes and regulations related to solid waste?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

a) Require or result in the relocation or construction of new or expanded water, wastewater treatment or storm water drainage, electric power, natural gas, or telecommunications facilities, the construction or relocation of which could cause significant environmental effects?

Less-Than-Significant Impact. A significant impact would occur if the proposed project would increase water consumption or wastewater generation to such a degree that the capacity of facilities currently serving the project site would be exceeded. The Los Angeles Department of Water and Power (LADWP) conducts water planning based on forecast population growth, the proposed project consisting of 150 guestrooms and 7,000 square feet of commercial area would be consistent with Citywide growth, and, therefore, the project demand for water is not anticipated to require new water supply entitlements and/or require the expansion of existing or construction of new water treatment facilities beyond those already considered in the LADWP 2015 Urban Water Management Plan (UWMP). Prior to any construction activities, the project applicant would be required to coordinate with the City of Los Angeles Bureau of Sanitation (BOS) to determine the exact wastewater conveyance requirements of the proposed project, and any upgrades to the wastewater lines in the vicinity of the project site that are needed to adequately serve the proposed project would be undertaken as part of the project. Therefore, the proposed project would have a less-than-significant impact related to water or wastewater infrastructure.

b) Have sufficient water supplies available to serve the project and reasonably foreseeable future development during normal, dry and multiple dry years?

Less-Than-Significant Impact. Refer to Response to Checklist Question XIX (a).

c) Result in a determination by the wastewater treatment provider which serves or may serve the project that it has adequate capacity to serve the project's projected demand in addition to the provider's existing commitments?

Less-Than-Significant Impact. Refer to Response to Checklist Question XIX (a).

d) Generate solid waste in excess of State or local standards, or in excess of the capacity of local infrastructure, or otherwise impair the attainment of solid waste reduction goals?

Less-Than-Significant Impact. A significant impact would occur if the proposed project’s solid waste generation exceeded the capacity of permitted landfills. The Los Angeles Bureau of Sanitation (BOS) and private waste management companies are responsible for the collection, disposal, and recycling of solid waste within the City, including the project site. Solid waste during the operation of the proposed project is anticipated to be collected by the BOS and private waste haulers, respectively. As the City’s own landfills have all been closed and are non-operational, the destinations are private landfills. In compliance with Assembly Bill (AB) 939, the project applicant would be required to implement a Solid Waste Diversion Program and divert at least 50 percent of the solid waste generated by the project from the applicable landfill site. The proposed project would also comply with all federal, State, and local regulations related to solid waste. Therefore, the proposed project would have a less-than-significant impact related to solid waste.

e) Comply with federal, state, and local management and reduction statutes and regulations related to solid waste?

Less-Than-Significant Impact. Refer to Response to Checklist Question XIX (d).

XX. WILDFIRE

If located in or near state responsibility areas or lands classified as very high fire hazard severity zones:

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
Would the project:				
a. Substantially impair an adopted emergency response plan or emergency evacuation plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b. Due to slope, prevailing winds, and other factors, exacerbate wildfire risks, and thereby expose project occupants to, pollutant concentrations from a wildfire or the uncontrolled spread of a wildfire?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c. Require the installation or maintenance of associated infrastructure (such as roads, fuel breaks, emergency water sources, power lines or other utilities) that may exacerbate fire risk or that may result in temporary or ongoing impacts to the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d. Expose people or structures to significant risks, including downslope or downstream flooding or landslides, as a result of runoff, post-fire slope instability, or drainage changes?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

a) Substantially impair an adopted emergency response plan or emergency evacuation plan?

No impact. The proposed project would not require the closure of any public or private streets and would not impede emergency vehicle access to the project site or surrounding area. Additionally, emergency access to and from the project site would be provided in accordance with requirements of the Los Angeles Fire Department (LAFD). Therefore, the proposed project would not impair implementation of or physically interfere with an adopted emergency response plan or emergency response plan or emergency evacuation plan, and no impact would occur

b) Due to slope, prevailing winds, and other factors, exacerbate wildfire risks, and thereby expose project occupants to, pollutant concentrations from a wildfire or the uncontrolled spread of a wildfire?

No impact. The project site is located in a highly urbanized area of the City and the area surrounding the project site is completely developed. The site is relatively flat with no significant slope and is not located in a High Wind Velocity Area as identified by High Wind Area map developed by the Bureau of Engineering. Therefore, no impact would occur.

c) Require the installation or maintenance of associated infrastructure (such as roads, fuel breaks, emergency water sources, power lines or other utilities) that may exacerbate fire risk or that may result in temporary or ongoing impacts to the environment?

Less-Than-Significant Impact. As the project site is currently developed and surrounded by existing developments, the construction and operation of the proposed project can be characterized as in-fill development and will have minimal impact on the existing infrastructure. The proposed project would be designed and constructed in accordance with State and local Building and Fire Codes, including installing sprinklers and planting fire resistant landscaping as appropriate, to reduce the potential for exposure of people or structures to wildfires to the maximum extent possible. Therefore, the proposed project would have a less-than-significant impact.

d) Expose people or structures to significant risks, including downslope or downstream flooding or landslides, as a result of runoff, post-fire slope instability, or drainage changes?

No impact. According to ZIMAS, the site is not located within an area of historically earthquake induced landslides, and landslides on the site are not anticipated based on the area's flat terrain.

XXI. MANDATORY FINDINGS OF SIGNIFICANCE

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a. Does the project have the potential to substantially degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, substantially reduce the number or restrict the range of a rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b. Does the project have impacts that are individually limited, but cumulatively considerable? (“Cumulatively considerable” means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. Does the project have environmental effects which will cause substantial adverse effects on human beings, either directly or indirectly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

a) Does the project have the potential to substantially degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, substantially reduce the number or restrict the range of a rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory?

Less-Than-Significant Impact. Based on the analysis in this Initial Study, the proposed project would not have the potential to degrade the quality of the environment, substantially reduce the habitat of fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, or reduce the number or restrict the range of a rare or endangered plant or animal. Implementation of the mitigation measures identified and compliance with existing regulations would reduce impacts to less-than-significant levels.

b) Does the project have impacts that are individually limited, but cumulatively considerable? (“Cumulatively considerable” means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects)?

Less Than Significant with Mitigation Incorporated. A significant impact may occur if the proposed project, in conjunction with the related projects, would result in impacts that are less than significant when viewed separately but significant when viewed together. Although projects may be constructed in the project vicinity, the cumulative impacts to which the proposed project would contribute would be less than significant. Implementation of the mitigation measures identified would reduce cumulative impacts to less-than-significant levels.

c) Does the project have environmental effects which will cause substantial adverse effects on human beings, either directly or indirectly?

Less Than Significant with Mitigation Incorporated. A significant impact may occur if the proposed project has the potential to result in significant impacts, as discussed in the preceding sections. All potential impacts of the proposed project have been identified, and mitigation measures have been prescribed, where applicable, to reduce all potential impacts to less-than-significant levels. Upon implementation of mitigation measures identified and compliance with existing regulations, the proposed project would not have the potential to result in substantial adverse impacts on human beings either directly or indirectly.

MITIGATION MEASURES

MM-MAND-1 Effects on Human Beings

The project has potential environmental effects which cause substantial adverse effects on human beings, either directly or indirectly. However, these potential impacts will be mitigated to a less than significant level through compliance with the above mitigation measures.

MM-MAND-2 End

The conditions outlined in this proposed mitigated negative declaration which are not already required by law shall be required as condition(s) of approval by the decision-making body except as noted on the face page of this document. Therefore, it is concluded that no significant impacts are apparent which might result from this project's implementation.

5 PREPARERS AND PERSONS CONSULTED

PERSON PREPARING THIS FORM: Jordann Turner
TITLE: City Planner
ADDRESS: 200 North Spring Street, Los Angeles, CA 90012
TELEPHONE NUMBER: 213-978-1365

SIGNIATURE _____

DATE: _____

6 REFERENCES, ACRONYMS AND ABBREVIATIONS

Bay Area Air Quality Management District, *Revised Draft Options and Justification Report: California Environmental Quality Act Thresholds of Significance*, 2009.

California Air Pollution Control Officers Association, California Emissions Estimator Model (CalEEMod) Version 2013.2.2, October 2, 2013.

California Department of Conservation, Division of Mines and Geology. *Seismic Hazards Zones Map, Hollywood Quadrangle*, March 25, 1999.

California Department of Conservation, Special Studies Zones for the Hollywood Quadrangle, July 1, 1986.

California Department of Conservation. *Regulatory Maps, Los Angeles County*. available: <http://www.quake.ca.gov/gmaps/WH/regulatorymaps.htm>, accessed February 26, 2014.

California Department of Finance *Demographic Research Unit. Report E-5, Population and Housing Estimates for Cities, Counties, and the State*, January 1, 2014.

California Department of Fish and Wildlife, *California Natural Diversity Database, RareFind 5*, Hollywood Quadrangle, query ran September 3, 2014.

California Department of Transportation, *Transportation Project-Level Carbon Monoxide Protocol*, UCD-ITS-RR-97-21. Prepared by Institute of Transportation Studies, University of California, Davis, 1997.

California Department of Transportation. *California Scenic Highway Mapping System*, Los Angeles County. Available: http://www.dot.ca.gov/hq/LandArch/scenic_highways/, accessed on September 8, 2014.

City of Department of Recreations and Park, *Facility Locator*, website: <http://raponline.lacity.org/maplocator/>, accessed on September 26, 2014.

City of Los Angeles Department of City Planning, Demographic Research Unit, *Census 2000 Statistics by Community Plan Area*, website: <http://cityplanning.lacity.org/dru/C2K/C2KRpt.cfm?geo=cp&sgo=ct#>, accessed on September 26, 2014.

City of Los Angeles Department of City Planning, *Los Angeles Citywide General Plan Framework, Draft Environmental Impact Report*, January 1995.

City of Los Angeles General Plan, *The Citywide General Plan Framework: An Element of The City of Los Angeles General Plan*, August 2001.

City of Los Angeles, *Los Angeles CEQA Thresholds Guide, Biological Resource Areas*, Exhibit C-2, 2006.

City of Los Angeles, *Safety Element of the Los Angeles City General Plan*, November 1996.

City of Los Angeles, *Transportation Element of the General Plan*, Map E: Scenic Highways in the City of Los Angeles, June 1998.

County of Los Angeles Department of Public Works, *Countywide Integrated Waste Management Plan – 2012 Annual Report*, August 2013.

Federal Transit Administration, *Transit Noise and Vibration Impact Assessment*, May 2006.
Institute of Transportation Engineers *Trip Generation Manual*, 7th Edition, 2003.

Sanitation Districts of Los Angeles County, Solid Waste Management Department, *Puente Hills Landfill*, http://www.lacsd.org/solidwaste/swfacilities/landfills/puente_hills/, accessed April 8, 2014.

South Coast Air Quality Management District, *Health Risk Assessment Guidance for Analyzing Cancer Risks from Mobile Source Diesel Emissions*, December 2002.

U.S. Census, *American Fact Finder. Profile of General Population and Housing Characteristics*, 2010.

United States Environmental Protection Agency, *Noise from Construction Equipment and Operations, Building Equipment and Home Appliances*, PB 206717, 1971.