

**DEPARTMENT OF
CITY PLANNING**

COMMISSION OFFICE
(213) 978-1300

CITY PLANNING COMMISSION

SAMANTHA MILLMAN
PRESIDENT

VAHID KHORSAND
VICE-PRESIDENT

DAVID H. J. AMBROZ
CAROLINE CHOE
RENEE DAKE WILSON

KAREN MACK
MARC MITCHELL
VERONICA PADILLA-CAMPOS
DANA M. PERLMAN

**CITY OF LOS ANGELES
CALIFORNIA**



ERIC GARCETTI
MAYOR

EXECUTIVE OFFICES

200 N. SPRING STREET, ROOM 525
LOS ANGELES, CA 90012-4801
(213) 978-1271

VINCENT P. BERTONI, AICP
DIRECTOR

KEVIN J. KELLER, AICP
EXECUTIVE OFFICER

SHANA M.M. BONSTIN
DEPUTY DIRECTOR

TRICIA KEANE
DEPUTY DIRECTOR

ARTHI L. VARMA, AICP
DEPUTY DIRECTOR

LISA M. WEBBER, AICP
DEPUTY DIRECTOR

14421 Nordhoff Street Residential Use Project

Case Number: ENV-2019-1699-ND

Project Location: 14421 West Nordhoff Street, Los Angeles, California, 91402

Community Plan Area: Mission Hills-Panorama City-North Hills

Council District: 6 – Martinez

Project Description: The project involves the demolition of a single-family dwelling and the subdivision, construction, use, and maintenance of a nine unit small lot subdivision. The residences will be accessed by a central common access driveway with one curb cut on Nordhoff Street. The small lot homes will rise to a maximum height of 24 feet 3 inches and two stories, and will range in size from 2,199 square feet to 2,229 square feet. The project will provide 20 parking spaces (two per unit and two guest parking spaces).

The requested entitlements include (1) a Vesting Tentative Tract Map to permit the subdivision of one lot into nine small lots (2) a zone change to modify the existing (Q) conditions to (T)(Q)RD3-1; and any additional actions including but not limited to, tree removal (14 non-protected trees), demolition, grading, excavation, haul route, and building permits. Removal of street trees are subject to the review and approval by the Board of Public Works, Urban Forestry Division.

PREPARED BY:

The City of Los Angeles
Department of City Planning

APPLICANT:

Lior Mandelbaum, Nordhoff Residential, LLC

August 2019

INITIAL STUDY

TABLE OF CONTENTS

	<u>Page</u>
1. Introduction	5
2. Executive Summary.....	X
3. Project Description	X
3.1. Project Summary.....	X
3.2. Environmental Setting	X
3.3. Description of Project	X
3.4. Requested Permits and Approvals	X
4. Environmental Checklist.....	X
I. Aesthetics	X
II. Agriculture and Forestry Resources	X
III. Air Quality	X
IV. Biological Resources.....	X
V. Cultural Resources.....	X
VI. Energy	X
VII. Geology and Soils	X
VIII. Greenhouse Gas Emissions	X
IX. Hazards and Hazardous Materials.....	X
X. Hydrology and Water Quality	X
XI. Land Use and Planning.....	X
XII. Mineral Resources	X
XIII. Noise	X
XIV. Population and Housing	X
XV. Public Services.....	X
XVI. Recreation	X
XVII. Transportation/Traffic	X
XVIII. Tribal Cultural Resources.....	X
XIX. Utilities and Service Systems.....	X
XX. Wildfire	X
XXI. Mandatory Findings of Significance.....	X

INITIAL STUDY

1 INTRODUCTION

This Initial Study (IS) document evaluates potential environmental effects resulting from construction and operation of the proposed PK Market Project (“Project”). The proposed Project is subject to the guidelines and regulations of the California Environmental Quality Act (CEQA). Therefore, this document has been prepared in compliance with the relevant provisions of CEQA and the State CEQA Guidelines as implemented by the City of Los Angeles (City). Based on the analysis provided within this Initial Study, the City has concluded that the Project will not result in significant impacts on the environment. This Initial Study and Mitigated Negative Declaration are intended as informational documents, and are ultimately required to be adopted by the decision maker prior to project approval by the City.

1.1 PURPOSE OF AN INITIAL STUDY

The California Environmental Quality Act was enacted in 1970 with several basic purposes: (1) to inform governmental decision makers and the public about the potential significant environmental effects of proposed projects; (2) to identify ways that environmental damage can be avoided or significantly reduced; (3) to prevent significant, avoidable damage to the environment by requiring changes in projects through the use of feasible alternatives or mitigation measures; and (4) to disclose to the public the reasons behind a project’s approval even if significant environmental effects are anticipated.

An application for the proposed project has been submitted to the City of Los Angeles Department of City Planning for discretionary review. The Department of City Planning, as Lead Agency, has determined that the project is subject to CEQA, and the preparation of an Initial Study is required.

An Initial Study is a preliminary analysis conducted by the Lead Agency, in consultation with other agencies (responsible or trustee agencies, as applicable), to determine whether there is substantial evidence that a project may have a significant effect on the environment. If the Initial Study concludes that the Project, with mitigation, may have a significant effect on the environment, an Environmental Impact Report should be prepared; otherwise the Lead Agency may adopt a Negative Declaration or a Mitigated Negative Declaration.

This Initial Study has been prepared in accordance with CEQA (Public Resources Code §21000 et seq.), the State CEQA Guidelines (Title 14, California Code of Regulations, §15000 et seq.), and the City of Los Angeles CEQA Guidelines (1981, amended 2006).

1.2. ORGANIZATION OF THE INITIAL STUDY

This Initial Study is organized into four sections as follows:

1 INTRODUCTION

Describes the purpose and content of the Initial Study, and provides an overview of the CEQA process.

2 EXECUTIVE SUMMARY

Provides Project information, identifies key areas of environmental concern, and includes a determination whether the project may have a significant effect on the environment.

3 PROJECT DESCRIPTION

Provides a description of the environmental setting and the Project, including project characteristics and a list of discretionary actions.

4 EVALUATION OF ENVIRONMENTAL IMPACTS

Contains the completed Initial Study Checklist and discussion of the environmental factors that would be potentially affected by the Project.

1.3. CEQA PROCESS

In compliance with the State CEQA Guidelines, the City, as the Lead Agency for the Project, will provide opportunities for the public to participate in the environmental review process. As described below, throughout the CEQA process, an effort will be made to inform, contact, and solicit input on the Project from various government agencies and the general public, including stakeholders and other interested parties.

At the onset of the environmental review process, the City has prepared an Initial Study to identify the preliminary environmental impacts of the project. The Initial Study for the Project determined that the proposed Project would not have significant environmental impacts that would require further study.

If the Project is approved, then within five days of the action, the City files a Notice of Determination with the County Clerk. The Notice of Determination is posted by the County Clerk within 24 hours of receipt. This begins a 30-day statute of limitations on legal challenges to the approval under CEQA. The ability to challenge the approval in court may be limited to those persons who objected to the approval of the project, and to issues that were presented to the Lead Agency by any person, either orally or in writing, during the public comment period.

1.3.1 Initial Study

At the onset of the environmental review process, the City has prepared this Initial Study to determine if the proposed Project may have a significant effect on the environment. This Initial Study determined that the proposed Project could have potentially significant environmental impacts but mitigation measures agreed to by the applicant would avoid or reduce such impacts to a point where clearly no significant impacts would occur.

A Notice of Intent to Adopt a Mitigated Negative Declaration (MND) or Negative Declaration (ND) is provided to inform the general public, responsible agencies, trustee agencies, and the county clerk of the availability of the document and the locations where the document can be reviewed. A 20-day review period (or 30-day review period when the document is submitted to the State Clearinghouse for state agency review) is identified to allow the public and agencies to review the document. The notice is mailed to any interested parties and is noticed to the public through publication in a newspaper of general circulation.

The decision-making body then considers the Mitigated Negative Declaration or Negative Declaration, together with any comments received during the public review process, and may adopt the MND or ND and approve the project. In addition, when approving a project for which an MND or ND has been prepared, the decision-making body must find that there is no substantial evidence that the project will have a significant effect on the environment, and that the ND or MND reflects the lead agency's independent judgement and analysis. When adopting an MND, the lead agency must also adopt a mitigation monitoring program to ensure that all proposed mitigation measures are implemented to mitigate or avoid significant environmental effects.

INITIAL STUDY

2 EXECUTIVE SUMMARY

PROJECT TITLE	Nordhoff Residential
ENVIRONMENTAL CASE NO.	ENV-2019-1699-ND
RELATED CASES	VTT-82584-SL, AMD-2019-1698-SLD, APCNV-2019-1697-ZC

PROJECT LOCATION	14421 West Nordhoff Street
COMMUNITY PLAN AREA	Mission Hills-Panorama City-North Hills
GENERAL PLAN DESIGNATION	Low Medium I Residential
ZONING	(T)(Q)RD3-1 / RA-1
COUNCIL DISTRICT	6

LEAD CITY AGENCY	City of Los Angeles Department of City Planning
STAFF CONTACT	JoJo Pewsawang
ADDRESS	200 North Spring Street, Room 763, Los Angeles, CA 90012
PHONE NUMBER	(213) 978-1214
EMAIL	JoJo.Pewsawang@lacity.org

APPLICANT	Nordhoff Residential, LLC.
ADDRESS	P.O. Box 56692, Sherman Oaks, CA 91413
PHONE NUMBER	818-882-7300

PROJECT DESCRIPTION

The project involves the demolition of a single-family dwelling and the subdivision, construction, use, and maintenance of a nine unit small lot subdivision. The residences will be accessed by a central common access driveway with one curb cut on Nordhoff Street. The small lot homes will rise to a maximum height of 24 feet 3 inches and two stories, and will range in size from 2,199 square feet to 2,229 square feet. The project will provide 20 parking spaces (two per unit and two guest parking spaces).

The requested entitlements include (1) a Vesting Tentative Tract Map to permit the subdivision of one lot into nine small lots (2) a zone change to modify the existing (Q) conditions to (T)(Q)RD3-1; and any additional actions including but not limited to, tree removal (14 non-protected trees) , demolition, grading, excavation, haul route, and building permits. Removal of street trees are subject to the review and approval by the Board of Public Works, Urban Forestry Division.

(For additional detail, see “Section 3. PROJECT DESCRIPTION”).

ENVIRONMENTAL SETTING

The subject property is a 27,792 net square-foot, level, irregular-shaped, interior lot with a frontage of 100 feet on the north side of Nordhoff Street. The project site is currently improved with a single-family dwelling that was constructed in 1952. The project would demolish existing improvements at the site, as well as remove any existing trees, to clear the site for the construction of nine small lot homes.

The site is zoned (T)(Q)RD3-1/RA-1 and is located within the Mission Hills-Panorama City-North Hills Community Plan with a land use designation of Low Medium I Residential. The site is not located within any Specific Plan areas, but is located within a Los Angeles State Enterprise Zone, and a Transit Priority Area. The project site is located within an Airport Hazard (300' Height Limit Above Elevation 790), an Urban Agriculture Incentive Zone, and is within 3.06 kilometers of the nearest known fault (Northridge Fault). The site is not located within a Methane Buffer Zone, a BOE Special Grading Area, a very high fire hazard severity zone, flood zone, landslide, liquefaction, or tsunami inundation zone.

Surrounding properties are within the (Q)RD3-1/RA-1, RA-1 and (T)(Q)RD8-1 Zones and are characterized by generally level topography and improved streets. The northern adjoining property is zoned (Q)RD3-1/RA-1 and is developed with a 26-unit detached condominium development. The eastern adjoining property is zoned (Q)RD3-1 and is developed with a 10-unit condominium development. The southern adjoining properties (across Nordhoff Street) are zoned R1-1 and are developed with single-family dwellings. The western adjoining property is zoned (T)(Q)RD3-1/RA-1 and is developed with a single-family dwelling.

(For additional detail, see “Section 3. PROJECT DESCRIPTION”).

OTHER PUBLIC AGENCIES WHOSE APPROVAL IS REQUIRED

(e.g. permits, financing approval, or participation agreement)

None.

CALIFORNIA NATIVE AMERICAN CONSULTATION

Yes

Note: Conducting consultation early in the CEQA process allows tribal governments, lead agencies, and project proponents to discuss the level of environmental review, identify and address potential adverse impacts to tribal cultural resources, and reduce the potential for delay and conflict in the environmental review process. (See Public Resources Code section 21080.3.2.) Information may also be available from the California Native American Heritage Commission’s Sacred Lands File per Public Resources Code section 5097.96 and the California Historical Resources Information System administered by the California Office of Historic Preservation. Please also note that Public Resources Code section 21082.3(c) contains provisions specific to confidentiality.

ENVIRONMENTAL FACTORS POTENTIALLY AFFECTED

The environmental factors checked below would be potentially affected by this project, involving at least one impact that is a "Potentially Significant Impact" as indicated by the checklist on the following pages.

- | | | |
|---|--|---|
| <input type="checkbox"/> Aesthetics | <input type="checkbox"/> Greenhouse Gas Emissions | <input type="checkbox"/> Public Services |
| <input type="checkbox"/> Agriculture & Forestry Resources | <input type="checkbox"/> Hazards & Hazardous Materials | <input type="checkbox"/> Recreation |
| <input type="checkbox"/> Air Quality | <input type="checkbox"/> Hydrology / Water Quality | <input type="checkbox"/> Transportation |
| <input type="checkbox"/> Biological Resources | <input type="checkbox"/> Land Use / Planning | <input type="checkbox"/> Tribal Cultural Resources |
| <input type="checkbox"/> Cultural Resources | <input type="checkbox"/> Mineral Resources | <input type="checkbox"/> Utilities / Service Systems |
| <input type="checkbox"/> Energy | <input type="checkbox"/> Noise | <input type="checkbox"/> Wildfire |
| <input type="checkbox"/> Geology / Soils | <input type="checkbox"/> Population / Housing | <input type="checkbox"/> Mandatory Findings of Significance |

DETERMINATION

(To be completed by the Lead Agency)

On the basis of this initial evaluation:

- I find that the proposed project COULD NOT have a significant effect on the environment, and a NEGATIVE DECLARATION will be prepared.
- I find that although the proposed project could have a significant effect on the environment, there will not be a significant effect in this case because revisions on the project have been made by or agreed to by the project proponent. A MITIGATED NEGATIVE DECLARATION will be prepared.
- I find the proposed project MAY have a significant effect on the environment, and an ENVIRONMENTAL IMPACT REPORT is required.
- I find the proposed project MAY have a "potentially significant impact" or "potentially significant unless mitigated" impact on the environment, but at least one effect 1) has been adequately analyzed in an earlier document pursuant to applicable legal standards, and 2) has been addressed by mitigation measures based on earlier analysis as described on attached sheets. An ENVIRONMENTAL IMPACT REPORT is required, but it must analyze only the effects that remain to be addressed.
- I find that although the proposed project could have a significant effect on the environment, because all potentially significant effects (a) have been analyzed adequately in an earlier EIR or NEGATIVE DECLARATION pursuant to applicable standards, and (b) have been avoided or mitigated pursuant to that earlier EIR or NEGATIVE DECLARATION, including revisions or mitigation measures that are imposed upon the proposed project, nothing further is required.

Nicholas Hendricks PRINTED NAME	Senior City Planner TITLE
 SIGNATURE	8/8/2019 DATE

EVALUATION OF ENVIRONMENTAL IMPACTS

- 1) A brief explanation is required for all answers except "No Impact" answers that are adequately supported by the information sources a lead agency cites in the parentheses following each question. A "No Impact" answer is adequately supported if the referenced information sources show that the impact simply does not apply to projects like the one involved (e.g., the project falls outside a fault rupture zone). A "No Impact" answer should be explained where it is based on project-specific factors as well as general standards (e.g., the project will not expose sensitive receptors to pollutants, based on a project-specific screening analysis).
- 2) All answers must take account of the whole action involved, including off-site as well as on-site, cumulative as well as project-level, indirect as well as direct, and construction as well as operational impacts.
- 3) Once the lead agency has determined that a particular physical impact may occur, then the checklist answers must indicate whether the impact is potentially significant, less than significant with mitigation, or less than significant. "Potentially Significant Impact" is appropriate if there is substantial evidence that an effect may be significant. If there are one or more "Potentially Significant Impact" entries when the determination is made, an EIR is required.
- 4) "Negative Declaration: Less Than Significant With Mitigation Incorporated" applies where the incorporation of a mitigation measure has reduced an effect from "Potentially Significant Impact" to "Less Than Significant Impact." The lead agency must describe the mitigation measures, and briefly explain how they reduce the effect to a less than significant level (mitigation measures from "Earlier Analysis," as described in (5) below, may be cross referenced).
- 5) Earlier analysis must be used where, pursuant to the tiering, program EIR, or other CEQA process, an effect has been adequately analyzed in an earlier EIR, or negative declaration. Section 15063 (c)(3)(D). In this case, a brief discussion should identify the following:
 - a) Earlier Analysis Used. Identify and state where they are available for review.
 - b) Impacts Adequately Addressed. Identify which effects from the above checklist were within the scope of and adequately analyzed in an earlier document pursuant to applicable legal standards, and state whether such effects were addressed by mitigation measures based on the earlier analysis.
 - c) Mitigation Measures. For effects that are "Less Than Significant With Mitigation Measures Incorporated," describe the mitigation measures which were incorporated or refined from the earlier document and the extent to which they address site-specific conditions for the project.
- 6) Lead agencies are encouraged to incorporate into the checklist references to information sources for potential impacts (e.g., general plans, zoning ordinances). Reference to a previously prepared or outside document should, where appropriate, include a reference to the page or pages where the statement is substantiated
- 7) Supporting Information Sources: A sources list should be attached, and other sources used or individuals contacted should be cited in the discussion.
- 8) This is only a suggested form, and lead agencies are free to use different formats; however, lead agencies should normally address the questions from this checklist that are relevant to a project's environmental effects in whichever format is selected.
- 9) The explanation of each issue should identify:
 - a) The significance criteria or threshold, if any, used to evaluate each question; and
 - b) The mitigation measure identified, if any, to reduce the impact to less than significance.

INITIAL STUDY

3 PROJECT DESCRIPTION

3.1 PROJECT SUMMARY

The project involves the demolition of a single-family dwelling and the subdivision, construction, use, and maintenance of a nine unit small lot subdivision. The residences will be accessed by a central common access driveway with one curb cut on Nordhoff Street. The small lot homes will rise to a maximum height of 24 feet 3 inches and two stories, and will range in size from 2,199 square feet to 2,229 square feet. The project will provide 20 parking spaces (two per unit and two guest parking spaces).

The requested entitlements include (1) a Vesting Tentative Tract Map to permit the subdivision of one lot into nine small lots (2) a zone change to modify the existing (Q) conditions to (T)(Q)RD3-1; and any additional actions including but not limited to, tree removal (14 non-protected trees), demolition, grading, excavation, haul route, and building permits. Removal of street trees are subject to the review and approval by the Board of Public Works, Urban Forestry Division.

3.2 ENVIRONMENTAL SETTING

3.2.1 Project Location and Existing Conditions

The subject property is a 27,792 net square-foot, level, irregular-shaped, interior lot with a frontage of 100 feet on the north side of Nordhoff Street. The project site is currently improved with a single-family dwelling that was constructed in 1952. The project would demolish existing improvements at the site, as well as remove any existing trees, to clear the site for the construction of nine small lot homes.

The site is zoned (T)(Q)RD3-1/RA-1 and is located within the Mission Hills-Panorama City-North Hills Community Plan with a land use designation of Low Medium I Residential. The site is not located within any Specific Plan areas, but is located within a Los Angeles State Enterprise Zone, and a Transit Priority Area. The project site is located within an Airport Hazard (300' Height Limit Above Elevation 790), an Urban Agriculture Incentive Zone, and is within 3.06 kilometers of the nearest known fault (Northridge Fault). The site is not located within a Methane Buffer Zone, a BOE Special Grading Area, a very high fire hazard severity zone, flood zone, landslide, liquefaction, or tsunami inundation zone.

3.2.2 Surrounding Land Uses

Surrounding properties are within the (Q)RD3-1/RA-1, RA-1 and (T)(Q)RD8-1 Zones and are characterized by generally level topography and improved streets. The northern adjoining property is zoned (Q)RD3-1/RA-1 and is developed with a 26-unit detached

condominium development. The eastern adjoining property is zoned (Q)RD3-1 and is developed with a 10-unit condominium development. The southern adjoining properties (across Nordhoff Street) are zoned R1-1 and are developed with single-family dwellings. The western adjoining property is zoned (T)(Q)RD3-1/RA-1 and is developed with a single-family dwelling.

3.3 DESCRIPTION OF PROJECT

3.3.1 Project Overview

The project involves the demolition of a single-family dwelling and the subdivision, construction, use, and maintenance of a nine unit small lot subdivision. The residences will be accessed by a central common access driveway with one curb cut on Nordhoff Street. The small lot homes will rise to a maximum height of 24 feet 3 inches and two stories, and will range in size from 2,199 square feet to 2,229 square feet. The project will provide 20 parking spaces (two per unit and two guest parking spaces).

3.4 REQUESTED PERMITS AND APPROVALS

The list below includes the anticipated requests for approval of the Project. The Mitigated Negative Declaration will analyze impacts associated with the Project and will provide environmental review sufficient for all necessary entitlements and public agency actions associated with the Project. The discretionary entitlements, reviews, permits and approvals required to implement the Project include, but are not necessarily limited to, the following:

- Pursuant to LAMC Section 12.32, a Zone Change from (T)(Q)RD3-1/RA-1 to (T)(Q)RD3-1
- Pursuant to LAMC Section 17.05 and LAMC Section 12.22-C,27, a Vesting Tentative Tract Map for the subdivision of one lot into nine small lots
- Other discretionary and ministerial permits and approvals that may be deemed necessary, including, but not limited to, temporary street closure permits, grading permits, haul route, street tree removal, excavation permits, foundation permits, building permits, and sign permits.

INITIAL STUDY

4 ENVIRONMENTAL IMPACT ANALYSIS

I. AESTHETICS

Senate Bill (SB) 743 [Public Resources Code (PRC) §21099(d)] sets forth new guidelines for evaluating project transportation impacts under CEQA, as follows: “Aesthetic and parking impacts of a residential, mixed-use residential, or employment center project on an infill site within a transit priority area (TPA) shall not be considered significant impacts on the environment.” PRC Section 21099 defines a “transit priority area” as an area within 0.5 mile of a major transit stop that is “existing or planned, if the planned stop is scheduled to be completed within the planning horizon included in a Transportation Improvement Program adopted pursuant to Section 450.216 or 450.322 of Title 23 of the Code of Federal Regulations.” PRC Section 21064.3 defines “major transit stop” as “a site containing an existing rail transit station, a ferry terminal served by either a bus or rail transit service, or the intersection of two or more major bus routes with a frequency of service interval of 15 minutes or less during the morning and afternoon peak commute periods.” PRC Section 21099 defines an “employment center project” as “a project located on property zoned for commercial uses with a floor area ratio of no less than 0.75 and that is located within a transit priority area. PRC Section 21099 defines an “infill site” as a lot located within an urban area that has been previously developed, or on a vacant site where at least 75 percent of the perimeter of the site adjoins, or is separated only by an improved public right-of-way from, parcels that are developed with qualified urban uses. This state law supersedes the aesthetic impact thresholds in the 2006 L.A. CEQA Thresholds Guide, including those established for aesthetics, obstruction of views, shading, and nighttime illumination.

The related City of Los Angeles Department of City Planning Zoning Information (ZI) File ZI No. 2452 provides further instruction concerning the definition of transit priority projects and that “visual resources, aesthetic character, shade and shadow, light and glare, and scenic vistas or any other aesthetic impact as defined in the City’s CEQA Threshold Guide shall not be considered an impact for infill projects within TPAs pursuant to CEQA.”¹

PRC Section 21099 applies to the Project. Therefore, the Project is exempt from aesthetic impacts. The analysis in this initial study (or in the EIR, if any aesthetic impact discussion is included), is for informational purposes only and not for determining whether the Project will result in significant impacts to the environment. Any aesthetic impact analysis in this initial study (or the EIR) is included to discuss what aesthetic impacts would occur from the Project if PRC Section 21099(d) was not in effect. As such, nothing in the aesthetic impact discussion in this initial study (or the EIR) shall trigger the need for any CEQA findings, CEQA analysis, or CEQA mitigation measures.

¹ City of Los Angeles Department of City Planning, Zoning Information File ZA No. 2452, Transit Priority Areas (TPAs)/Exemptions to Aesthetics and Parking Within TPAs Pursuant to CEQA. Available at: <http://zimas.lacity.org/documents/zoneinfo/ZI2452.pdf>. Accessed Dec. 2, 2016.

Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--------------------------------	--	------------------------------	-----------

Except as provided in Public

Resources Code Section 21099 would the project:

- | | | | | |
|--|--------------------------|--------------------------|--------------------------|-------------------------------------|
| a. Have a substantial adverse effect on a scenic vista? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| b. Substantially damage scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| c. In non-urbanized areas, substantially degrade the existing visual character or quality of public views the site and its surroundings? (Public views are those that are experienced from publicly accessible vantage point). If the project is in an urbanized area, would the project conflict with applicable zoning and other regulations governing scenic quality? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| d. Create a new source of substantial light or glare which would adversely affect day or nighttime views in the area? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

a) Have a substantial adverse effect on a scenic vista?

No Impact. A significant impact would occur if the proposed project would have a substantial adverse effect on a scenic vista. A scenic vista refers to views of focal points or panoramic views of broader geographic areas that have visual interest. A focal point view would consist of a view of a notable object, building, or setting. Diminishment of a scenic vista would occur if the bulk or design of a building or development contrasts enough with a visually interesting view, so that the quality of the view is permanently affected. The project involves the demolition of an existing single-story single-family dwelling and the construction of nine new two-story small lot homes. The project site is located within a City of Los Angeles Transit Priority Area. Pursuant to Senate Bill (SB) 743, aesthetic impacts shall not be considered a significant impact on the environment for projects located within a Transit Priority Area. Therefore, the project will have no impact on a scenic vista.

b) Substantially damage scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings, or other locally recognized desirable aesthetic natural feature within a state scenic highway?

No Impact. A significant impact would occur if the proposed project would substantially damage scenic resources within a State Scenic Highway. The City of Los Angeles General Plan Transportation Element (Map E: Scenic Highways in the City of Los Angeles) indicates that no City-designated scenic highways are located near the project site. Furthermore, pursuant to SB 743, aesthetic impacts shall not be considered a significant impact on the environment for projects located within a Transit Priority Area. Therefore, no impacts related to scenic highways would occur.

c) In non-urbanized areas, substantially degrade the existing visual character or quality of the site and its surroundings? (Public views are those that are experienced from publicly accessible vantage point). If the project is in an urbanized area, would the project conflict with applicable zoning and other regulations governing scenic quality?

No Impact. A significant impact would occur if the proposed project would substantially degrade the existing visual character or quality of the project site and its surroundings. Significant impacts to the visual character of the site and its surroundings are generally based on the removal of features with aesthetic value, the introduction of contrasting urban features into a local area, and the degree to which the elements of the proposed project detract from the visual character of an area. The proposed project will not change the visual character of its surroundings. Surrounding properties are developed with one to two-story residential developments and are also located in a City of Los Angeles-designated Transit Priority Area. Pursuant to SB 743, aesthetic impacts shall not be considered a significant impact on the environment for projects located within a Transit Priority Area. Therefore, no impact is anticipated.

d) Create a new source of substantial light or glare which would adversely affect daytime or nighttime views in the area?

No Impact. A significant impact would occur if light and glare substantially altered the character of off-site areas surrounding the site or interfered with the performance of an off-site activity. Light impacts are typically associated with the use of artificial light during the evening and nighttime hours. Glare may be a daytime occurrence caused by the reflection of sunlight or artificial light from highly polished surfaces, such as window glass and reflective cladding materials, and may interfere with the safe operation of a motor vehicle on adjacent streets. Daytime glare is common in urban areas and is typically associated with mid- to high-rise buildings with exterior facades largely or entirely comprised of highly reflective glass or mirror-like materials. Nighttime glare is primarily associated with bright point-source lighting that contrasts with existing low ambient light conditions. The proposed project involves the construction, use, and maintenance of nine small lot homes in a City of Los Angeles-designated Transit Priority Area. Pursuant to SB 743, aesthetic impacts shall not be considered a significant impact on the environment for projects located within a Transit Priority Area. Therefore, no impacts related to light or glare would occur.

II. AGRICULTURE AND FORESTRY RESOURCES

In determining whether impacts to agricultural resources are significant environmental effects, lead agencies may refer to the California Agricultural Land Evaluation and Site Assessment Model (1997) prepared by the California Department of Conservation as an optional model to use in assessing impacts on agriculture and farmland. In determining whether impacts to forest resources, including timberland, are significant environmental effects, lead agencies may refer to information compiled by the California Department of Forestry and Fire Protection regarding the state's inventory of forest land, including the Forest and Range Assessment Project and the Forest Legacy Assessment Project; and forest carbon measurement methodology provided in Forest Protocols adopted by the California Air Resources Board.

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
Would the project:				
a. Convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland), as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b. Conflict with existing zoning for agricultural use, or a Williamson Act contract?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c. Conflict with existing zoning for, or cause rezoning of, forest land (as defined in Public Resources Code section 12220(g)), timberland (as defined by Public Resources Code section 4526), or timberland zoned Timberland Production (as defined by Government Code section 51104(g))?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d. Result in the loss of forest land or conversion of forest land to non-forest use?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
e. Involve other changes in the existing environment which, due to their location or nature, could result in conversion of Farmland, to non-agricultural use or conversion of forest land to non-forest use?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

a) Convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland), as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use?

No Impact. The Project Site is located within a developed and urbanized area of the City. No farmland or agricultural activity exists on or near the Project Site. No portion of the Project Site is designated as Farmland of Statewide Importance, Unique Farmland, or Farmland of Local Importance. As such, no impacts would occur, and no mitigation is required.

b) Conflict with existing zoning for agricultural use, or a Williamson Act contract?

No Impact. The Project Site is located within the jurisdiction of the City of Los Angeles and is subject to the applicable land use and zoning requirements of the LAMC. The Project Site has a land use designation of Low Medium I Residential and is zoned (T)(Q)RD3-1, a multi-family zone that permits multi-family dwellings. As such, the Project Site is not zoned for agricultural production, and there is no farmland at the Project Site. In addition, no Williamson Act Contracts are in effect for the Project Site. As such, no impacts would occur, and no mitigation is required.

c) Conflict with existing zoning for, or cause rezoning of, forest land (as defined in Public Resources Code section 12220(g)), timberland (as defined by Public Resources Code section 4526), or timberland zoned Timberland Production (as defined by Government Code section 51104(g))?

No Impact. As mentioned previously, the Project Site has a land use designation of Low Medium I Residential and is zoned for residential and recreational uses. As such, the Project Site is not zoned as forest land or timberland, and there is no timberland production at the Project Site. As such, no impacts would occur, and no mitigation is required.

d) Result in the loss of forest land or conversion of forest land to non-forest use?

No Impact. The Project Site is not designated or zoned for forest or timberland or used for foresting. Additionally, the Project Site is located in an urbanized area of the City and is not within any forestland area. As such, no impacts would occur, and no mitigation is required.

e) Involve other changes in the existing environment which, due to their location or nature, could result in conversion of Farmland to non-agricultural use or conversion of forest land to non-forest use?

No Impact. Neither the Project Site nor nearby properties are currently utilized for agricultural or forestry uses. The Project Site is not classified in any "Farmland" category designated by the State of California. As such, no impacts would occur, and no mitigation is required.

III. AIR QUALITY

Where available, the significance criteria established by the South Coast Air Quality Management District (SCAQMD) may be relied upon to make the following determinations.

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
Would the project:				
a. Conflict with or obstruct implementation of the applicable air quality plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b. Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c. Expose sensitive receptors to substantial pollutant concentrations?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d. Result in other emissions (such as those leading to odors) adversely affecting a substantial number of people?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

a) Conflict with or obstruct implementation of the applicable air quality plan?

The South Coast Air Quality Management District (SCAQMD) is the agency primarily responsible for comprehensive air pollution control in the South Coast Air Basin and reducing emissions from area and point stationary, mobile, and indirect sources. SCAQMD prepared the 2012 Air Quality Management Plan (AQMP) to meet federal and state ambient air quality standards. A significant air quality impact may occur if a project is inconsistent with the AQMP or would in some way represent a substantial hindrance to employing the policies or obtaining the goals of that plan. The proposed project is not expected to conflict with or obstruct the implementation of the AQMP and SCAQMD rules. According to the Air Quality and GHG Impact Analysis conducted by Giroux & Associates dated April 3, 2019 and utilizing CalEEMod, the project does not reach the established threshold of potential significance for air quality per the SCAQMD. Therefore, impacts would be less than significant.

b) Result in a cumulatively considerable net increase of any criteria pollutant for which the air basin is non-attainment under an applicable federal or state ambient air quality standard?

A significant impact would occur if the proposed project would violate any air quality standard or contribute substantially to an existing or projected air quality violation. Project construction and operation emissions are estimated using California Emissions Estimator Model (CalEEMod), a statewide land use emissions computer model designed to quantify potential criteria pollutant and greenhouse gas (GHG) emissions associated with both construction and operations from land use projects. According to the CalEEMod model results as summarized in the Air Quality and GHG Impact Analysis conducted by Giroux & Associates dated April 3, 2019, Overall Construction (Maximum Daily Emission) for the proposed project would not exceed the SCAQMD thresholds for the criteria pollutants Reactive Organic Compounds (ROG), Nitrogen Oxides (NOx), Carbon Monoxide (CO), Sulfur Dioxide (SO₂), and Respirable Particulate Matter (PM₁₀ and PM_{2.5}). The project is estimated to generate less than the SCAQMD threshold of 75 pounds per day (lbs/day) for ROG, 100 lbs/day for NOx, 550 lbs/day for CO, 150 lbs per day for SO₂, 150 lbs/day for PM₁₀, and 55 lbs/day for PM_{2.5}. Additionally, the project output is also below the significance thresholds for these criteria pollutants with regard to Overall Operational Emissions. The project is estimated to generate less than the SCAQMD threshold of 55 pounds per day (lbs/day) for ROG, 55 lbs/day for NOx, 550 lbs/day for CO, 150 lbs per day for SO₂, 150 lbs/day for PM₁₀, and 55 lbs/day for PM_{2.5}. Motor vehicles that access the project site would be the predominant source of long-term project emissions. Additional emissions would be generated by area sources, such as energy use and landscape maintenance activities. Therefore, the proposed project would result in a less-than-significant impact related to regional operational emissions.

c) Expose sensitive receptors to substantial pollutant concentrations?

A significant impact would occur if the proposed project were to expose sensitive receptors to pollutant concentrations. The SCAQMD identifies the following as sensitive receptors: long-term health care facilities, rehabilitation centers, convalescent centers, retirement homes, residences, schools, playgrounds, child care centers, and athletic facilities. The project site is surrounded by residential uses. The project is subject to demolition, grading, and construction standards to mitigate air pollution and dust impacts. Additionally, the project is not expected to contribute to pollutant concentrations or expose surrounding residences and other sensitive receptors to substantial pollutant concentrations. The project is required to meet SCAQMD District Rule 403 as well as the City's requirements for demolition, grading, and construction related to air pollution. Therefore, construction and operation of the project would result in a less than significant impact for both localized and regional air pollution emissions.

d) Result in other emissions (such as those leading to odors) adversely affecting a substantial number of people?

Potential sources that may emit odors during construction activities include equipment exhaust and architectural coatings. Odors from these sources would be localized and generally confined to the immediate area surrounding the project site. The proposed project would utilize typical construction techniques, and the odors would be typical of most construction sites and temporary in nature. Construction of the proposed nine unit small lot project would not cause an odor nuisance. According to the SCAQMD CEQA Air Quality Handbook, land uses and industrial operations that are associated with odor complaints include agricultural uses, wastewater treatment plants, food processing plants, chemical plants, composting, refineries, landfills, dairies and fiberglass molding. The proposed residential land use would not result in activities that create objectionable odors. Therefore, the proposed project would result in a less than significant impact related to objectionable odors.

IV. BIOLOGICAL RESOURCES

Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--------------------------------	--	------------------------------	-----------

Would the project:

- | | | | | |
|--|--------------------------|--------------------------|--------------------------|-------------------------------------|
| a. Have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Wildlife or U.S. Fish and Wildlife Service? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| b. Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, regulations or by the California Department of Fish and Wildlife or US Fish and Wildlife Service? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| c. Have a substantial adverse effect on state or federally protected wetlands (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| d. Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

- e. Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance?
- f. Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan?

a) Have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Wildlife or U.S. Fish and Wildlife Service?

No Impact. The proposed nine unit small lot project is within a highly urbanized area that does not contain any biological resources or habitat area. The site is zoned (T)(Q)RD3-1 and the General Plan Land Use Designation is Low Medium I Residential. The site is improved with an existing single-family residential structure that will be demolished as a part of the project. No impact will result.

b) Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, regulations or by the California Department of Fish and Wildlife or U.S. Fish and Wildlife Service?

No Impact. A significant impact would occur if any riparian habitat or natural community would be lost or destroyed as a result of urban development. The project site does not contain any riparian habitat and does not contain any streams or water courses necessary to support riparian habitat. Therefore, the proposed project would not have any effect on riparian habitat or other sensitive natural community identified in local or regional plans, policies, regulations or by the California Department of Fish and Wildlife or the United States Fish and Wildlife Services, and no impacts would occur.

c) Have a substantial adverse effect on state or federally protected wetlands (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means?

No Impact. A Significant impact would occur if federally protect wetlands would be modified or removed by a project. The project site does not contain any federally protected wetlands, wetland resources, or other waters of the United States as defined by Section 404 of the Clean Water Act. The project site is located in a highly urbanized area and developed with an existing single-family dwelling. Therefore, the proposed project would not have any effect on federally protected wetlands as defined by Section 404 of the Clean Water Act (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means, and no impacts would occur.

d) Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites?

No Impact. A significant impact would occur if the proposed project would interfere with, or remove access to, a migratory wildlife corridor or impede use of native wildlife nursery sites. Due to the highly urbanized nature of the project site and surrounding area, the project site does not support habitat for native resident or migratory species or contain native nurseries. Therefore, the proposed project would not interfere with wildlife movement or impede the use of native wildlife nursery sites, and no impact would occur.

e) Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance?

No Impact. A significant impact would occur if the proposed project would be inconsistent with local regulations pertaining to biological resources. The proposed project would not conflict with any policies or ordinances protecting biological resources, such as the City of Los Angeles Protected Tree Ordinance (No. 177,404). The project site does not contain locally-protected biological resources, such as oak trees, Southern California black walnut, western sycamore, and California bay trees. The proposed project would be required to comply with the provisions of the Migratory Bird Treaty Act (MBTA) and the California Fish and Game Code (CFGC). Both the MBTA and CFGC protects migratory birds that may use trees on or adjacent to the project site for nesting, and may be disturbed during construction of the proposed project. Therefore, the proposed project would not conflict with any local policies or ordinances protecting biological resources, such as tree preservation policy or ordinance (e.g., oak trees or California walnut woodlands), and no impacts would occur.

f) Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan?

No Impact. The project site and its vicinity are not part of any draft or adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional or state habitat conservation plan. Therefore, the proposed project would not conflict with the provisions of any adopted conservation plan, and no impacts would occur.

V. CULTURAL RESOURCES

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
Would the project:				
a. Cause a substantial adverse change in the significance of a historical resource pursuant to § 15064.5?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b. Cause a substantial adverse change in the significance of an archaeological resource pursuant to § 15064.5?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c. Disturb any human remains, including those interred outside of dedicated cemeteries?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

a) Cause a substantial adverse change in the significance of a historical resource as pursuant to State CEQA Guidelines §15064.5?

No Impact. A significant impact would occur if the proposed project would substantially alter the environmental context of, or remove identified historical resources. The project includes the demolition of a single-family dwelling that was constructed in 1952. However, none of the structures has been identified as a historic resource by local or state agencies, and the project site has not been determined to be eligible for listing in the National Register of Historic Places, California Register of Historical Resources, and the Los Angeles Historic-Cultural Monuments Register. In addition, the site was not found to be a potential historic resource based on communication with the Planning Department’s Office of Historic Resources, and data available on the City’s HistoricPlacesLA website (the City’s new online information and management system created to inventory Los Angeles’ significant historic resources). Therefore, no impacts would occur.

b) Cause a substantial adverse change in the significance of an archaeological resource pursuant to State CEQA Guidelines §15064.5?

Less than Significant Impact. A significant impact would occur if a known or unknown archaeological resource was removed, altered, or destroyed as a result of the proposed project. Section 15064.5 of the State CEQA guidelines defines significant archaeological resources as resources that meet the criteria for historical resources, or resources that constitute unique archaeological resources. The applicant shall abide by current law if archaeological resources are discovered during grading or construction. Therefore, impacts will be less than significant.

c) Disturb any human remains, including those interred outside of formal cemeteries?

Less than Significant Impact. A significant impact would occur if previously interred human remains would be disturbed during excavation activities associated with project construction. No

human remains are expected to be located on the project site; however, the applicant shall abide by current law if human remains are discovered during grading or construction. Therefore, impacts will be less than significant.

VI. ENERGY

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
Would the project:				
a. Result in potentially significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources, during project construction or operation?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b. Conflict with or obstruct a state or local plan for renewable energy or energy efficiency?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

a) Result in potentially significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources, during project construction or operation?

Less Than Significant Impact. The project would be designed and operated in accordance with the applicable State Building Code Title 24 regulations and City of Los Angeles Green Building Code, which impose energy conservation measures. The majority of the energy usage in the project consists of lighting and climate control. Adherence to the aforementioned energy requirements will ensure conformance with the State’s goal of promoting energy and lighting efficiency. As such, impacts of the project would be less than significant, and no mitigation is required.

b) Conflict with or obstruct a state or local plan for renewable energy or energy efficiency?

Less Than Significant Impact. The project involves the demolition of an existing single-family dwelling and the construction, use, and maintenance of nine small lol homes. As stated above, the project’s improvements and operations would be in accordance with applicable State Building Code Title 24 regulations and City of Los Angeles Green Building Code, which impose energy conservation measures. As such, impacts of the project would be less than significant, and no mitigation is required.

VII. GEOLOGY AND SOILS

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
Would the project:				
a. Directly or indirectly cause substantial adverse effects, including the risk of loss, injury, or death involving:				
i. Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault? Refer to Division of Mines and Geology Special Publication 42.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
ii. Strong seismic ground shaking?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
iii. Seismic-related ground failure, including liquefaction?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
iv. Landslides?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b. Result in substantial soil erosion or the loss of topsoil?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c. Be located on a geologic unit that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, liquefaction, or collapse?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d. Be located on expansive soil, as defined in Table 18-1-B of the Uniform Building Code (1994), creating substantial direct or indirect risks to life or property?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
e. Have soils incapable of adequately supporting the use of septic tanks or alternative waste water disposal systems where sewers are not available for the disposal of waste water?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
f. Directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

a) **Directly or indirectly cause potential substantial adverse effects, including the risk of loss, injury, or death involving:**

i) **Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault? Refer to Division of Mines and Geology Special Publication 42.**

No Impact. A significant impact would occur if the proposed project would cause personal injury or death or result in property damage as a result of a fault rupture occurring on the project site and if the project site is located within a State-designated Alquist-Priolo Zone or other designated fault zone. According to the California Department of Conservation Special Studies Zone Map, the project site is not located within an Alquist-Priolo Special Studies Zone or Fault Rupture Study Area. As such, the proposed project would not expose people or structures to potential adverse effects resulting from the rupture of known earthquake faults. The Alquist-Priolo Earthquake Fault Zoning Act is intended to mitigate the hazard of surface fault rupture on structures for human occupancy. Therefore, no impacts would occur.

ii) **Strong seismic ground shaking?**

Less Than Significant Impact. A significant impact would occur if the proposed project would cause personal injury or death or resulted in property damage as a result of seismic ground shaking. The entire Southern California region is susceptible to strong ground shaking from severe earthquakes. Consequently, the proposed project could expose people and structures to strong seismic ground shaking. The design of the Project would be in accordance with the provisions of the latest California Building Code and Los Angeles Building Code (implemented at the time of building permits) will mitigate the potential effects of strong ground shaking. The design and construction of the Project is required to comply with the most current codes regulating seismic risk, including the California Building Code and the LAMC, which incorporates the IBC. Compliance with current California Building Code and LAMC requirements will minimize the potential to expose people or structures to substantial risk of loss, injury or death. Therefore, impacts related to seismic ground shaking will be less than significant.

iii) **Seismic-related ground failure, including liquefaction?**

No Impact. A significant impact may occur if a proposed project site is located within a liquefaction zone. Liquefaction is the loss of soil strength or stiffness due to a buildup of pore-water pressure during severe ground shaking. The site is not located in the California Department of Conservation's Seismic Hazard Zones Map, and the project site is not located within a liquefaction zone. Therefore, no impact related to seismic-related ground failure, including liquefaction, would occur.

iv) **Landslides?**

No Impact. A significant impact would occur if the proposed project would be implemented on a site that would be located in a hillside area with unstable geological conditions or soil types that would be susceptible to failure when saturated. According to the California Department of Conservation, Division of Mines and Geology, the Seismic Hazard Zones

Map for this area shows the project site is not located within a landslide hazard zone. The project site and surrounding area are relatively flat. Therefore, the proposed project would not expose people or structures to potential effects resulting from landslides, and no impacts would occur.

b) Result in substantial soil erosion or the loss of topsoil?

Less Than Significant Impact. Construction of proposed project would result in ground surface disturbance during site clearance, excavation, and grading, which could create the potential for soil erosion to occur. Construction activities would be performed in accordance with the requirements of the Los Angeles Building Code and the Los Angeles Regional Water Quality Control Board (LARWQBC) through the City's Stormwater Management Division. Therefore, the proposed project would not result in substantial soil erosion or the loss of topsoil, and impacts would be less than significant.

c) Be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, liquefaction, or collapse?

Less Than Significant Impact. A significant impact would occur if any unstable geological conditions would result in any type of geological failure, including lateral spreading, off-site landslides, liquefaction, or collapse. The proposed project would not have the potential to expose people and structures to seismic-related ground failure, including liquefaction and landslide. Subsidence and ground collapse generally occur in areas with active groundwater withdrawal or petroleum production. The extraction of groundwater or petroleum from sedimentary source rocks can cause the permanent collapse of the pore space previously occupied by the removed fluid. The project site is not identified as being located in an oil field or within an oil drilling area. The proposed project would be required to implement standard construction practices that would ensure that the integrity of the project site and the proposed structures is maintained. The nine unit small lot development will be required by the Department of Building and Safety to comply with the City of Los Angeles Uniform Building Code (UBC) which is designed to assure safe construction and includes building foundation requirements appropriate to site conditions. With the implementation of the Building Code requirements, the potential for landslide lateral spreading, subsidence, liquefaction or collapse would be less-than-significant.

d) Be located on expansive soil, as defined in Table 18 1 B of the Uniform Building Code (1994), creating substantial direct or indirect risks to life or property?

No Impact. A significant impact would occur if the proposed project would be built on expansive soils without proper site preparation or design features to provide adequate foundations for project buildings, thus, posing a hazard to life and property. Expansive soils have relatively high clay mineral and expand with the addition of water and shrink when dried, which can cause damage to overlying structures. Soils on the project site may have the potential to shrink and swell resulting from changes in the moisture content. The project site is not located in an area known to have expansive soils. Therefore, no impact will result.

e) Have soils incapable of adequately supporting the use of septic tanks or alternative wastewater disposal systems where sewers are not available for the disposal of wastewater?

No Impact. A project would cause a significant impact if adequate wastewater disposal is not available. The project site is located in a highly urbanized area, where wastewater infrastructure is currently in place. The proposed project would connect to existing sewer lines that serve the project site and would not use septic tanks or alternative wastewater disposal systems. Therefore, no impact would occur.

f) . Directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?

Less Than Significant Impact. Based on the criteria established in the L.A. CEQA Thresholds Guide, a significant impact could occur if grading or excavation activities associated with the Project were to disturb unique paleontological resources or unique geologic features that presently exist within the Project Site. The Project Site is located within an urbanized area that has been subject to grading and development in the past and is not known to contain any unique paleontological resource or site or unique geologic feature. Potential paleontological or geologic impacts of the Project would be less than significant, and no mitigation is required.

VIII. GREENHOUSE GAS EMISSIONS

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
Would the project:				
a. Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b. Conflict with an applicable plan, policy or regulation adopted for the purpose of reducing the emissions of greenhouse gases?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

a) Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?

Less Than Significant Impact. Greenhouse gases (GHG) are those gaseous constituents of the atmosphere, both natural and anthropogenic (human generated), that absorb and emit radiation at specific wavelengths within the spectrum of terrestrial radiation emitted by the earth's surface, the atmosphere itself, and by clouds. The greenhouse effect compares the

Earth and the atmosphere surrounding it to a greenhouse with glass panes. The glass panes in a greenhouse let heat from sunlight in and reduce the amount of heat that escapes. GHGs, such as carbon dioxide (CO₂), methane (CH₄), and nitrous oxide (N₂O), keep the average surface temperature of the Earth close to 60 degrees Fahrenheit (°F). Without the greenhouse effect, the Earth would be a frozen globe with an average surface temperature of about 5°F. The City has adopted the LA Green Plan to provide a citywide plan for achieving the City's GHG emissions targets, for both existing and future generation of GHG emissions. In order to implement the goal of improving energy conservation and efficiency, the Los Angeles City Council has adopted multiple ordinances and updates to establish the current Los Angeles Green Building Code (LAGBC) (Ordinance No. 179,890). The LAGBC requires projects to achieve a 20 percent reduction in potable water use and wastewater generation. As the LAGBC includes applicable provisions of the State's CALGreen Code, a new project that can demonstrate it complies with the LAGBC is considered consistent with statewide GHG reduction goals and policies including AB32 (California Global Warming Solutions Act of 2006). Through required implementation of the LAGBC, the proposed project would be consistent with local and statewide goals and policies aimed at reducing the generation of GHGs. Therefore, the proposed project's generation of GHG emissions would not make a cumulatively considerable contribution to emissions. Impacts will be less than significant.

b) Conflict with an applicable plan, policy or regulation adopted for the purpose of reducing the emissions of greenhouse gases?

Less Than Significant Impact. The California legislature passed Senate Bill (SB) 375 to connect regional transportation planning to land use decisions made at a local level. SB 375 requires the metropolitan planning organizations to prepare a Sustainable Communities Strategy (SCS) in their regional transportation plans to achieve the per capita GHG reduction targets. For the SCAG region, the SCS is contained in the 2012-2035 Regional Transportation Plan/Sustainable Communities Strategy (RTP/SCS). The 2012-2035 RTP/SCS focuses the majority of new housing and job growth in high-quality transit areas and other opportunity areas on existing main streets, in downtowns, and commercial corridors, resulting in an improved jobs-housing balance and more opportunity for transit-oriented development. In addition, SB 743, adopted September 27, 2013, encourages land use and transportation planning decisions and investments that reduce vehicle miles traveled that contribute to GHG emissions, as required by AB 32. The project is the construction, use, and maintenance of a nine unit small lot subdivision in an area zoned for multifamily residents. It would not interfere with SCAG's ability to implement the regional strategies outlined in the 2012-2035 RTP/SCS. Impacts will be less than significant.

IX. HAZARDS AND HAZARDOUS MATERIALS

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
Would the project:				
a. Create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b. Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c. Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d. Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, would create a significant hazard to the public or the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
e. For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project result in a safety hazard or excessive noise for people residing or working in the project area?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
f. Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
g. Expose people or structures, either directly or indirectly, to a significant risk of loss, injury or death involving wildland fires?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

a) Create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?

Less Than Significant Impact. A significant impact would occur if the proposed project would create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials. The project involves the construction of nine new small lot single-family dwellings that would involve the limited use and storage of common hazardous substances typical of those used in commercial developments, including lubricants, paints, solvents, custodial products (e.g., cleaning supplies), pesticides and other landscaping supplies. No industrial uses or activities are proposed that would result in the use or discharge of unregulated hazardous materials and/or substances, or create a public hazard through transport, use, or disposal. The project will comply with all applicable rules of the Southern California Air Quality Management District. With compliance to applicable standards and regulations and adherence to manufacturer's instructions related to the transport, use, or disposal of hazardous materials, the proposed project would not create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials, and impacts would be less than significant.

b) Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?

Less Than Significant Impact. A significant impact would occur if the proposed project created a significant hazard to the public or environment due to a reasonably foreseeable release of hazardous materials. The existing building on the project site was in 1952 and therefore may contain asbestos-containing materials (ACMs) and lead-based paint (LBP). Demolition of the structure would have the potential to release asbestos fibers into the atmosphere if such materials exist and they are not properly stabilized or removed prior to demolition activities. The removal of asbestos is regulated by SCAQMD Rule 1403; therefore, any asbestos found on-site would be required to be removed by a certified asbestos containment contractor in accordance with applicable regulations prior to demolition. Similarly, it is likely that lead-based paint is present in buildings constructed prior to 1979. Compliance with existing State laws regarding removal would be required. With this compliance, the proposed project would result in a less-than-significant impact related to asbestos and LBP.

c) Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school?

Less Than Significant Impact. A significant impact would occur if the proposed project created a significant hazard to the public or environment due to a reasonably foreseeable release of hazardous materials. The removal of asbestos is regulated by SCAQMD Rule 1403; therefore, any asbestos found on-site would be required to be removed by a certified asbestos containment contractor in accordance with applicable regulations prior to demolition. Similarly, it is likely that lead-based paint is present in buildings constructed prior to 1979. Compliance with existing State laws regarding removal would be required. Therefore, project impacts would be less than significant.

d) Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, would it create a significant hazard to the public or the environment?

No Impact. A significant impact would occur if the project site is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and would create a significant hazard to the public or the environment. The California Department of Toxic Substances Control (DTSC) maintains a database (EnviroStor) that provides access to detailed information on hazardous waste permitted sites and corrective action facilities, as well as existing site cleanup information. EnviroStor also provides information on investigation, cleanup, permitting, and/or corrective actions that are planned, being conducted, or have been completed under DTSC's oversight. A review of EnviroStor did not identify any records of hazardous waste facilities on the project site. Therefore, the proposed project would not be located on a site that is included on a list of hazardous materials sites or create a significant hazard to the public or the environment, and no impact would occur.

e) For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project result in a safety hazard or excessive noise for people residing or working in the project area?

No Impact. The project site is located in an airport land use plan area, which has a 300-foot height limit above elevation 790. The project is the construction of nine small lot homes that are two-stories and a maximum of 24 feet 3 inches in height. Therefore, the proposed project would not result in a safety hazard for people residing or working in the project area, and no impacts would occur.

f) Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?

No Impact. The project is located along the nearest emergency route – Nordhoff Street (City of Los Angeles, Safety Element of the Los Angeles City General Plan, Critical Facilities and Lifeline Systems, Exhibit H, November 1996.) The proposed project would not require the closure of any public or private streets and would not impede emergency vehicle access to the project site or surrounding area. Additionally, emergency access to and from the project site would be provided in accordance with requirements of the Los Angeles Fire Department (LAFD). Therefore, the proposed project would not impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan, and no impact would occur.

g) Expose people or structures, either directly or indirectly, to a significant risk of loss, injury or death involving wildland fires?

No Impact. The project site is located within a highly urbanized area of the City and does not include wildlands or high-fire-hazard terrain or vegetation. In addition, the project site is not identified by the City as being located within an area susceptible to fire hazards. Additionally, the proposed residential development use would not create a fire hazard that has the potential to exacerbate the current environmental condition relative to wildfires. Therefore, the project

would not subject people or structures to a significant risk or loss, injury, or death as a result of exposure to wildland fires. No impacts related to this issue would occur, and no mitigation is required.

X. HYDROLOGY AND WATER QUALITY

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
Would the project:				
a. Violate any water quality standards or waste discharge requirements or otherwise substantially degrade surface or ground water quality?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b. Substantially decrease groundwater supplies or interfere substantially with groundwater recharge such that the project may impede sustainable groundwater management of the basin?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c. Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river or through the addition of impervious surfaces, in a manner which would:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
i. Result in substantial erosion or siltation on- or off-site;				
ii. Substantially increase the rate or amount of surface runoff in a manner which would result in flooding on- or off-site;				
iii. Create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff; or				
iv. Impede or redirect flood flows?				
d. In flood hazard, tsunami, or seiche zones, risk release of pollutants due to project inundation?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
e. Conflict with or obstruct implementation of a water quality control plan or sustainable groundwater management plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

a) Violate any water quality standards or waste discharge requirements or otherwise substantially degrade surface or ground water quality?

Less Than Significant Impact. Based on the criteria established in the L.A. CEQA Thresholds Guide, a project could have a significant impact on surface water quality if discharges associated with the project were to create pollution, contamination, or nuisance as defined in Section 13050 of the California Water Code (CWC) or that cause regulatory standards to be violated, as defined in the applicable National Pollution Discharge Elimination System (NPDES) stormwater permit or Water Quality Control Plan for the receiving water body. For the purpose of this specific issue, a significant impact may occur if the project would discharge water that does not meet the quality standards of local agencies that regulate surface water quality and water discharge into stormwater drainage systems.

The project is expected to comply with all applicable regulations with regard to surface water quality as governed by the State Water Resources Control Board (SWRCB). These regulations include the Standard Urban Storm Water Mitigation Plan (SUSMP) requirements to reduce potential water quality impacts and the City's Low Impact Development (LID) Ordinance. The purpose of the LID standards is to reduce the peak discharge rate, volume, and duration of flow through the use of site design and stormwater quality control measures. The LID Ordinance requires that the project retain or treat the first three-quarters of an inch of rainfall in a 24-hour period. LID practices can effectively remove nutrients, bacteria, and metals while reducing the volume and intensity of stormwater flows.

The project consists of nine new single-family dwellings in an area characterized by multi-family residential uses. The project does not involve the introduction of new activities or features that could be sources of contaminants that would degrade groundwater quality. As a result, the project would not create or contribute runoff water that would exceed the pollutant profile associated with the existing condition of the Project Site and its surroundings. As such, potential water quality impacts from the project would be less than significant, and no mitigation measures are required.

b) Substantially decrease groundwater supplies or interfere substantially with groundwater recharge such that the project may impede sustainable groundwater management of the basin?

Less Than Significant Impact. Based on the criteria established in the *L.A. CEQA Thresholds Guide*, a project could have a significant impact on groundwater level if the project were to change potable water levels sufficiently to (a) reduce the ability of a water utility to use the groundwater basin for public water supplies, conjunctive use purposes, storage of imported water, summer/winter peaking, or respond to emergencies and drought; (b) reduce yields of adjacent wells or well fields (public or private); (c) adversely change the rate or direction of flow of groundwater; or (d) result in demonstrable and sustained reduction in groundwater recharge capacity. The project is not adjacent to a well field nor part of a groundwater recharge area. As such, the project site is not a source of substantial groundwater recharge. Impacts on groundwater would be less than significant, and no mitigation is required.

c) Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river or through the addition of impervious surfaces, in a manner which would:

i. Result in substantial erosion or siltation on- or off-site;

Less Than Significant Impact. Site-generated surface water runoff would continue to flow to the City's storm drain system. Impermeable surfaces resulting from the development of the project would not significantly change the volume of stormwater runoff. Accordingly, since the volume of runoff from the site would not measurably increase over existing conditions, water runoff after development would not exceed the capacity of existing or planned drainage systems. Any project that creates, adds, or replaces 500 square feet of impervious surface must comply with the Low Impact Development (LID) Ordinance or alternatively, the City's Standard Urban Stormwater Mitigation Plan (SUSMP), as an LAMC requirement to address water runoff and storm water pollution. Therefore, the proposed project would result in less-than-significant impacts related to existing storm drain capacities or water quality.

ii. Substantially increase the rate or amount of surface runoff in a manner which would result in flooding on- or off-site;

Less than Significant Impact. Based on the criteria established in the *L.A. CEQA Thresholds Guide*, a project could have a significant impact on surface water hydrology if the project were to result in a permanent, adverse change to the movement of surface water sufficient to produce a substantial change in the current or direction of water flow. The project site does not contain, nor is adjacent to, any stream or river. The project would connect to existing drainage infrastructure and therefore would not alter existing drainage patterns. Impacts would be less than significant, and no mitigation is required.

iii. Create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff; or

Less than Significant Impact. Based on the criteria established in the *L.A. CEQA Thresholds Guide*, a project could have a significant impact on surface water quality if discharges associated with the project were to create pollution, contamination, or nuisance as defined in Section 13050 of the California Water Code (CWC) or that cause regulatory standards to be violated, as defined in the applicable NPDES stormwater permit or Water Quality Control Plan for the receiving water body. Runoff from the project site would be collected on the site and directed towards existing storm drains in the project vicinity. Pursuant to local practice and City regulations, stormwater retention would be required as part of SUSMP implementation features and the requirements of the Low Impact Development (LID) ordinance requirements. The primary purpose of the LID ordinance is to ensure that development and redevelopment projects mitigate runoff in a manner that captures rainwater and removes pollutants while reducing the volume and intensity of stormwater flows. Accordingly, with compliance to the LID ordinance, the project would not create or contribute to surface runoff that would exceed the capacity of

existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff. Impacts would be less than significant, and no mitigation is required.

iv. Impede or redirect flood flows?

No Impact. The project site is located in an urbanized area that is currently served by storm drain infrastructure. The project would not change this local drainage pattern; therefore, the project would not have the potential to impede or redirect floodwater flows. No impact would occur, and no mitigation measures are necessary.

d) In flood hazard, tsunami, or seiche zones, risk release of pollutants due to project inundation?

No Impact. A significant impact would occur if the project site were sufficiently close to the ocean or other water body to potentially be at risk of seismically induced tidal phenomena (e.g., seiche and tsunami), or was within a flood zone, and if the project site utilized, stored or otherwise contained pollutants that would be at risk of release if inundated. The Project Site is not located within a Tsunami Inundation Zone or Flood Zone. Furthermore, the proposed use does not involve the storage or use of substantial quantities of potential pollutants. No impacts would occur, and no mitigation measures are necessary.

e) Conflict with or obstruct implementation of a water quality control plan or sustainable groundwater management plan?

No Impact. A significant impact could occur if the project includes potential sources of water pollutants that would have the potential to interfere with a water quality control plan or sustainable groundwater management plan. The project involves the construction, use, and maintenance of nine small lot homes. As compared to existing conditions, the project would not introduce different uses or potential sources of water pollutants. Moreover, the project would comply with the City's Low Impact Development (LID) ordinance, the primary purpose of which is to ensure that development and redevelopment projects mitigate runoff in a manner that captures rainwater and removes pollutants while reducing the volume and intensity of storm water flows. No impacts would occur, and no mitigation measures are necessary.

XI. LAND USE AND PLANNING

Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--------------------------------	--	------------------------------	-----------

Would the project:

- a. Physically divide an established community?
- b. Cause a significant environmental impact due to a conflict with any land use plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect?

a) Physically divide an established community?

No Impact. A significant impact would occur if the proposed project would be sufficiently large or configured in such a way so as to create a physical barrier within an established community. A physical division of an established community is caused by an impediment to through travel or a physical barrier, such as a new freeway with limited access between neighborhoods on either side of the freeway, or major street closures. The proposed project would not involve any street vacation or closure or result in development of new thoroughfares or highways. The proposed project, which involves the construction, use, and maintenance of nine small lot homes in an urbanized area of Los Angeles, would not divide an established community. Therefore, no impact would occur.

b) Cause a significant environmental impact due to a conflict with any land use plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect?

Less Than Significant Impact. A significant impact may occur if a project is inconsistent with the General Plan or zoning designations currently applicable to the project site, and would cause adverse environmental effects, which the General Plan and zoning ordinance are designed to avoid or mitigation. The site is located within the Mission Hills-Panorama City-North Hills Community Plan Area. It is zoned (T)(Q)RD3-1 with a General Plan land use designation of Low Medium I Residential. The proposed project the demolition of an existing single-family dwelling and the construction of nine small lot dwellings. The proposed use is permitted in RD3 zone. The proposed project would conform to the allowable land uses pursuant to the Los Angeles Municipal Code. The decision maker will determine whether the discretionary requests will conflict with applicable plans/policies. Impacts related to land use have been mitigated elsewhere, or are address through compliance with existing regulations. Therefore, the impact would be less than significant.

XII. MINERAL RESOURCES

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
Would the project:				
a. Result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b. Result in the loss of availability of a locally-important mineral resource recovery site delineated on a local general plan, specific plan or other land use plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

a) Result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state?

No Impact. A significant impact would occur if the proposed project would result in the loss of availability of known mineral resources of regional value or locally-important mineral recovery site. The project site is not classified by the City as containing significant mineral deposits. The project site is currently designated for Low Medium I Residential land uses and not as a mineral extraction land use. In addition, the project site is not identified by the City as being located in an oil field or within an oil drilling area. Therefore, the proposed project would not result in the loss of availability of any known, regionally- or locally-valuable mineral resource, and no impact would occur.

b) Result in the loss of availability of a locally-important mineral resource recovery site delineated on a local general plan, specific plan or other land use plan?

No Impact. A significant impact would occur if the proposed project would result in the loss of availability of known mineral resources of regional value or locally-important mineral resource recovery site. The project site is not classified by the City as containing significant mineral deposits. The project site is currently designated for Low Medium I Residential land uses and not as a mineral extraction land use. In addition, the project site is not identified by the City as being located in an oil field or within an oil drilling area. Therefore, the proposed project would not result in the loss of availability of any known, regionally- or locally-valuable mineral resource, and no impact would occur.

XIII. NOISE

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
Would the project result in:				
a. Generation of a substantial temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b. Generation of excessive groundborne vibration or groundborne noise levels?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c. For a project located within the vicinity of a private airstrip or an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

a) Generation of a substantial temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?

Less Than Significant Impact. According to the Construction and Traffic Noise Impact Analysis conducted by Giroux & Associates dated April 3, 2019, a noise impact is considered potentially significant if project construction activities extended beyond ordinance time limits for construction or construction-related noise levels exceed the ordinance noise level standards unless technically infeasible to do so. The proposed project consists of the construction of 9 two-story residences on small lots. Construction noise levels will vary at any given receptor and are dependent on the construction phase, equipment type, duration of use, distance between the noise source and receptor, and the presence or absence of barriers between the noise source and receptor. The project does not propose to deviate from any requirements of the Noise Element of the General Plan, Section 111 of the L.A.M.C., or any other applicable noise standard. The project shall comply with the City of Los Angeles Noise Ordinance No. 144,331 and 161,574, and any subsequent ordinances, which prohibit the emission or creation of noise beyond certain levels at adjacent uses unless technically infeasible. Construction noise is typically governed by ordinance limits on allowable times of equipment operations. The City of Los Angeles limits construction activities to the hours of 7:00 a.m. and 9:00 p.m. on weekdays and 8:00 a.m. to 6:00 p.m. on any Saturday. Construction is not permitted on any national holiday or on any Sunday. Therefore, impacts will be less than significant.

b) Generation of, excessive groundborne vibration or groundborne noise levels?

Less Than Significant Impact. The City of Los Angeles does not address vibration in the LAMC or in the Noise Element of the General Plan. According to the Federal Transit Administration (FTA), ground vibrations from construction activities very rarely reach the level capable of damaging structures. The construction activities that typically generate the most severe vibrations are blasting and impact pile driving. These types of activities are not proposed by the project. The FTA has published standard vibration velocities for various construction equipment operations. The estimated vibration velocity levels from construction equipment would be well below the significance thresholds. Therefore, project impacts would be less than significant.

c) For a project located within the vicinity of a private airstrip or an airport land use plan, or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels?

No Impact. The project is not located within two miles of a private airstrip or an airport land use plan. No impact will result.

XIV. POPULATION AND HOUSING

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
Would the project:				
a. Induce substantial unplanned population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b. Displace substantial numbers of existing people or housing, necessitating the construction of replacement housing elsewhere?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

a) Induce substantial unplanned population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)?

Less Than Significant Impact. A potentially significant impact would occur if the proposed project would induce substantial population growth that would not have otherwise occurred as rapidly or in as great a magnitude. The proposed project would result in the development of net 8 residential units, which would not be considered a substantial increase in population. The project will accommodate residential population growth in keeping with the Mission Hills-Panorama City-North Hills Community Plan land use and density designations, and would not substantially induce population growth in the project area, either directly or indirectly. The

physical secondary or indirect impacts of population growth such as increased traffic or noise have been adequately mitigated in other portions of this document. Therefore, the impact would be less than significant.

b) Displace substantial numbers of existing people or housing, necessitating the construction of replacement housing elsewhere?

Less Than Significant Impact. A significant impact may occur if a project would result in the displacement of existing housing units, necessitating the construction of replacement housing elsewhere. The Project Site contains one dwelling unit. The Project does not represent a displacement of substantial numbers of existing housing and will result in a net gain of eight dwelling units. Therefore, impacts will be less than significant.

XV. PUBLIC SERVICES

Would the project result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times or other performance objectives for any of the public services:

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a. Fire protection?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b. Police protection?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c. Schools?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d. Parks?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e. Other public facilities?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

a) Fire protection?

Less Than Significant Impact. A significant impact would occur if the Los Angeles Fire Department (LAFD) could not adequately serve the proposed project, necessitating a new or physically altered station. The project site and the surrounding area are currently served by LAFD Fire Station 7, located at 14630 Plummer Street, located approximately 0.9 miles north of the project site. The proposed project involves the net addition of eight single-family dwellings, which could increase the number of emergency calls and demand for LAFD fire and emergency services. To maintain the level of fire protection and emergency services, the LAFD may require additional fire personnel and equipment. However, it is not anticipated that there would be a need to build a new or expand an existing fire station to serve the proposed project and maintain acceptable service ratios, response times, or other performance objectives for fire protection. By analyzing data from previous years and continuously monitoring current data regarding response times, types of incidents, and call frequencies, LAFD can shift resources to meet local demands for fire protection and emergency services. The proposed project would neither create capacity or service level problems nor result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities in order to maintain acceptable service ratios, response times or other performance objectives for fire protection. Therefore, the proposed project would result in a less than significant impact.

b) Police protection?

Less Than Significant Impact. The additional residential units has the potential to increase the demand for police services in the area. However, the project site and the surrounding area

are currently served by the LAPD Mission Community Police Station at 11121 North Sepulveda Boulevard, approximately 4.2 miles north of the project site. Given that there is a police station in close proximity to the project site, it is not anticipated that there would be a need to build a new or expand an existing police station to serve the proposed project and maintain acceptable service ratios, response times, or other performance objectives for police protection. Impacts will be less than significant.

c) Schools?

Less than Significant Impact. A significant impact would occur if the proposed project would include substantial employment or population growth, which could generate a demand for school facilities that would exceed the capacity of the school district. The proposed project would result in a net increase of 8 units, which could increase enrollment at schools that service the area. However, development of the proposed project would be subject to California Government Code Section 65995, which would allow LAUSD to collect impact fees from developers of new residential units. Conformance to California Government Code Section 65995 is deemed to provide full and complete mitigation of impacts to school facilities. Therefore, the proposed project would result in a less-than-significant impact to public schools.

d) Parks?

Less Than Significant Impact. A significant impact would occur if the proposed project would exceed the capacity or capability of the local park system to serve the proposed project. The City of Los Angeles Department of Recreation and Parks (RAP) is responsible for the provision, maintenance, and operation of public recreational and park facilities and services in the City. The proposed project would result in an increase of 8 units, which could result in increased demand for parks and recreation facilities. The proposed project would include private open space in the form of outdoor patios. These project features would reduce the demand for park space created by the proposed project to less than significant levels. Nevertheless, payment of required impact fees by the proposed residential development per LAMC Section 17.12 would further offset some of the increased demand by helping fund new facilities, as well as the expansion of existing facilities. Therefore, the project would not create capacity or service level problems, or result in substantial physical impacts associated with the provision or new or altered parks facilities, and project impacts would be less than significant.

e) Other public facilities?

Less Than Significant Impact. The proposed project would result in a net increase of 8 residential units, which could result in increased demand for library services and resources of the LAPL System. While the increase in population as a result of the proposed project may create a demand for library services, the proposed project would not create substantial capacity or service level problems that would require the provision of new or physically altered library facilities in order to maintain an acceptable level of service for libraries. Therefore, the proposed project would result in a less than significant impact on library services.

XVI. RECREATION

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a. Would the project increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b. Does the project include recreational facilities or require the construction or expansion of recreational facilities which might have an adverse physical effect on the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

a) Would the project increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facilities would occur or be accelerated?

Less Than Significant Impact. The provision of private recreation space and the payment of required impact fees by the proposed development per LAMC Section 17.12 would further offset some of the increased demand for recreational facilities by helping fund new facilities, as well as the expansion of existing facilities. Therefore, the project would not create capacity or service level problems, or result in substantial physical impacts associated with the provision or new or altered parks facilities, and project impacts would be less than significant.

b) Does the project include recreational facilities or require the construction or expansion of recreational facilities which might have an adverse physical effect on the environment?

Less Than Significant Impact. The proposed project would not require the construction or expansion of recreational facilities beyond the limits of the project site. Although the proposed project would place some additional demands on park facilities, the increase in demand would be met through a combination of on-site amenities and existing parks in the project area. The proposed hotel's increased demands upon recreational facilities would not in and of itself result in the construction of a new park, which might have an adverse physical effect on the environment. Thus, impacts to park and recreational facilities would be less than significant.

XVII. TRANSPORTATION²

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
Would the project:				
a. Conflict with a program, plan, ordinance or policy addressing the circulation system, including transit, roadway, bicycle and pedestrian facilities?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b. Conflict with an applicable congestion management program, including, but not limited to level of service standards and travel demand measures, or other standards established by the county congestion management agency for designated roads or highways?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c. Substantially increase hazards due to a geometric design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d. Result in inadequate emergency access?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

a) Conflict with a program, plan, ordinance or policy addressing the circulation system, including transit, roadway, bicycle and pedestrian facilities?

Less than Significant Impact. The project will increase the number of daily trips for the site; however it does not reach a threshold that requires preliminary review by the Department of Transportation for the potential need of a traffic study (25 units). Therefore, it is not expected to contribute significantly to any traffic congestion or affect any congestion management program. Impacts will be less than significant.

b) Conflict with an applicable congestion management program, including, but not limited to, level of service standards and travel demand measures, or other standards established by the county congestion management agency for designated roads or highways?

Less than Significant Impact. A significant impact may occur if the adopted Los Angeles County Metropolitan Transportation authority (Metro) thresholds for a significant project impact would be exceeded. The Congestion Management Program (CMP) was adopted to regulate and monitor regional traffic growth and transportation improvement programs. The CMP designates a transportation network that includes all state highways and some arterials within the County of Los Angeles. The amount of trips the project would generate is below the threshold needed for

² Until the City has adopted new Transportation thresholds (or July 1, 2020, whichever is sooner), question b will remain unchanged. Once new thresholds have been adopted, the Initial Study will be updated to reflect the 2019 Appendix G for question b.

further evaluation. The project will increase the number of daily trips for the site; however it does not reach a threshold that requires preliminary review by the Department of Transportation for the potential need of a traffic study (25 units). Therefore, it is not expected to contribute significantly to any traffic congestion or affect any congestion management program. Impacts will be less than significant.

c) Substantially increase hazards due to a geometric design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)?

No Impact. A significant impact could occur if a project were to include new roadway design or introduces a new land use or features into an area with specific transportation requirements and characteristics that have not been previously experienced in that area, or if access or other features were designed in such a way as to create hazard conditions. The project site is currently developed with single family dwelling that will be demolished and replaced with nine single family dwellings. No changes are proposed to the surrounding road system. The project would utilize a single curb cut for access and would not include unusual design features. Adherence to all emergency response plan requirements set forth by the City and LAFD would be required through the duration of the project's construction and operation phases. There would be no impacts regarding hazards due to a design feature, and no mitigation is required.

d) Result in inadequate emergency access?

Less than Significant Impact. A significant impact would occur if the proposed project would result in inadequate emergency access. The project does not propose any changes to emergency access, and will require approval of plans by the Fire Department. Further, the project must comply with all applicable City fire safety regulations. No impact will occur.

XVIII. TRIBAL CULTURAL RESOURCES

Would the project cause a substantial adverse change in the significance of a tribal cultural resource, defined in Public Resources Code section 21074 as either a site, feature, place, cultural landscape that is geographically defined in terms of the size and scope of the landscape, sacred place, or object with cultural value to a California Native American tribe, and that is:

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a. Listed or eligible for listing in the California Register of Historical Resources, or in a local register of historical resources as defined in Public Resources Code section 5020.1(k), or	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b. A resource determined by the lead agency, in its discretion and supported by substantial evidence, to be significant pursuant to criteria set forth in subdivision (c) of Public Resources Code Section 5024.1. In applying the criteria set forth in subdivision (c) of Public Resource Code Section 5024.1, the lead agency shall consider the significance of the resource to a California Native American tribe.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

a) Would the project cause a substantial adverse change in the significance of a tribal cultural resource, defined in Public Resources Code section 21074 as either a site, feature, place, cultural landscape that is geographically defined in terms of the size and scope of the landscape, sacred place, or object with cultural value to a California Native American tribe, and that is: Listed or eligible for listing in the California Register of Historical Resources, or in a local register of historical resources as defined in Public Resources Code section 5020.1 (k)?

Less than Significant Impact. A significant impact would occur if the project would cause a substantial adverse change in the significance of a tribal cultural resource, defined in Public Resources Code Section 21074 as either a site, feature, place, cultural landscape that is geographically defined in terms of the size and scope of the landscape, sacred place or object with cultural value to a California Native American tribe, which is Listed or eligible for listing in the California Register of Historical Resources, or in a local register of historical resources as defined in Public Resources Code Section 5020.1(k). Assembly Bill 52 (AB 52) established a formal consultation process for California Native American Tribes to identify potential significant impacts to Tribal Cultural Resources, as defined in Public Resources Code §21074, as part of CEQA. As specified in AB 52, lead agencies must provide notice inviting consultation to California Native American tribes that are traditionally and culturally affiliated with the

geographic area of a proposed project if the Tribe has submitted a request in writing to be notified of proposed projects. The Tribe must respond in writing within 30 days of the City's AB 52 notice. The Native American Heritage Commission (NAHC) provided a list of Native American groups and individuals who might have knowledge of the religious and/or cultural significance of resources that may be in and near the Project site. An informational letter was mailed to a total of 11 Tribes known to have resources in this area, on June 13, 2019, describing the Project and requesting any information regarding resources that may exist on or near the Project site. On June 17, 2019, response was received from the Gabrieleno Band of Mission Indians-Kizh Nation, who requested consultation. On July 12, 2019, response was received from the Fernandeno Tataviam Band of Mission Indians requesting consultation. Consultation with the Fernandeno Tataviam Band of Mission Indians was conducted on July 22, 2019 where it was determined that incorporating a condition for inadvertent discovery would be agreeable. On July 25, 2019, consultation with the Gabrieleno Band of Mission Indians-Kizh Nation was concluded with the requirement to incorporate inadvertent discovery conditions into the project. Therefore, there will be no substantial adverse change in the significance of a tribal cultural resource and the impacts related to tribal and cultural resources will be less than significant.

b) Would the project cause a substantial adverse change in the significance of a tribal cultural resource, defined in Public Resources Code section 21074 as either a site, feature, place, cultural landscape that is geographically defined in terms of the size and scope of the landscape, sacred place, or object with cultural value to a California Native American tribe, and that is: A resource determined by the lead agency, in its discretion and supported by substantial evidence, to be significant pursuant to criteria set forth in subdivision (c) of Public Resources Code Section 5024.1. In applying the criteria set forth in subdivision (c) of Public Resource Code Section 5024.1, the lead agency shall consider the significance of the resource to a California Native American tribe?

Less than Significant Impact. Approved by Governor Brown on September 25, 2014, Assembly Bill 52 (AB52) establishes a formal consultation process for California Native American Tribes to identify potential significant impacts to Tribal Cultural Resources (TCRs), as defined in Public Resources Code Section 21074, as part of CEQA. Effective July 1, 2015, AB 52 applies to projects that file a Notice of Preparation of an ND or EIR on or after July 1, 2015. PRC Section 21084.2 now establishes that a project with an effect that may cause a substantial adverse change in the significance of a TCR is a project that may have a significant effect on the environment. To help determine whether a project may have such an effect, PRC Section 21080.3.1 requires a lead agency to consult with any California Native American tribe that requests consultation and is traditionally and culturally affiliated with the geographic area of a proposed project. That consultation must take place prior to the release of a negative declaration, mitigated negative declaration, or environmental impact report for a project. As a result of AB 52, the following must take place: 1) prescribed notification and response timelines; 2) consultation on alternatives, resource identification, significance determinations, impact evaluation, and mitigation measures; and 3) documentation of all consultation efforts to support CEQA findings for the administrative record.

Under AB 52, if a lead agency determines that a project may cause a substantial adverse change to a TCR, the lead agency must consider measures to mitigate that impact. PRC

Section 21074 provides a definition of a TCR. In brief, in order to be considered a TCR, a resource must be either: 1) listed, or determined to be eligible for listing, on the national, State, or local register of historic resources, or 2) a resource that the lead agency chooses, in its discretion supported by substantial evidence, to treat as a TCR. In the latter instance, the lead agency must determine that the resource meets the criteria for listing in the State register of historic resources or City Designated Cultural Resource. In applying those criteria, a lead agency shall consider the value of the resource to the tribe.

As specified in AB 52, lead agencies must provide notice to tribes that are traditionally and culturally affiliated with the geographic area of a proposed project if the tribe has submitted a written request to be notified. The tribe must respond to the lead agency within 30 days of receipt of the notification if it wishes to engage in consultation on the project, and the lead agency must begin the consultation process within 30 days of receiving the request for consultation. In compliance with AB 52, the City provided notice to tribes soliciting requests for consultation on June 13, 2019. On June 17, 2019, the Gabrieleno Band of Mission Indians-Kizh Nation requested to engage in tribal consultation. On July 12, 2019, the Fernandeno Tataviam Band of Mission Indians requested to engage in tribal consultation. Consultation with the Fernandeno Tataviam Band of Mission Indians was conducted on July 22, 2019 where it was determined that incorporating a condition for inadvertent discovery would be agreeable. On July 25, 2019, consultation with the Gabrieleno Band of Mission Indians-Kizh Nation was concluded with the requirement to incorporate inadvertent discovery conditions into the project. Therefore, there will be no substantial adverse change in the significance of a tribal cultural resource and the impacts related to tribal and cultural resources will be less than significant. No other responses were received from any tribes during the 30-day period. On July 25, 2019, the consultation period concluded. Additionally, a Sacred Lands File Search was performed, with no results for the subject property.

The project site does not contain any known archaeological sites or archaeological survey areas. Thus, as 1) the project site is not listed nor eligible for listing on the national, State, or local register of historic resources; and 2) due to the lack of substantial evidence in City databases, or resultant from the AB 52 process demonstrating otherwise, the City, as lead agency, has determined the project site is not a TCR as defined by PRC Section 21074. Impacts will be less than significant.

XIX. UTILITIES AND SERVICE SYSTEMS

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
Would the project:				
a. Require or result in the relocation or construction of new or expanded water, wastewater treatment or storm water drainage, electric power, natural gas, or telecommunications facilities, the construction or relocation of which could cause significant environmental effects?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b. Have sufficient water supplies available to serve the project and reasonably foreseeable future development during normal, dry and multiple dry years?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c. Result in a determination by the wastewater treatment provider which serves or may serve the project that it has adequate capacity to serve the project's projected demand in addition to the provider's existing commitments?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d. Generate solid waste in excess of State or local standards, or in excess of the capacity of local infrastructure, or otherwise impair the attainment of solid waste reduction goals?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e. Comply with federal, state, and local management and reduction statutes and regulations related to solid waste?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

a) Require or result in the relocation or construction of new or expanded water, wastewater treatment or storm water drainage, electric power, natural gas, or telecommunications facilities, the construction or relocation of which could cause significant environmental effects?

Less Than Significant Impact. Prior to any construction activities, the project applicant would be required to coordinate with the City of Los Angeles Bureau of Sanitation (BOS) to determine the exact wastewater conveyance requirements of the proposed project, and any upgrades to the wastewater lines in the vicinity of the project site that are needed to adequately serve the proposed project would be undertaken as part of the project. Therefore, impacts related to wastewater treatment would be less than significant.

b) Have sufficient water supplies available to serve the project and reasonably foreseeable future development during normal, dry and multiple dry years?

Less Than Significant Impact. A significant impact would occur if the proposed project would increase water consumption or wastewater generation to such a degree that the capacity of facilities currently serving the project site would be exceeded. The Los Angeles Department of Water and Power (LADWP) conducts water planning based on forecast population growth. Accordingly, the increase in residential population resulting from the proposed project would not be considered substantial in consideration of anticipated growth. The net increase of 8 residential units resulting from implementation of the proposed project would be consistent with Citywide growth, and, therefore, the project demand for water is not anticipated to require new water supply entitlements and/or require the expansion of existing or construction of new water treatment facilities beyond those already considered in the LADWP 2010 Urban Water Management Plan. Thus, it is anticipated that the proposed project would not create any water system capacity issues, and there would be sufficient reliable water supplies available to meet project demands. Prior to any construction activities, the project applicant would be required to coordinate with the City of Los Angeles Bureau of Sanitation (BOS) to determine the exact wastewater conveyance requirements of the proposed project, and any upgrades to the wastewater lines in the vicinity of the project site that are needed to adequately serve the proposed project would be undertaken as part of the project. Therefore, the proposed project would have a less-than-significant impact related to water or wastewater infrastructure.

c) Result in a determination by the wastewater treatment provider which serves or may serve the project that it has adequate capacity to serve the project's projected demand in addition to the provider's existing commitments?

Less Than Significant Impact. The project will be served by the City's sewer system and is not expected to exceed wastewater treatment requirements in the area. Impacts will be less than significant.

d) Generate solid waste in excess of State or local standards, or in excess of the capacity of local infrastructure, or otherwise impair the attainment of solid waste reduction goals?

Less Than Significant Impact. The proposed new supermarket will be required to comply with current regulations required by the Department of Building and Safety (LAMC Section 99.04.408.1) and the Bureau of Sanitation (LAMC Section 66.32), which requires the recycling and proper disposal of solid waste. Impacts will be less than significant.

e) Comply with federal, state, and local management and reduction statutes and regulations related to solid waste?

Less than Significant Impact. A significant impact could occur if a project would generate solid waste that was not disposed of in accordance with applicable regulations. These regulations include:

- California Integrated Waste Management Act of 1989 (Assembly Bill [AB] 939). AB 939 requires cities and counties to reduce the amount of solid waste entering existing landfills

through recycling, reuse, and waste prevention efforts. These efforts have included permitting procedures for waste haulers and handlers.

- California Solid Waste Reuse and Recycling Access Act of 1991 (AB 1327), which requires local jurisdictions to adopt an ordinance requiring commercial buildings to provide an adequate storage area for the collection and removal of recyclable materials. The City of Los Angeles passed such an ordinance in 1997.
- AB 341 of 2012 requires businesses to arrange for recycling services.
- Los Angeles Green Code incorporates the CALGreen Code and is applicable to the construction of new buildings by addressing construction waste reduction, disposal, and recycling.
- Los Angeles Citywide Construction and Demolition Waste Recycling Ordinance requires haulers and contractors responsible for handling C&D waste to obtain a Private Solid Waste Hauler Permit from the Bureau of Sanitation prior to collecting, hauling, and transporting C&D waste, and C&D waste can only be taken to City-certified C&D processing facilities.

The proposed nine unit small lot project must comply with federal, state, and local statutes and regulations relating to solid waste. Impacts will therefore be less than significant.

XX. WILDFIRE

If located in or near state responsibility areas or lands classified as very high fire hazard severity zones:

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
Would the project:				
a. Substantially impair an adopted emergency response plan or emergency evacuation plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b. Due to slope, prevailing winds, and other factors, exacerbate wildfire risks, and thereby expose project occupants to, pollutant concentrations from a wildfire or the uncontrolled spread of a wildfire?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c. Require the installation or maintenance of associated infrastructure (such as roads, fuel breaks, emergency water sources, power lines or other utilities) that may exacerbate fire risk or that may result in temporary or ongoing impacts to the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d. Expose people or structures to significant risks, including downslope or downstream flooding or landslides, as a result of runoff, post-fire slope instability, or drainage changes?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

a) Substantially impair an adopted emergency response plan or emergency evacuation plan?

No Impact. The Project is not located in or near State responsibility areas or lands classified as very high fire hazard zones. The Project Site is located within an urbanized area of the City and does not include wildlands or high-fire-hazard terrain. As such, no impacts would occur, and no mitigation is required.

b) Due to slope, prevailing winds, and other factors, exacerbate wildfire risks, and thereby expose project occupants to, pollutant concentrations from a wildfire or the uncontrolled spread of a wildfire?

No Impact. The Project is not located in or near State responsibility areas or lands classified as very high fire hazard zones. The Project Site is located within an urbanized area of the City and does not include wildlands or high-fire-hazard terrain. As such, no impacts would occur and no mitigation is required.

c) Require the installation or maintenance of associated infrastructure (such as roads, fuel breaks, emergency water sources, power lines or other utilities) that may exacerbate fire risk or that may result in temporary or ongoing impacts to the environment?

No Impact. The Project is not located in or near State responsibility areas or lands classified as very high fire hazard zones. The Project Site is located within an urbanized area of the City and does not include wildlands or high-fire-hazard terrain. In addition, the Project Site is not identified by the City as being located within an area susceptible to fire hazards. As such, no impacts would occur and no mitigation is required.

d) Expose people or structures to significant risks, including downslope or downstream flooding or landslides, as a result of runoff, post-fire slope instability, or drainage changes?

No Impact. The Project is not located in or near State responsibility areas or lands classified as very high fire hazard zones. The Project Site is located within an urbanized area of the City and does not include wildlands or high-fire-hazard terrain. In addition, as previously discussed, the Project Site is not susceptible to potential flooding or landslide, nor would the Project result in potential drainage changes. As such, no impacts would occur and no mitigation is required.

XXI. MANDATORY FINDINGS OF SIGNIFICANCE

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a. Does the project have the potential to substantially degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, substantially reduce the number or restrict the range of a rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b. Does the project have impacts that are individually limited, but cumulatively considerable? (“Cumulatively considerable” means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c. Does the project have environmental effects which will cause substantial adverse effects on human beings, either directly or indirectly?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

a) Does the project have the potential to substantially degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, substantially reduce the number or restrict the range of a rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory?

Less Than Significant Impact. Based on the analysis of this Initial Study, the proposed project would not have the potential to degrade the quality of the environment, substantially reduce the habitat of fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, or reduce the number or restrict the range of a rare or endangered plant or animal. However, during project construction, the proposed project may encounter unknown cultural resources, including archaeological and paleontological resources. Compliance with existing regulations would reduce impacts to less than significant levels.

b) Does the project have impacts that are individually limited, but cumulatively considerable? (“Cumulatively considerable” means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects)?

Less Than Significant Impact. A significant impact may occur if the proposed project, in conjunction with related projects, would result in impacts that are less than significant when viewed separately but significant when viewed together. Although projects may be constructed in the project vicinity, the cumulative impacts to which the proposed project would contribute would be less than significant.

c) Does the project have environmental effects which will cause substantial adverse effects on human beings, either directly or indirectly?

Less Than Significant Impact. A significant impact may occur if the proposed project has the potential to result in significant impacts, as discussed in the preceding sections. The proposed project would not have the potential to result in substantial adverse impacts on human beings either directly or indirectly. Therefore, impacts will be less than significant.